

EES Product Catalog 2012



**Ethicon
Endo-Surgery**


PART OF THE JOHNSON & JOHNSON FAMILY OF COMPANIES



Ethicon

Endo-Surgery

Transforming patient
care through innovation.



Ethicon Endo-Surgery 2011 Innovations



EES Generator




HARMONIC SYNERGY® Combination Hook Blade



ECHELON FLEX™ 45mm & 60mm
ENDOPATH® Staplers



ETHICON SECURESTRAP™



ENSEAL® G2 Super Jaw Tissue Sealer



HARMONIC FOCUS®
Long Curved Shears



ENDOPATH® XCEL™
Bladeless Trocar



LIGAMAX™ 5



LAPRA-TY® Clip Applier KA200L



ECHELON FLEX™ Powered ENDOPATH® Stapler

CONTENTS

Our Story	7
Energy	9
Access	19
Stapling	33
Ligation	55
Endo Devices	61
Gastric Band	71
Ordering	76
Index	77



Ethicon Endo-Surgery

EES is part of the Johnson & Johnson Family of Companies. We not only represent a history of innovation, but a rich tradition of patient care that begins with our parent company, Johnson & Johnson.

The mission of EES is to improve patients' lives by developing innovative technology-based solutions that deliver superior outcomes.

- We are guided by the Johnson & Johnson Credo — putting customers first
- We are a leader within J&J Surgical Care — part of the J&J Medical Devices and Diagnostics sector
- We are recognized as an innovator in the healthcare industry
- We have touched the lives of over 17 million patients worldwide over the past five years





Energy




ENSEAL® G2 Super Jaw Tissue Sealer



	CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NEW	NSEALX22L	40mm Curved Jaw	12mm	22cm	6

ENSEAL® TRIO



	CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
	ETRIO314H	3mm Curved	5mm	14cm	6
	ETRIO325H	3mm Curved	5mm	25cm	6
	ETRIO335H	3mm Curved	5mm	35cm	6
	ETRIO345H	3mm Curved	5mm	45cm	6

ENSEAL® Round Tip



	CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
	NSEAL514RH	5mm Round	5mm	14cm	6
	NSEAL525RH	5mm Round	5mm	25cm	6
	NSEAL535RH	5mm Round	5mm	35cm	6
	NSEAL545RH	5mm Round	5mm	45cm	6

ENSEAL® Standard Tip



	CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
	NSEAL514H	5mm Standard	5mm	14cm	6
	NSEAL525H	5mm Standard	5mm	25cm	6
	NSEAL535H	5mm Standard	5mm	35cm	6
	NSEAL545H	5mm Standard	5mm	45cm	6

Strong on Sealing. Gentle on Tissue.

For your open procedures, the new ENSEAL® G2 Super Jaw Tissue Sealer brings a new level of confidence and consistency to sealing large vessels up to 7mm.

The next generation ENSEAL® technology delivers sealing advancements:

- **Strong:** Seals vessels with seal strength that withstands up to seven times normal systolic pressure¹
- **Complete:** Delivers high uniform compression throughout the 40mm curved tip²
- **Contained:** Provides minimal lateral thermal spread approximately 1mm, secure tissue grasping and minimal sticking



¹Tested in porcine carotid arteries. Normal systolic = 120mm Hg. Data on file.
²Compression testing conducted on inanimate model. Data on file.
©2011 Ethicon Endo-Surgery, Inc. All Rights Reserved. DSL 10-1336.CR

For more information, contact your
Ethicon Endo-Surgery Sales Professional or call 1-800-USE-ENDO.

Many procedures are complex. This one is simple.

The new Ethicon Endo-Surgery Generator combines advanced technology, multifunctionality and touchscreen simplicity in one easy-to-operate unit that supports current and future HARMONIC® and ENSEAL® devices.

- Technology platform to support current and future HARMONIC® and ENSEAL® devices
- Touchscreen for fast and easy setup, operation and onscreen diagnostics
- High resolution display with wide viewing angles
- Software updates via USB memory stick



EES HARMONIC®

SHEARS

HARMONIC ACE®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
ACE23E	Curved Shears	5mm	23cm	HP054	6
ACE36E	Curved Shears	5mm	36cm	HP054	6
ACE45E	Curved Shears	5mm	45cm	HP054	6

HARMONIC ACE®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
ACE14S	Curved Shears	5mm	14cm	HP054	6

HARMONIC FOCUS®



CODE	TIP	SHAFT LENGTH	HANDPIECE	QUANTITY
FCS9	Curved Shears	9cm	HPBLUE	6
FCS17	Curved Shears	17cm	HPBLUE	6

HARMONIC WAVE®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
WAVE18S	Straight Shears	8.5mm	18cm	HP054	6

HARMONIC® Coagulating Shears



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
LCSC5	Curved Shears	5mm	36cm	HP054	6

HARMONIC® Coagulating Shears



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
CS14C	Curved Shears	5mm	14cm	HP054	6
CS23C	Curved Shears	5mm	23cm	HP054	6

BLADES

HARMONIC SYNERGY®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
SNGCB	Curved	3mm	4-9cm	HPBLUE	6
SNGHK	Hook	3mm	4-9cm	HPBLUE	6
SNGHK2	Hook	3mm	4-9cm	HPBLUE	6

EES HARMONIC®

HARMONIC® Laparoscopic Blades



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
HC325	Curved	5mm	32cm	HP054	6
HDH05	Hook	5mm	32cm	HP054	6

HARMONIC® Ball Coagulator



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
HBC05	Ball	5mm	31cm	HP054	6

HARMONIC® Blade



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HANDPIECE	QUANTITY
DH105	Hook	5mm	10cm	HP054	6

Endo-Surgery Generator



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	GEN11	EES Generator	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
	HP054	HARMONIC® Handpiece	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
	HPBLUE	HARMONIC® Handpiece (Blue)	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	HGA11	Connector: compatible with legacy HARMONIC® Handpieces	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	EGA11	Connector: compatible with legacy ENSEAL® Instruments	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	GEN11VK	Output Verification Key	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	FSW11	Footswitch compatible with EES Generator	1



	PRODUCT CODE	DESCRIPTION	QUANTITY
NEW	CRT11	Cart for EES Generator	1

ACCESSORIES

HARMONIC® Accessories


CODE	DESCRIPTION	QUANTITY
HST01	Sterilization Tray	1
HST02	Test Tip for HPO54	1
TLB01	Torque Lock Blade Wrench	2
TTBLUE	Test Tip for HARMONIC® Handpiece (Blue)	1
HSA06	5mm Blade System Adapter	2
HSA08	Disposable Hand Switch Adapter (only use with HPO54)	3
HAOSSL	HARMONIC ACE® 5mm Open Sleeve	6

WARRANTIES

EES Energy Generator Extended Warranty

CODE	DESCRIPTION	QUANTITY
GEN11WAR1	EES Energy Generator 1-Year Extended Warranty	1
GEN11WAR2	EES Energy Generator 2-Year Extended Warranty	1







Access



New ENDOPATH® XCEL™ with OPTIVIEW® Technology reduces smudging during scope reinsertion more effectively than any other trocar.*

With the addition of NEW OPTIVIEW® Technology you'll notice:

- Less fluid in the trocar seals
- Reduced smudging during scope reinsertion
- Fewer interruptions to reclean the scope



For more information, contact your Ethicon Endo-Surgery
Sales Professional, call 1-800-USE-ENDO or visit us at
ethiconendosurgery.com/xceloptiview

*Compared to most popular competitive 5mm trocars — Applied COQ04, CTR03, CFF03, CTF03, CFI13, CFR03; Covidien NB5STF, VS101005; Taut 40510. Data on file.
©2011 Ethicon Endo-Surgery, Inc. All Rights Reserved. DSL 11-0759.

EES Access

BLADELESS

5mm ENDOPATH® XCEL™ Bladeless Trocars



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
NEW	2B5ST	Stability	75mm	Yes	6
NEW	2B5LT	Stability	100mm	Yes	6
NEW	2B5XT	Stability	150mm	Yes	6
	B5ST	Stability	75mm	No	6
	B5LT	Stability	100mm	No	6
	B5XT	Stability	150mm	No	6
	B5SP*	Smooth	75mm	No	6
	B5LP*	Smooth	100mm	No	6

* Discontinued September 1, 2011

5mm ENDOPATH® XCEL™ Bladeless Trocar with Handle



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B5LPH*	Smooth	100mm	6

* Discontinued September 1, 2011

8mm ENDOPATH® XCEL™ Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B8LT	Stability	100mm	6

EES Access

11mm ENDOPATH® XCEL™ Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
B11LT	Stability	100mm	No	6
B11LP	Smooth	100mm	No	6

11mm ENDOPATH® XCEL™ Bladeless Trocars with Handle



CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
B11LTH	Stability	100mm	No	6
B11LPH	Smooth	100mm	No	6

12mm ENDOPATH® XCEL™ Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
B12SRT	Stability	75mm	No	6
B12LT	Stability	100mm	No	6
B12XT	Stability	150mm	No	6
B12LP	Smooth	100mm	No	6

EES Access

12mm ENDOPATH® XCEL™ Bladeless Trocars with Handle



B12LTH



B12LPH

CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
B12LTH	Stability	100mm	No	6
B12LPH	Smooth	100mm	No	6

15mm ENDOPATH® XCEL™ Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
B15LT	Stability	100mm	No	6



DILATING TIP

5mm ENDOPATH® XCEL™ Dilating Tip Trocars



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
NEW	2D5ST	Stability	75mm	Yes	6
NEW	2D5LT	Stability	100mm	Yes	6
	D5ST	Stability	75mm	No	6
	D5LT	Stability	100mm	No	6

11mm ENDOPATH® XCEL™ Dilating Tip Trocar



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
	D11LT	Stability	100mm	No	6

12mm ENDOPATH® XCEL™ Dilating Tip Trocars



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
	D12LT	Stability	100mm	No	6
	D12XT	Stability	150mm	No	6

EES Access

SLEEVES

5mm ENDOPATH® XCEL™ Universal Sleeves

Can be used with both XCEL™ Bladeless and Dilating Tip Trocar



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
NEW	2CB5ST	Stability	75mm	Yes	6
NEW	2CB5LT	Stability	100mm	Yes	6
	CB5ST	Stability	75mm	No	6
	CB5LT	Stability	100mm	No	6

11mm ENDOPATH® XCEL™ Universal Sleeve

Can be used with both XCEL™ Bladeless and Dilating Tip Trocar



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
	CB11LT	Stability	100mm	No	6

12mm ENDOPATH® XCEL™ Universal Sleeve

Can be used with both XCEL™ Bladeless and Dilating Tip Trocar



	CODE	SLEEVE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
	CB12LT	Stability	100mm	No	6

BLUNT TIP

12mm ENDOPATH® XCEL™ Blunt Tip Trocar



CODE	SHAFT LENGTH	OPTIVIEW® TECHNOLOGY	QUANTITY
H12LP	100mm	No	6

NEEDLES

ENDOPATH® Insufflation Needles Pneumoperitoneum



CODE	SHAFT LENGTH	QUANTITY
PN120	120mm	12
PN150	150mm	12

ENDOPATH® Insufflation Needle Ultra Veress



CODE	SHAFT LENGTH	QUANTITY
UV120	120mm	12

EES Access

MINI/MICRO TROCARS

2mm/3mm ENDOPATH® Mini/Micro Trocars Nonoptical



23NBS



23NBL

CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
23NBS	Smooth	2mm/3mm	65mm	6
23NBL	Smooth	2mm/3mm	100mm	6

3mm ENDOPATH® Mini/Micro Trocar



CODE	DESCRIPTION	SHAFT DIAMETER	QUANTITY
AN3MM	3mm Access Needle	3mm	6

5mm ENDOPATH® Nonshielded Trocars



355NS



35LNS

CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
355NS	Nonshielded	5mm	65mm	6
35LNS	Nonshielded	5mm	100mm	6

THORACIC TROCARS

10mm/12mm ENDOPATH® Rigid Thoracic Trocar



CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
TT012	Thoracic	10mm/12mm	10mm/12mm	6

FLEXIPATH® Flexible Thoracic Trocars



CODE	OBTURATOR AND SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
FPO07	Flexible	7mm	—	6
FPO15	Flexible	15mm	—	6
FPO20	Flexible	20mm	—	6

FLEXIPATH® Flexible Thoracic Trocar Pack



CODE	DESCRIPTION	QUANTITY
FPK02	Contains: (1) 15mm Obturator and (3) 15mm Flexible Sleeves	6

EES Access

RESPONSABLE TROCARS

ENDOPATH® Bladeless, Obturator and Housing

To be used with ENDOPATH® Reusable Sleeves



CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
355NA	Resposable	5mm	75mm	6
35LNA	Resposable	5mm	100mm	6
511NA	Resposable	10mm/11mm	100mm	6
512NA	Resposable	10mm/12mm	100mm	6

ENDOPATH® Dilating Tip, Obturator and Housing

To be used with ENDOPATH® Reusable Sleeves



CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
355DA	Resposable	5mm	75mm	6
35LDA	Resposable	5mm	100mm	6
511DA	Resposable	10mm/11mm	100mm	6
512DA	Resposable	10mm/12mm	100mm	6

ENDOPATH® Blunt Tip, Obturator, Housing and Olive Plug



CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
512BA	Resposable	10mm/12mm	100mm	6

HOUSING UNITS AND SLEEVES

ENDOPATH® Disposable Housing Units



355HR



511HR



512HR

CODE	SHAFT DIAMETER	QUANTITY
355HR	5mm	6
511HR	10mm/11mm	6
512HR	10mm/12mm	6

ENDOPATH® Reusable Sleeves



355RT



35LRT



511RT



512RT

CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
355RT	Stability	5mm	75mm	1
35LRT	Stability	5mm	100mm	1
511RT	Stability	10mm/11mm	100mm	1
512RT	Stability	10mm/12mm	100mm	1

SINGLE-SITE LAPAROSCOPY

Single-Site Laparoscopy



CODE	DESCRIPTION	QUANTITY
SSL01FLR	Single-Site Laparoscopy Fixed-Length Retractor (Small)	6
SSL02FLR	Single-Site Laparoscopy Fixed-Length Retractor (Medium)	6
SSL3P	Single-Site Laparoscopy Seal Cap with Accessories	3

EES Access

HAND-ASSISTED LAPAROSCOPY (HALS)

ENDOPATH® DEXTRUS™ HALS Retractors



FLR01



FLR02



FLR03

CODE	DESCRIPTION	ABDOMINAL WALL THICKNESS	QUANTITY
FLR01	Fixed-Length Access Retractor (Small)	<4cm	6
FLR02	Fixed-Length Access Retractor (Medium)	4-7cm	6
FLR03	Fixed-Length Access Retractor (Large)	>7cm	6

ENDOPATH® DEXTRUS™ HALS Products



CODE	DESCRIPTION	QUANTITY
HAP02	Seal Cap Assembly with Accessories	3





Stapling



How much unintentional tip movement does your endocutter have when firing?

Introducing the gold standard in stability: The NEW ECHELON FLEX™ Powered ENDOPATH® Stapler

Allows the surgeon to reduce movement at the end effector by at least 63% during transection of thick tissue*

- **Reduces unwanted movement** of the distal tip to protect targeted tissue and surrounding fragile organs and tissue from damage
- **Results in smooth, consistent firing** even in thick tissue and at awkward angles
- **Reduced force to fire** leads to less movement of the tip on vital structures, potentially resulting in less trauma



See for yourself what a difference the new Powered Echelon Flex™ Stapler can make in your procedures.

Visit us at ethiconendosurgery.com/poweredechelexonflex

*Benchtop testing on porcine stomach (2.5mm to 4mm thick). Surgeons (n=19) fired each instrument/reload once: PSE60A/ECR60G, O30449/O30459 and EGIAUSTND/EGIA60AMT. Distal tip motion measurement during the firing cycle showed a 63% reduction in tip movement of PSE60A/ECR60G vs the other two devices.
©2011 Ethicon Endo-Surgery, Inc. All Rights Reserved. DSL 11-0853.

POWERED ENDOCUTTERS

Powered ECHELON FLEX™ 45mm Stapler

COMING SOON



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCE45A	Yes	280mm	3
PSE45A	Yes	340mm	3
PLE45A	Yes	440mm	3

EES Stapling

ECHELON™ 45mm Reloads

For use with all ECHELON™ 45mm Endoscopic Staplers (SC45A, EC45A, EC45AL, SC45, EC45, ECLG45)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR45M	● Gray	6	Mesentery	2.0mm	.75mm	12
ECR45W	○ White	6	Vascular	2.5mm	1.0mm	12
ECR45B	● Blue	6	Standard	3.5mm	1.5mm	12
ECR45D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR45G	● Green	6	Thick	4.1mm	2.0mm	12

Powered ECHELON FLEX™ 60mm Stapler

NEW



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCE60A	Yes	280mm	3
PSE60A	Yes	340mm	3
PLE60A	Yes	440mm	3

ECHELON™ 60mm Reloads

For use with all ECHELON™ 60mm Endoscopic Staplers (SC60A, EC60A, LONG60A, SC60, EC60, LONG60)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR60M	● Gray	6	Mesentery	2.0mm	.75mm	12
ECR60W	○ White	6	Vascular	2.5mm	1.0mm	12
ECR60B	● Blue	6	Standard	3.5mm	1.5mm	12
ECR60D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR60G	● Green	6	Thick	4.1mm	2.0mm	12

EES Stapling

ECHELON FLEX™ 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
SC45A	Yes	280mm	12	3
EC45A	Yes	340mm	12	3
EC45AL	Yes	440mm	12	3

ECHELON™ 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
SC45	No	280mm	12	3
EC45	No	340mm	12	3
ECLG45	No	440mm	12	3

ECHELON™ 45mm Reloads

For use with all ECHELON™ 45mm Endoscopic Staplers (SC45A, EC45A, EC45AL, SC45, EC45, ECLG45)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR45M	● Gray	6	Mesentery	2.0mm	.75mm	12
ECR45W	○ White	6	Vascular	2.5mm	1.0mm	12
ECR45B	● Blue	6	Standard	3.5mm	1.5mm	12
ECR45D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR45G	● Green	6	Thick	4.1mm	2.0mm	12

EES Stapling

ECHELON FLEX™ 60mm Endocutters Cartridges Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
SC60A	Yes	280mm	12	3
EC60A	Yes	340mm	12	3
LONG60A	Yes	440mm	12	3

ECHELON™ 60mm Endocutters Cartridges Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
SC60	No	280mm	12	3
EC60	No	340mm	12	3
LONG60	No	440mm	12	3

ECHELON™ 60mm Reloads For use with all ECHELON™ 60mm Endoscopic Staplers (SC60A, EC60A, LONG60A, SC60, EC60, LONG60)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR60M	● Gray	6	Mesentery	2.0mm	.75mm	12
ECR60W	○ White	6	Vascular	2.5mm	1.0mm	12
ECR60B	● Blue	6	Standard	3.5mm	1.5mm	12
ECR60D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR60G	● Green	6	Thick	4.1mm	2.0mm	12

EES Stapling

ETS Flex 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
CTS45	Yes	240mm	8	3
ATS45	Yes	340mm	8	3
LONG45A	Yes	440mm	8	3

ETS Flex 45mm No-Knife Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
CTS45NK	Yes	240mm	8	3
ATS45NK	Yes	340mm	8	3

ETS 45mm Endocutter Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	MAXIMUM FIRINGS	QUANTITY
ETS45	No	340mm	8	3

ETS 45mm Reloads For use with all ETS 45mm Endoscopic Linear Cutters (CTS45, ATS45, LONG45A, CTS45NK, ATS45NK, ETS45)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
6R45M	● Gray	6	Mesentery	2.0mm	.85mm	12
TR45W	○ White	6	Vascular	2.5mm	1.0mm	12
6R45B	● Blue	6	Standard	3.5mm	1.5mm	12
TR45G	● Green	4	Standard/Thick	4.1mm	2.0mm	12

EES Stapling

EZ 45mm Endocutters



CODE	COLOR	ARTICULATION	SHAFT LENGTH	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
EZ45B	● Blue	No	300mm	ZR45B	8	3
EZ45G	● Green	No	300mm	ZR45G	8	3

EZ 45mm Reloads For use with EZ 45mm Endoscopic Linear Cutters (EZ45B, EZ45G)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	MAXIMUM FIRINGS	QUANTITY
ZR45B	● Blue	4	Standard	3.5mm	1.5mm	8	12
ZR45G	● Green	4	Thick	4.5mm	2.0mm	8	12

EES Stapling

ETS Flex 35mm Endocutters ETS Flex 35mm Articulating Endoscopic Linear Cutters



CODE	ARTICULATION	SHAFT LENGTH	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
ATW35	Yes	340mm	TR35W	8	3
ATB35	Yes	340mm	TR35B	8	3

ETS 35mm Straight Endocutters



CODE	ARTICULATION	SHAFT LENGTH	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TSW35	No	340mm	TR35W	8	3
TSB35	No	340mm	TR35B	8	3

ETS 35mm Reloads For use with ETS 35mm Endoscopic Linear Cutters (ATW35, ATB35, TSW35, TSB35)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TR35W	○ White	6	Vascular	2.5mm	1.0mm	12
TR35B	● Blue	6	Standard	3.5mm	1.5mm	12



EES Stapling

LINEAR CUTTERS

55mm Linear Cutter, Selectable Staple Height Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	MAXIMUM FIRINGS	QUANTITY
N TLC55	● ● ●	Selectable	12	3

55mm Linear Cutter, Selectable Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR55	●	6	Standard	4.3mm	1.5mm	12
	●	6	Standard/Thick	4.3mm	1.8mm	12
	●	6	Thick	4.3mm	2.0mm	12

75mm Linear Cutter, Selectable Staple Height Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	MAXIMUM FIRINGS	QUANTITY
N TLC75	● ● ●	Selectable	12	3

75mm Linear Cutter, Selectable Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR75	●	6	Standard	4.3mm	1.5mm	12
	●	6	Standard/Thick	4.3mm	1.8mm	12
	●	6	Thick	4.3mm	2.0mm	12

EES Stapling

55mm Linear Cutters PROXIMATE® 55mm Linear Cutters with Safety Lockout



TVC55



TLC55



TCT55

CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TVC55	○ White	Vascular	2.5mm	1.0mm	TVR55	8	3
TLC55	● Blue	Standard	3.85mm	1.5mm	TCR55	8	3
TCT55	● Green	Thick	4.5mm	2.0mm	TRT55	8	3

55mm Linear Cutter Reloads For use with all 55mm Linear Cutters (TVC55, TLC55, TCT55)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TVR55	○ White	4	Vascular	2.5mm	1.0mm	12
TCR55	● Blue	4	Standard	3.85mm	1.5mm	3
TRT55	● Green	4	Thick	4.50mm	2.0mm	3

75mm Linear Cutters PROXIMATE® 75mm Linear Cutters with Safety Lockout



TLC75



TCD75



TCT75

CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLC75	● Blue	Standard	3.85mm	1.5mm	TCR75	8	3
TCD75	● Gold	Standard/Thick	4.2mm	1.8mm	TRD75	8	3
TCT75	● Green	Thick	4.5mm	2.0mm	TRT75	8	3

75mm Linear Cutter Reloads For use with all 75mm Linear Cutters (TLC75, TCD75, TCT75)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR75	● Blue	4	Standard	3.85mm	1.5mm	12
TRD75	● Gold	4	Standard/Thick	4.2mm	1.8mm	12
TRT75	● Green	4	Thick	4.5mm	2.0mm	12

EES Stapling

100mm Linear Cutters PROXIMATE® 100mm Linear Cutters with Safety Lockout



TLC10



TCT10

CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLC10	 Blue	Standard	3.85mm	1.5mm	TCR10	8	3
TCT10	 Green	Thick	4.5mm	2.0mm	TRT10	8	3

100mm Linear Cutter Reloads For use with all 100mm Linear Cutters (TLC10, TCT10)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR10	 Blue	4	Standard	3.85mm	1.5mm	12
TRT10	 Green	4	Thick	4.5mm	2.0mm	12



EES Stapling

CIRCULAR STAPLERS

Endoscopic Curved Intraluminal Staplers



ECS21A



ECS25A



ECS29A



ECS33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECS21A	12.4mm	28cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
ECS25A	16.4mm	28cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
ECS29A	20.4mm	28cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
ECS33A	24.4mm	28cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

Curved Intraluminal Staplers



CDH21A



CDH25A



CDH29A



CDH33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CDH21A	12.4mm	18cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
CDH25A	16.4mm	18cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
CDH29A	20.4mm	18cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
CDH33A	24.4mm	18cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

Straight Intraluminal Staplers



SDH21A



SDH25A



SDH29A



SDH33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SDH21A	12.4mm	18cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
SDH25A	16.4mm	18cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
SDH29A	20.4mm	18cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
SDH33A	24.4mm	18cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

EES Stapling

ENDOPATH® ILS Circular Sizer Set



CODE	DESCRIPTION	QUANTITY
CSS	Bowel Sizers for the ENDOPATH® ILS Curved Staplers, the set includes one each of a 25mm, 29mm and 33mm sizer	1

PROCEDURE STAPLERS

PPH Procedure Set



CODE	DESCRIPTION	QUANTITY
PPH03	Includes Hemorrhoidal Circular Stapler 33mm, suture threader, circular anal dilator and purse string anoscope	3

STARR Procedure Set



CODE	DESCRIPTION	QUANTITY
STR10	For Stapled Transanal Rectal Resection (STARR)	3

Reusable Purse String Clamp



CODE	DESCRIPTION	QUANTITY
EH40	—	1

EES Stapling

LINEAR STAPLERS

TX 30mm Linear Stapler PROXIMATE® TX 30mm Reloadable Linear Stapler



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
TX30V	○ White	Vascular	2.5mm	1.0mm	XR30V	3
XR30V	○ White	Vascular	2.5mm	1.0mm	—	12

TX 30mm Linear Staplers PROXIMATE® TX 30mm Reloadable Linear Staplers



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
TX30B	● Blue	Standard	3.5mm	1.5mm	XR30B	3
TX30G	● Green	Thick	4.8mm	2.0mm	XR30G	3

TX 30mm Linear Stapler Reloads For use with PROXIMATE® TX 30mm Reloadable Linear Staplers (TX30B, TX30G)



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR30B	● Blue	Standard	3.5mm	1.5mm	12
XR30G	● Green	Thick	4.8mm	2.0mm	12

EES Stapling

TX 60mm Linear Staplers PROXIMATE® TX 60mm Reloadable Linear Staplers



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
TX60B	Blue	Standard	3.5mm	1.5mm	XR60B	3
TX60G	Green	Thick	4.8mm	2.0mm	XR60G	3

TX 60mm Linear Stapler Reloads For use with PROXIMATE® TX 60mm Reloadable Linear Staplers (TX60B, X60G)



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR60B	Blue	Standard	3.5mm	1.5mm	12
XR60G	Green	Thick	4.8mm	2.0mm	12



EES Stapling

TL 30mm Linear Stapler with Dial

TL Reloadable Linear Stapler with Adjustable Staple Height and Reload



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TL30	30mm TL Reloadable Linear Stapler	1.0-2.5mm	TR30	4	3
TR30	—	1.0-2.5mm	—	—	12

TL 60mm Linear Stapler with Dial

TL Reloadable Linear Stapler with Adjustable Staple Height and Reload



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TL60	60mm TL Reloadable Linear Stapler	1.0-2.5mm	TR60	4	3
TR60	—	1.0-2.5mm	—	—	12

TL 90mm Linear Stapler with Dial

TL Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height and Reload



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TL90	90mm TL Reloadable Linear Stapler	1.0-2.5mm	TR90	4	3
TR90	—	1.0-2.5mm	—	—	12

EES Stapling

TLH 30mm Linear Stapler with Dial TLH Reloadable Linear Stapler with Adjustable Staple Height



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLV30	30mm TLH Reloadable Linear Stapler	1.0mm	TRV30	4	3
TRV30	For use with TLV30	1.0mm	—	—	12

TLH 30mm Linear Stapler with Dial TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLH30	30mm TLH Reloadable Linear Stapler	1.0–2.5mm	TRH30	4	3
TRH30	For use with TLH30	1.0–2.5mm	—	—	12

TLH 60mm Linear Stapler with Dial TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLH60	60mm TLH Reloadable Linear Stapler	1.5–2.5mm	TRH60	4	3
TRH60	For use with TLH60	1.5–2.5mm	—	—	12

TLH 90mm Linear Stapler with Dial TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
TLH90	90mm TLH Reloadable Linear Stapler	1.5–2.5mm	TRH90	4	3
TRH90	For use with TLH90	1.5–2.5mm	—	—	12

EES Stapling

SKIN STAPLERS

Rotating-Head Skin Staplers PROXIMATE® Rotating-Head Skin Staplers with Stainless Steel Staples



CODE	SIZE	STAPLES	QUANTITY
PRR35	Regular	35	6
PRW35	Wide	35	6

Fixed-Head Skin Staplers PROXIMATE® Plus MD Fixed-Head Skin Staplers with Multidirectional Release



CODE	SIZE	STAPLES	QUANTITY
PMR35	Regular	35	6
PMW35	Wide	35	6

Fixed-Head Skin Staplers PROXIMATE® PX Fixed-Head Skin Staplers with Multidirectional Release, Pistol Grip



CODE	SIZE	STAPLES	QUANTITY
PXR35	Regular	35	6
PXW35	Wide	35	6

Staple Extractor



CODE	SIZE	QUANTITY
PSX	Squeeze Handle Staple Extractor	12

EES Stapling

CURVED CUTTER STAPLERS

Contour® 40mm Linear Staplers



CODE	COLOR	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	MAXIMUM FIRINGS	QUANTITY
CS40B	Blue	3.5mm	1.44mm	CR40B	6	3
CS40G	Green	4.7mm	2.0mm	CR40G	6	3

Contour® 40mm Linear Stapler Reloads For use with (CS40B, CS40G)



CODE	COLOR	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CR40B	Blue	3.5mm	1.44mm	6
CR40G	Green	4.7mm	2.0mm	6

55mm Articulating Linear Staplers Single-Patient Firings



CODE	COLOR	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
AX55B	Blue	3.5mm	1.5mm	Not Reloadable	3
AX55G	Green	4.8mm	2.0mm	Not Reloadable	3

Reach Deeper, See Better¹

Contour[®] Curved Cutter Staplers.

- Features **simultaneous stapling and cutting**.
- Delivers **four curvilinear rows of staples with a single cut**.
- Unique curved-head design lets you **access the lower pelvis and enhances your visibility** of the targeted area.
- A single device may be used to **fire up to six times** in a single procedure.
- Offers an indication for **skeletal muscle**, including steps to use for **muscle stapling** in below- and above-knee amputations and sarcoma cases.



¹Unique curved-head design gives lower pelvic access than 30mm linear staplers (PI30) and enhanced visibility (of anatomic structures). Data on file at EES.

For more information, contact your
Ethicon Endo-Surgery Sales Professional or call 1-800-USE-ENDO.





Ligation



EES Ligation

ENDOSCOPIC MULTIPLE-CLIP APPLIERS

LIGAMAX™ 5 Rotating Multiple-Clip Applier



CODE	DIAMETER	CLIP SIZE	NUMBER OF CLIPS	QUANTITY
EL5ML	5mm	Medium/Large	15	3

LIGACLIP® Rotating Multiple-Clip Applier



CODE	DIAMETER	CLIP SIZE	NUMBER OF CLIPS	QUANTITY
ER320	10mm	Medium/Large	20	3

LIGACLIP® Rotating Multiple-Clip Applier



CODE	DIAMETER	CLIP SIZE	NUMBER OF CLIPS	QUANTITY
ER420	12mm	Large	20	3

ENDOSCOPIC SINGLE-CLIP APPLIERS

LIGACLIP® Multi-Patient-Use Single-Clip Appliers (Uses LIGACLIP® EXTRA Stainless Steel or Titanium Ligating Clips)



CODE	CLIP SIZE	QUANTITY
EL214	Medium	1
EL314	Medium/Large	1
EL414	Large	1

EES Ligation

OPEN MULTIPLE-CLIP APPLIERS

LIGACLIP® Multiple-Clip Appliers Single Use, Not Reloadable



MCS20



MSM20



MCM20



MCM30




MCL20

CODE	LENGTH	CLIP SIZE	NUMBER OF CLIPS	QUANTITY
MCS20	23.8cm	Small	20	6
MSM20	23.8cm	Medium	20	6
MCM20	29.2cm	Medium	20	6
MCM30	29.2cm	Medium	30	6
MCL20	33.7cm	Large	20	6

The enhanced Ligamax™ 5. Superior clip security*

5mm wide. 10mm good.

- **Delivers the same security** of medium/large clips in a small clip applier
 - Your patients will appreciate all of the benefits of a **smaller incision**
- That's why it's the market-leading 5mm clip applier



So what's stopping you from switching?

Visit us at ethiconendosurgery.com/tryligamax5

*Data on file. Benchtop testing using elastomeric tubing comparing LIGAMAX™ 5 and ENDO CLIP™ III clips. ENDO CLIP™ III is a trademark of Covidien AG. ©2011 Ethicon Endo-Surgery, Inc. All Rights Reserved. DSL 11-0819

EES Ligation

OPEN SINGLE-CLIP APPLIERS

LIGACLIP® Multi-Patient-Use Single-Clip Appliers – Blue



LX105



LX107



LX110



LX130

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX105	–	Blue	14.6cm	Small	1
LX107	–	Blue	19.1cm	Small	1
LX110	–	Blue	26.7cm	Small	1
LX130	Right Angle	Blue	26.7cm	Small	1

LIGACLIP® Multi-Patient-Use Single-Clip Appliers – Silver



LX205



LX207



LX210



LX220



LX230

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX205	–	Silver	14.6cm	Medium	1
LX207	–	Silver	19.1cm	Medium	1
LX210	–	Silver	26.7cm	Medium	1
LX220	Angled Jaw	Silver	26.7cm	Medium	1
LX230	Right Angle	Silver	26.7cm	Medium	1

LIGACLIP® Multi-Patient-Use Single-Clip Appliers – Green



LC307



LC310



LC320



LC330

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC307	–	Green	19.1cm	Medium/Large	1
LC310	–	Green	26.7cm	Medium/Large	1
LC320	Angled Jaw	Green	26.7cm	Medium/Large	1
LC330	Right Angle	Green	26.7cm	Medium/Large	1

EES Ligation

LIGACLIP® Multi-Patient-Use Single-Clip Appliers — Yellow



LC407



LC410



LC420



LC430

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC407	—	Yellow	19.1cm	Large	1
LC410	—	Yellow	26.7cm	Large	1
LC420	Angled Jaw	Yellow	26.7cm	Large	1
LC430	Right Angle	Yellow	26.7cm	Large	1

LIGACLIP® Ligating Clip Cartridge Base



CODE	DESCRIPTION	QUANTITY
LC800	LIGACLIP® Ligating Clip Cartridge Base	1

SINGLE-CLIPS

LIGACLIP® EXTRA Titanium Ligating Clips

For use with both Endoscopic and Open/Conventional Single-Clip Reusable Appliers



LT100



LT102



LT200



LT202



LT300



LT400

CODE	COLOR	CLIP SIZE	NUMBER OF CLIPS	QUANTITY
LT100	Blue	Small	6	36
LT102	Blue	Small	20	15
LT200	Silver	Medium	6	36
LT202	Silver	Medium	20	15
LT300	Green	Medium/Large	6	18
LT400	Yellow	Large	6	18





Endo Devices



EES Endo Devices

POUCH

ENDOPOUCH® Specimen Retrieval Bags



CODE	DESCRIPTION	DIAMETER	QUANTITY
POUCH	4"x 6" ENDOPOUCH® Specimen Retrieval Bag	10mm	6

ELECTROSURGICAL IRRIGATION

ENDOPATH® Laparoscopic Bipolar Forceps



CODE	JAW	DIAMETER	QUANTITY
EBF01	Macro	5mm	5
EBF02	Micro	5mm	5

ENDOPATH® PROBE PLUS® II Handles



CODE	CONTROL	GRIP	QUANTITY
EPH01	Foot	Pistol	6
EPH02	Hand	Pistol	6
EPH03	Foot	Pencil	6
EPH04	Hand	Pencil	6

EES Endo Devices

ENDOPATH® PROBE PLUS® II Hollow Tip Electrodes



CODE	ELECTRODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS01	Hook	5mm	34cm	6
EPS02	Spatula	5mm	34cm	6
EPS03	Right Angle	5mm	34cm	6
EPS04	Curved Dissector	5mm	34cm	6

ENDOPATH® PROBE PLUS® II Hollow Tip Electrodes



CODE	ELECTRODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS05	Hook	5mm	29cm	6
EPS06	Spatula	5mm	29cm	6
EPS07	Right Angle	5mm	29cm	6
EPS08	Curved Dissector	5mm	29cm	6

ENDOPATH® PROBE PLUS® II Irrigation



CODE	SUCTION	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS10	Pool/Sump	10mm	34cm	6
EPS11	Open End	10mm	34cm	6

EES Endo Devices

5mm ENDOPATH® PROBE PLUS® II Canulas



CODE	TYPE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS13	Flexible Fiber	5mm	29cm	6

10mm ENDOPATH® PROBE PLUS® II Canulas



CODE	TYPE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS12	Stone Retrieval	10mm	34cm	6

ENDOPATH® PROBE PLUS® II Tubing



CODE	DESCRIPTION	QUANTITY
EPT01	PROBE PLUS® II, Dual-Bottle Irrigation Tube Set	6
EPT03	PROBE PLUS® II, Pressurized Bag Irrigation Tube Set with Spike	6

ENDOPATH® Active Cords



CODE	DESCRIPTION	PRONGS	QUANTITY
EBC02	Reusable Coaxial Pin Connector Bipolar Cord	1	1
EBC05	Active Return Cord for Bipolar Instruments, Fixed Pin Connector	2	1

EES Endo Devices

ENDO INSTRUMENTS

ENDOPATH® 5mm Instruments



CODE	DESCRIPTION	QUANTITY
5BB	Babcock, 5mm	6
5DCD	Dissector, Curved, with Monopolar Cautery, 5mm	6
5DCS	Scissors, Curved, with Monopolar Cautery, 5mm	6
5DSG	Grasper, 5mm	6

ENDOPATH® 5mm Instruments – Blunt Tip



CODE	DESCRIPTION	QUANTITY
BTD05	Dissector, Blunt Tip, 5mm, 3 per Pouch, 12 Pouches per Unit	36

ENDOPATH® 10mm Instruments



CODE	DESCRIPTION	QUANTITY
10AG	Anvil Grasper, 10mm	6
10BB	Babcock, 10mm	6

EES Endo Devices

ENDOPATH® 10mm Instruments — Blunt Tip



CODE	DESCRIPTION	QUANTITY
BCD10	Dissector, Blunt Cherry, 10mm, 3 per Pouch, 12 Pouches per Unit	36

ENDOSUTURE

LAPRA-TY® Absorbable Suture Products



CODE	DESCRIPTION	SHAFT	QUANTITY
KA200	LAPRA-TY® Absorbable Suture Clip Applier, Reusable, for use with 11mm or 12mm Diameter Trocar	33cm	1
NEW KA200L	Long LAPRA-TY® Absorbable Suture Clip Applier, Reusable, for use with 11mm or 12mm Diameter Trocar	45cm	1

LAPRA-TY® Absorbable Suture Products



CODE	DESCRIPTION	QUANTITY
XC200	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0 and 4-0 Coated VICRYL® Suture, 6 Clips per Cartridge	6

Suture Assistant



CODE	DESCRIPTION	QUANTITY
SW100	Endoscopic Suturing Device	4

EES Endo Devices

Suture Assistant






CODE	DESCRIPTION	QUANTITY
SW110	Suture Reload Unit with 6" ETHIBOND™ EXCEL (size 0) and EEN (CANOE) Needle	10
SW112	Suture Reload Unit with 6" ETHIBOND™ EXCEL (size 2-0) and EEN (CANOE) Needle	10
SW120	Suture Reload Unit with 6" ETHIBOND™ EXCEL (size 0) and SH Needle	10
SW122	Suture Reload Unit with 6" ETHIBOND™ EXCEL (size 2-0) and SH Needle	10
SW222	Suture Reload Unit with 6" VICRYL® (size 2-0) and SH Needle	10

ENDOLOOP® Ligature



CODE	DESCRIPTION	QUANTITY
EJ10G	ENDOLOOP® Coated VICRYL® Ligature, 0, 18"	12
EZ10G	ENDOLOOP® PDS II Ligature, 0, 18"	12

ENDOKNOT® Suture



CODE	DESCRIPTION	QUANTITY
EX10G	ETHIBOND™ EXCEL Suture, ST-3 Needle, 0, 42"	12
JK10G	Coated, VICRYL® Suture, ST-3 Needle, 0, 42"	12
ZK10G	PDS II Suture, ST-3 Needle, 0, 42"	12

EES Endo Devices

Needle/Suture Combinations



ESS15



EC11




EC12

CODE	DESCRIPTION	QUANTITY
ESS15	ENDOHOLDER for use with 5mm Diameter ENDOPATH® Trocar, Reusable	1
EC11	ETHIBOND™ EXCEL Suture, EN-3 needle, 0, 44"	12
EC12	ETHIBOND™ EXCEL Suture, EN-3 needle, 2-0, 44"	12


Port Closure Needles



J00JG



JTN0G



Z00JG

CODE	DESCRIPTION	QUANTITY
J00JG	Port Closure Needle, Coated VICRYL®, J needle, 0, 18"	12
JTN0G	Port Closure Needle, Coated VICRYL®, TN needle, 0, 27"	12
Z00JG	Port Closure Needle, PDS II, J, 0, 18"	12

MISCELLANEOUS

Hernia Fixation



CODE	DESCRIPTION	QUANTITY
EMS	10mm Hernia Tacker	6

EES Endo Devices

Laparoscopic Needle Holders



CODE	DESCRIPTION	QUANTITY
E705R	ENDOPATH® Needle Holder, Reusable, 5mm, 30cm Length	1
E705RL	ENDOPATH® Needle Holder, Reusable, 5mm, 45cm Length	1



CODE	DESCRIPTION	QUANTITY
SRNH1	Self-righting Needle Holder, Reusable, 5mm, 30cm Length	1
SRNH1L	Self-righting Needle Holder, Reusable, 5mm, 45cm Length	1

Uterine Manipulators



CODE	DESCRIPTION	QUANTITY
UM201*	ENDOPATH® Uterine Manipulator	5
UM202*	ENDOPATH® Uterine Manipulator, Long	5

* Discontinued December 31, 2011





Gastric Banding



REALIZE® ADJUSTABLE GASTRIC BAND-C

REALIZE® Adjustable Gastric Band-C



RLZB32



RLZB32T

CODE	DESCRIPTION	QUANTITY
RLZB32	Includes REALIZE® Band-C, Injection Port and Applier	1
RLZB32T	Includes REALIZE® Band-C, Injection Port and Applier with B15LT Trocar	1

REALIZE® Adjustable Gastric Band-C Pak with Endoscopic Dissector



RLZB32D1



RLZB32DT

CODE	DESCRIPTION	QUANTITY
RLZB32D1	Contains one each of RLZB32 and RGBRS1	1
RLZB32DT	Contains one each of RLZB32 and RGBRS1 with B15LT Trocar	1

REALIZE® Adjustable Gastric Band-C Pak with Endoscopic Dissector and Calibration Tube



RLZB32DG1



RLZB32DGT

CODE	DESCRIPTION	QUANTITY
RLZB32DG1	Contains one each of RLZB32, RGBRS1 and RGCT360	1
RLZB32DGT	Contains one each of RLZB32, RGBRS1 and RGCT360 with B15LT Trocar	1

EES REALIZE®

REALIZE® ADJUSTABLE GASTRIC BAND

REALIZE® Adjustable Gastric Band



RLZB22



RLZB22T

CODE	DESCRIPTION	QUANTITY
RLZB22	Includes REALIZE® Band, Injection Port and Applicator	1
RLZB22T	Includes REALIZE® Band, Injection Port and Applicator with B15LT Trocar	1

REALIZE® Adjustable Gastric Band Pak with Endoscopic Dissector



RLZB22D1



RLZB22DT

CODE	DESCRIPTION	QUANTITY
RLZB22D1	Contains one each of RLZB22 AND RGBRS1	1
RLZB22DT	Contains one each of RLZB22 and RGBRS1 with B15LT Trocar	1

REALIZE® Adjustable Gastric Band Pak with Endoscopic Dissector and Calibration Tube



RLZB22DG1



RLZB22DGT

CODE	DESCRIPTION	QUANTITY
RLZB22DG1	Contains one each of RLZB22, RGBRS1 and RGCT360	1
RLZB22DGT	Contains one each of RLZB22, RGBRS1 and RGCT360 with B15LT Trocar	1

REALIZE® ANCILLARY DEVICES FOR GASTRIC BANDING

REALIZE® Injection Port and Applier



CODE	DESCRIPTION	QUANTITY
RLZPT2	Replacement Port and Applier Only	1

REALIZE® Endoscopic Dissector



CODE	DESCRIPTION	QUANTITY
RGBRS1	REALIZE® Endoscopic Dissector Long Device	1

REALIZE® Gastric Calibration Tube, Asymmetrical



CODE	DESCRIPTION	QUANTITY
RGCT180	REALIZE® Gastric Calibration Tube, Asymmetrical	1

REALIZE® Gastric Calibration Tube, Symmetrical



CODE	DESCRIPTION	QUANTITY
RGCT360	REALIZE® Gastric Calibration Tube, Symmetrical	1

EES REALIZE®

50mm REALIZE® Huber Needle



CODE	DESCRIPTION	QUANTITY
RHUB50	REALIZE® Huber Needles, 50mm, 22G	25

90mm REALIZE® Huber Needle



CODE	DESCRIPTION	QUANTITY
RHUB90	REALIZE® Huber Needles, 90mm, 20G	25

Clinically Proven to Deliver Patient Success

Streamlined, precurved design with an expanded adjustment range.

- REALIZE® Adjustable Gastric Band-C shares the same clinically proven **high-volume, low-pressure** design as the original REALIZE® Band.
- **Largest isostatic range of adjustments available.**¹
- **Soft, flexible, low-pressure balloon** eases placement when passed through the retrogastric tunnel.
- **First-of-its-kind sutureless tissue anchor system** is 66% stronger than sutured ports¹ and enables port placement in less than one minute, reducing procedure time up to 19%.²
- **REALIZE mySUCCESS™** is a unique, web-based clinical support tool to help your patients achieve long-term positive outcomes.



¹ Data on file, Ethicon Endo-Surgery, Inc.
² Miller and Pump. Mechanical vs suture fixation of the port in adjustable gastric banding procedures: A prospective randomized blinded study. *Surgical Endoscopy*. November, 2008.

For more information, contact your Ethicon Endo-Surgery Representative or call **1-800-USE-ENDO**.

How to Order

All product purchase orders are made to Johnson & Johnson Health Care Systems, Inc. (JJHCS)

Electronic Ordering Options:

Note: Placing orders electronically avoids minimum order fees for hospitals.

Johnson & Johnson Gateway: jnjgateway.com/commerce

For questions about your order, visit the website or call 1-866-JNJ-GATE.

Global Healthcare Exchange: ghx.com

For questions about your order, visit the website or call 1-800-YOUR-GHX.

Electronic Data Interchange: **JJHCS EDI Help Line: 1-800-262-2888**

Nonelectronic/Manual Ordering Options:

Call **JJHCS** at **1-800-255-2500** between 8:30 a.m. and 9:00 p.m. eastern time or fax your order to 1-732-562-2212 or 1-800-997-1122.

Customer Support Center

Business Hours: 7:30 a.m.–6:30 p.m. EST Monday–Friday

Emergency Support available 24/7

email: customersupport@eesus.jnj.com

Contact us at the following numbers:

Ethicon Endo-Surgery, Inc.

800-873-3636 (800-USE-ENDO)

ethiconendosurgery.com

REALIZE® Solution

866-732-5493 (866-REALIZE)

realize.com

Depuy Mitek®

800-382-4682

depuymitek.com

Ethicon, Inc.

EWB&U/Biosurgicals/Suture

877-384-4266 (877-ETHICON)

ethicon360.com

Biosense-Webster®

Business Hours: 7:00 a.m.–8:00 p.m. EST Monday–Friday

866-473-7823

biosensewebster.com

Professional Education

eesedu.com

CODE	PAGE
10AG	65
10BB	65
2B5LT	21
2B5ST	21
2B5XT	21
2CB5LT	25
2CB5ST	25
2D5LT	24
2D5ST	24
23NBL	27
23NBS	27
355DA	29
355HR	30
355NA	29
355NS	27
355RT	30
35LDA	29
35LNA	29
35LNS	27
35LRT	30
511DA	29
511HR	30
511NA	29
511RT	30
512BA	29
512DA	29
512HR	30
512NA	29
512RT	30
5BB	65
5DCD	65
5DCS	65
5DSG	65
6R45B	38
6R45M	38

CODE	PAGE
ACE14S	13
ACE23E	13
ACE36E	13
ACE45E	13
AN3MM	27
ATB35	40
ATS45	38
ATS45NK	38
ATW35	40
AX55B	51
AX55G	51
B11LP	22
B11LPH	22
B11LT	22
B11LTH	22
B12LP	22
B12LPH	23
B12LT	22
B12LTH	23
B12SRT	22
B12XT	22
B15LT	23
B5LP	21
B5LPH	21
B5LT	21
B5SP	21
B5ST	21
B5XT	21
B8LT	21
BCD10	66
BTD05	65
CB11LT	25
CB12LT	25
CB5LT	25
CB5ST	25

CODE	PAGE
CDH21A	44
CDH25A	44
CDH29A	44
CDH33A	44
CR40B	51
CR40G	51
CRT11	16
CS14C	14
CS23C	14
CS40B	51
CS40G	51
CSS	45
CTS45	38
CTS45NK	38
D11LT	24
D12LT	24
D12XT	24
D5LT	24
D5ST	24
DH105	15
E705R	69
E705RL	69
EBC02	64
EBC05	64
EBF01	62
EBF02	62
EC11	68
EC12	68
EC45	36
EC45A	36
EC45AL	36
EC60	37
EC60A	37
ECLG45	36
ECR45B	35, 36

CODE	PAGE
ECR45D	35, 36
ECR45G	35, 36
ECR45M	35, 36
ECR45W	35, 36
ECR60B	35, 37
ECR60D	35, 37
ECR60G	35, 37
ECR60M	35, 37
ECR60W	35, 37
ECS21A	44
ECS25A	44
ECS29A	44
ECS33A	44
EGA11	16
EH40	45
EJ10G	67
EL214	56
EL314	56
EL414	56
EL5ML	56
EMS	68
EPH01	62
EPH02	62
EPH03	62
EPH04	62
EPS01	63
EPS02	63
EPS03	63
EPS04	63
EPS05	63
EPS06	63
EPS07	63
EPS08	63
EPS10	63
EPS11	63

EES Index

CODE	PAGE
EPS12	64
EPS13	64
EPT01	64
EPT03	64
ER320	56
ER420	56
ESS15	68
ETRIO314H	10
ETRIO325H	10
ETRIO335H	10
ETRIO345H	10
ETS45	38
EX10G	67
EZ10G	67
EZ45B	39
EZ45G	39
FCS9	13
FCS17	13
FLR01	31
FLR02	31
FLR03	31
FP007	28
FP015	28
FP020	28
FPK02	28
FSW11	16
GEN11	16
GEN11VK	16
GEN11WAR1	17
GEN11WAR2	17
H12LP	26
HAOSSL	17
HAP02	31
HBC05	15
HC325	15

CODE	PAGE
HDH05	15
HGA11	16
HPO54	16
HPBLUE	16
HSA06	17
HSA08	17
HST01	17
HST02	17
J00JG	68
JK10G	67
JTNOG	68
KA200	66
KA200L	66
LC307	58
LC310	58
LC320	58
LC330	58
LC407	59
LC410	59
LC420	59
LC430	59
LC800	59
LCSC5	14
LONG45A	38
LONG60	37
LONG60A	37
LT100	59
LT102	59
LT200	59
LT202	59
LT300	59
LT400	59
LX105	58
LX107	58
LX110	58

CODE	PAGE
LX130	58
LX205	58
LX207	58
LX210	58
LX220	58
LX230	58
MCL20	57
MCM20	57
MCM30	57
MCS20	57
MSM20	57
NSEAL514H	10
NSEAL514RH	10
NSEAL525H	10
NSEAL525RH	10
NSEAL535H	10
NSEAL535RH	10
NSEAL545H	10
NSEAL545RH	10
NSEALX22L	10
NTLC55	41
NTLC75	41
PCE45A	34
PCE60A	35
PLE45A	34
PLE60A	35
PSE45A	34
PSE60A	35
PMR35	50
PMW35	50
PN120	26
PN150	26
POUCH	62
PPH03	45
PRR35	50

CODE	PAGE
PRW35	50
PSX	50
PXR35	50
PXW35	50
RGBRS1	74
RGCT180	74
RGCT360	74
RHUB50	75
RHUB90	75
RLZB22	73
RLZB22T	73
RLZB22D1	73
RLZB22DT	73
RLZB22DG1	73
RLZB22DGT	73
RLZB32	72
RLZB32T	72
RLZB32D1	72
RLZB32DT	72
RLZB32DG1	72
RLZB32DGT	72
RLZPT2	74
SC45	36
SC45A	36
SC60	37
SC60A	37
SDH21A	44
SDH25A	44
SDH29A	44
SDH33A	44
SNGCB	14
SNGHK	14
SNGHK2	14
SR55	41
SR75	41

CODE	PAGE
SRNH1	69
SRNH1L	69
SSL01FLR	30
SSL02FLR	30
SSL3P	30
STR10	45
SW100	66
SW110	67
SW112	67
SW120	67
SW122	67
SW222	67
TCD75	42
TCR10	43
TCR55	42
TCR75	42
TCT10	43
TCT55	42
TCT75	42
TL30	48
TL60	48
TL90	48
TLB01	17
TLC10	43
TLC55	42
TLC75	42
TLH30	49
TLH60	49
TLH90	49
TLV30	49
TR30	48
TR35B	40
TR35W	40

CODE	PAGE
TR45G	38
TR45W	38
TR60	48
TR90	48
TRD75	42
TRH30	49
TRH60	49
TRH90	49
TRT10	43
TRT55	42
TRT75	42
TRV30	49
TSB35	40
TSW35	40
TT012	28
TTBLUE	17
TVC55	42
TVR55	42
TX30B	46
TX30G	46
TX30V	46
TX60B	47
TX60G	47
UM201	69
UM202	69
UV120	26
WAVE18S	13
XC200	66
XR30B	46
XR30G	46
XR30V	46
XR60B	47
XR60G	47

CODE	PAGE
Z00JG	68
ZK10G	67
ZR45B	39
ZR45G	39

