

**EcoTergent****Order information**

REF		CONTENT		Analyzer(s) on which <b>cobas c</b> pack(s) can be used
08063354190*	08063354500	EcoTergent (40 mL)	System-ID 2901 001	<b>cobas c 303, cobas c 503, cobas c 703</b>
08063354214*	08063354500	EcoTergent (40 mL)	System-ID 2901 001	<b>cobas c 303, cobas c 503, cobas c 703</b>

\* Some kits shown may not be available in all countries.

**English****System information**

**ECO-D:** ACN 29010

**Intended use**

EcoTergent is an additive to the reaction bath to reduce surface tension on **cobas c** systems.

**Summary**

EcoTergent is added to the reaction bath. It acts as a surfactant to minimize the formation of bubbles that could potentially interfere with the photometer readings.

**Reagents - working solutions**

Detergent

**Precautions and warnings**

For in vitro diagnostic use for health care professionals. Exercise the normal precautions required for handling all laboratory reagents.

Infectious or microbial waste:

Warning: handle waste as potentially biohazardous material. Dispose of waste according to accepted laboratory instructions and procedures.

Environmental hazards:

Apply all relevant local disposal regulations to determine the safe disposal.

Safety data sheet available for professional user on request.

This kit contains components classified as follows in accordance with the Regulation (EC) No. 1272/2008:



Danger

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

**Prevention:**

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P303 + P361 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
+ P353

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
+ P310 Immediately call a POISON CENTER/ doctor.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
+ P338 Continue rinsing. Immediately call a POISON CENTER/ doctor.  
+ P310

P391 Collect spillage.

**Hazardous components:**

- 1-Decanaminium, N-decyl-N, N-dimethyl-, hexanedioate (2:1)
- alcohols, C12-14-secondary, ethoxylated

- N-(3-aminopropyl)-N-dodecylpropane-1, 3-diamine

Product safety labeling follows EU GHS guidance.

Contact phone: all countries: +49-621-7590

**Reagent handling**

Ready for use

**Storage and stability**

Store protected from light.

Shelf life at 15-25 °C:

See expiration date on **cobas c** pack label.

On-board in use and refrigerated on the analyzer:

4 weeks

**Materials provided**

See "Reagents – working solutions" section for reagents.

**Materials required (but not provided)**

See "Order information" section

**Assay**

Use EcoTergent as specified in the respective instructions for use of the system reagents.

A point (period/stop) is always used in this Method Sheet as the decimal separator to mark the border between the integral and the fractional parts of a decimal numeral. Separators for thousands are not used.

Any serious incident that has occurred in relation to the device shall be reported to the manufacturer and the competent authority of the Member State in which the user and/or the patient is established.

**Symbols**

Roche Diagnostics uses the following symbols and signs in addition to those listed in the ISO 15223-1 standard (for USA: see [navifyportal.roche.com](http://navifyportal.roche.com) for definition of symbols used):

 CONTENT

Contents of kit



Volume for reconstitution

 GTIN

Global Trade Item Number

Rx only

For USA: Caution: Federal law restricts this device to sale by or on the order of a physician.

COBAS and NAVIFY are trademarks of Roche.

All other product names and trademarks are the property of their respective owners.

Additions, deletions or changes are indicated by a change bar in the margin.

© 2024, Roche Diagnostics



Roche Diagnostics GmbH  
Sandhofer Strasse 116  
68305 Mannheim, Germany  
[www.roche.com](http://www.roche.com)

+800 5505 6606

