


Wkręt do kości drobnych Ø2,0/1,3mm
Screw for small bones Ø2,0/1,3mm

29.1 - 29.5


| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 5 | 222205(T) | 222305(T) |
| 6 | 222206(T) | 222306(T) |
| 7 | 222207(T) | 222307(T) |
| 8 | 222208(T) | 222308(T) |
| 9 | 222209(T) | 222309(T) |
| 10 | 222210(T) | 222310(T) |
| 11 | 222211(T) | 222311(T) |
| 12 | 222212(T) | 222312(T) |
| 13 | 222213(T) | 222313(T) |
| 14 | 222214(T) | 222314(T) |
| 15 | 222215(T) | 222315(T) |

| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 16 | 222216(T) | 222316(T) |
| 17 | 222217(T) | 222317(T) |
| 18 | 222218(T) | 222318(T) |
| 19 | 222219(T) | 222319(T) |
| 20 | 222220(T) | 222320(T) |
| 21 | 222221(T) | 222321(T) |
| 22 | 222222(T) | 222322(T) |
| 23 | 222223(T) | 222323(T) |
| 24 | 222224(T) | 222324(T) |
| 25 | 222225(T) | 222325(T) |



Wkręt do kości drobnych Ø1,5/1,0mm
Screw for small bones Ø1,5/1,0mm

| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 6 | 223206(T) | 223106(T) |
| 7 | 223207(T) | 223107(T) |
| 8 | 223208(T) | 223108(T) |
| 9 | 223209(T) | 223109(T) |
| 10 | 223210(T) | 223110(T) |
| 11 | 223211(T) | 223111(T) |


| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 12 | 223212(T) | 223112(T) |
| 13 | 223213(T) | 223113(T) |
| 14 | 223214(T) | 223114(T) |
| 15 | 223215(T) | 223115(T) |
| 16 | 223216(T) | 223116(T) |

2015-02-03



Vadybitinkas
Gaidas Ročys

Kopija tikra





Wkręt do kości drobnych Ø2,7/1,9mm
Screw for small bones Ø2,7/1,9mm

29.6 - 29.10

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|------------------------------|-----------|--------|-----------|
| | | | | |
| | | | | |
| | SS | SS(T) | SS | SS(T) |
| 6 | 221006 | 221206(T) | 221106 | 221306(T) |
| 7 | 221007 | 221207(T) | 221107 | 221307(T) |
| 8 | 221008 | 221208(T) | 221108 | 221308(T) |
| 9 | 221009 | 221209(T) | 221109 | 221309(T) |
| 10 | 221010 | 221210(T) | 221110 | 221310(T) |
| 11 | 221011 | 221211(T) | 221111 | 221311(T) |
| 12 | 221012 | 221212(T) | 221112 | 221312(T) |
| 13 | 221013 | 221213(T) | 221113 | 221313(T) |
| 14 | 221014 | 221214(T) | 221114 | 221314(T) |
| 15 | 221015 | 221215(T) | 221115 | 221315(T) |
| 16 | 221016 | 221216(T) | 221116 | 221316(T) |
| 17 | 221017 | 221217(T) | 221117 | 221317(T) |
| 18 | 221018 | 221218(T) | 221118 | 221318(T) |
| 19 | 221019 | 221219(T) | 221119 | 221319(T) |
| 20 | 221020 | 221220(T) | 221120 | 221320(T) |
| 21 | 221021 | 221221(T) | 221121 | 221321(T) |
| 22 | 221022 | 221222(T) | 221122 | 221322(T) |
| 23 | 221023 | 221223(T) | 221123 | 221323(T) |
| 24 | 221024 | 221224(T) | 221124 | 221324(T) |
| 25 | 221025 | 221225(T) | 221125 | 221325(T) |
| 26 | 221026 | 221226(T) | 221126 | 221326(T) |
| 28 | 221028 | 221228(T) | 221128 | 221328(T) |
| 30 | 221030 | 221230(T) | 221130 | 221330(T) |
| 32 | 221032 | 221232(T) | 221132 | 221332(T) |
| 34 | 221034 | 221234(T) | 221134 | 221334(T) |
| 35 | 221035 | 221235(T) | 221135 | 221335(T) |
| 36 | 221036 | 221236(T) | 221136 | 221336(T) |
| 38 | 221038 | 221238(T) | 221138 | 221338(T) |
| 40 | 221040 | 221240(T) | 221140 | 221340(T) |

2015 -02- 0 3





Wkręt do kości drobnych Ø3,5/1,9mm
Screw for small bones Ø3,5/1,9mm

29.11.

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|---|---|---|---|
| |  | |  | |
| |  |  |  |  |
| | SS | SS(T) | SS | SS(T) |
| 8 | 220008 | 220208(T) | 220108 | 220408(T) |
| 10 | 220010 | 220210(T) | 220110 | 220410(T) |
| 12 | 220012 | 220212(T) | 220112 | 220412(T) |
| 14 | 220014 | 220214(T) | 220114 | 220414(T) |
| 15 | 220015 | 220215(T) | 220115 | 220415(T) |
| 16 | 220016 | 220216(T) | 220116 | 220416(T) |
| 18 | 220018 | 220218(T) | 220118 | 220418(T) |
| 20 | 220020 | 220220(T) | 220120 | 220420(T) |
| 22 | 220022 | 220222(T) | 220122 | 220422(T) |
| 24 | 220024 | 220224(T) | 220124 | 220424(T) |
| 25 | 220025 | 220225(T) | 220125 | 220425(T) |
| 26 | 220026 | 220226(T) | 220126 | 220426(T) |
| 28 | 220028 | 220228(T) | 220128 | 220428(T) |
| 30 | 220030 | 220230(T) | 220130 | 220430(T) |
| 32 | 220032 | 220232(T) | 220132 | 220432(T) |
| 34 | 220034 | 220234(T) | 220134 | 220434(T) |

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--|---|---|---|
| |  | |  | |
| |  |  |  |  |
| | SS | SS(T) | SS | SS(T) |
| 35 | 220035 | 220235(T) | 220135 | 220435(T) |
| 36 | 220036 | 220236(T) | 220136 | 220436(T) |
| 38 | 220038 | 220238(T) | 220138 | 220438(T) |
| 40 | 220040 | 220240(T) | 220140 | 220440(T) |
| 42 | 220042 | 220242(T) | 220142 | 220442(T) |
| 44 | 220044 | 220244(T) | 220144 | 220444(T) |
| 45 | 220045 | 220245(T) | 220145 | 220445(T) |
| 46 | 220046 | 220246(T) | 220146 | 220446(T) |
| 48 | 220048 | 220248(T) | 220148 | 220448(T) |
| 50 | 220050 | 220250(T) | 220150 | 220450(T) |
| 52 | 220052 | 220252(T) | 220152 | 220452(T) |
| 54 | 220054 | 220254(T) | 220154 | 220454(T) |
| 55 | 220055 | 220255(T) | 220155 | 220455(T) |
| 56 | 220056 | 220256(T) | 220156 | 220456(T) |
| 58 | 220058 | 220258(T) | 220158 | 220458(T) |
| 60 | 220060 | 220260(T) | 220160 | 220460(T) |

2015 -02- 0 3

Vadybininkas
Evaldas Ročys



Kopija tikra

Small Fragment - Bone Screws



| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 10 | 108.010 | TI-108.010 |
| 12 | 108.012 | TI-108.012 |
| 14 | 108.014 | TI-108.014 |
| 16 | 108.016 | TI-108.016 |
| 18 | 108.018 | TI-108.018 |
| 20 | 108.020 | TI-108.020 |
| 22 | 108.022 | TI-108.022 |
| 24 | 108.024 | TI-108.024 |
| 26 | 108.026 | TI-108.026 |
| 28 | 108.028 | TI-108.028 |
| 30 | 108.030 | TI-108.030 |
| 35 | 108.035 | TI-108.035 |
| 40 | 108.040 | TI-108.040 |
| 45 | 108.045 | TI-108.045 |
| 50 | 108.050 | TI-108.050 |
| 55 | 108.055 | TI-108.055 |
| 60 | 108.060 | TI-108.060 |

3.5mm Cancellous Screws

Drill Bit : 2.5mm



| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 10 | 109.010 | TI-109.010 |
| 12 | 109.012 | TI-109.012 |
| 14 | 109.014 | TI-109.014 |
| 16 | 109.016 | TI-109.016 |
| 18 | 109.018 | TI-109.018 |
| 20 | 109.020 | TI-109.020 |
| 22 | 109.022 | TI-109.022 |
| 24 | 109.024 | TI-109.024 |
| 26 | 109.026 | TI-109.026 |
| 28 | 109.028 | TI-109.028 |
| 30 | 109.030 | TI-109.030 |
| 35 | 109.035 | TI-109.035 |
| 40 | 109.040 | TI-109.040 |
| 45 | 109.045 | TI-109.045 |
| 50 | 109.050 | TI-109.050 |
| 55 | 109.055 | TI-109.055 |
| 60 | 109.060 | TI-109.060 |

4.0mm Cancellous Screw, Short Thread

29.12. 29.08. 29.19.

Drill Bit : 2.5mm



| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 10 | 110.010 | TI-110.010 |
| 12 | 110.012 | TI-110.012 |
| 14 | 110.014 | TI-110.014 |
| 16 | 110.016 | TI-110.016 |
| 18 | 110.018 | TI-110.018 |
| 20 | 110.020 | TI-110.020 |
| 22 | 110.022 | TI-110.022 |
| 24 | 110.024 | TI-110.024 |
| 26 | 110.026 | TI-110.026 |
| 28 | 110.028 | TI-110.028 |
| 30 | 110.030 | TI-110.030 |
| 35 | 110.035 | TI-110.035 |
| 40 | 110.040 | TI-110.040 |
| 45 | 110.045 | TI-110.045 |
| 50 | 110.050 | TI-110.050 |
| 55 | 110.055 | TI-110.055 |
| 60 | 110.060 | TI-110.060 |

4.0mm Cancellous Screw, Full Thread


Drill Bit : 2.5mm



Kopija tikra

Vadybininkas
Arvidas R. 2015-02-03





Wkręt do kości łódkowatej Ø4,0/1,9mm B=7-15mm
 Navicular screw Ø4,0/1,9mm B=7-15mm 29.13. - 29.17.

| L [mm] | B [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--------|------------------------------|-----------|--------|-----------|
| | | | | | |
| | | SS | SS(T) | SS | SS(T) |
| 14 | 7 | 241014 | 241214(T) | 241514 | 241714(T) |
| 15 | | 241015 | 241215(T) | 241515 | 241715(T) |
| 16 | | 241016 | 241216(T) | 241516 | 241716(T) |
| 18 | | 241018 | 241218(T) | 241518 | 241718(T) |
| 20 | 8 | 241020 | 241220(T) | 241520 | 241720(T) |
| 22 | 9 | 241022 | 241222(T) | 241522 | 241722(T) |
| 24 | 10 | 241024 | 241224(T) | 241524 | 241724(T) |
| 26 | 12 | 241026 | 241226(T) | 241526 | 241726(T) |
| 28 | | 241028 | 241228(T) | 241528 | 241728(T) |
| 30 | | 241030 | 241230(T) | 241530 | 241730(T) |
| 32 | | 241032 | 241232(T) | 241532 | 241732(T) |
| 34 | | 241034 | 241234(T) | 241534 | 241734(T) |
| 35 | 14 | 241035 | 241235(T) | 241535 | 241735(T) |
| 36 | | 241036 | 241236(T) | 241536 | 241736(T) |
| 38 | | 241038 | 241238(T) | 241538 | 241738(T) |
| 40 | | 241040 | 241240(T) | 241540 | 241740(T) |

| L [mm] | B [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--------|------------------------------|-----------|--------|-----------|
| | | | | | |
| | | SS | SS(T) | SS | SS(T) |
| 42 | 14 | 241042 | 241242(T) | 241542 | 241742(T) |
| 44 | | 241044 | 241244(T) | 241544 | 241744(T) |
| 45 | 15 | 241045 | 241245(T) | 241545 | 241745(T) |
| 46 | | 241046 | 241246(T) | 241546 | 241746(T) |
| 48 | | 241048 | 241248(T) | 241548 | 241748(T) |
| 50 | | 241050 | 241250(T) | 241550 | 241750(T) |
| 52 | | 241052 | 241252(T) | 241552 | 241752(T) |
| 54 | | 241054 | 241254(T) | 241554 | 241754(T) |
| 55 | | 241055 | 241255(T) | 241555 | 241755(T) |
| 56 | | 241056 | 241256(T) | 241556 | 241756(T) |
| 58 | | 241058 | 241258(T) | 241558 | 241758(T) |
| 60 | | 241060 | 241260(T) | 241560 | 241760(T) |
| 62 | | 241062 | 241262(T) | 241562 | 241762(T) |
| 64 | | 241064 | 241264(T) | 241564 | 241764(T) |
| 65 | | 241065 | 241265(T) | 241565 | 241765(T) |
| 66 | | 241066 | 241266(T) | 241566 | 241766(T) |
| 68 | | 241068 | 241268(T) | 241568 | 241768(T) |
| 70 | | 241070 | 241270(T) | 241570 | 241770(T) |

Kopija tikra Vadybininkas
 Evaldas Ročys



2015-02-03

Large Fragment - Bone Screws



6.5mm Cancellous Screws, Full Thread 29.20 - 29.27

Drill Bit : 3.2mm



| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 25 | 113.025 | TI-113.025 |
| 30 | 113.030 | TI-113.030 |
| 35 | 113.035 | TI-113.035 |
| 40 | 113.040 | TI-113.040 |
| 45 | 113.045 | TI-113.045 |
| 50 | 113.050 | TI-113.050 |
| 55 | 113.055 | TI-113.055 |
| 60 | 113.060 | TI-113.060 |
| 65 | 113.065 | TI-113.065 |
| 70 | 113.070 | TI-113.070 |
| 75 | 113.075 | TI-113.075 |
| 80 | 113.080 | TI-113.080 |
| 85 | 113.085 | TI-113.085 |
| 90 | 113.090 | TI-113.090 |
| 95 | 113.095 | TI-113.095 |
| 100 | 113.100 | TI-113.100 |
| 105 | 113.105 | TI-113.105 |
| 110 | 113.110 | TI-113.110 |
| 115 | 113.115 | TI-113.115 |
| 120 | 113.120 | TI-113.120 |

Large Fragment

Kopija tikra

Vadybininkas
Evaldas 2015-02-03




IS003 Screw Set Large

| Item Codes | Set Consisting of | |
|-----------------|---|-----|
| 105.014-105.068 | 4.5mm Cortical Screw 6 each (Length in mm) - 14, 16, 18, 20, 22, 24 7 each (Length in mm) - 26, 28, 38, 42, 44, 46 14 each (Length in mm) - 30, 32, 34, 36, 40 3 each (Length in mm) - 48, 52, 56, 60, 64, 68 | 166 |
| 106.025-106.070 | 4.5mm Mallelor Screws 3 each (Length in mm) - 25, 30, 35, 40, 45, 50, 55, 60, 65, 70 | 30 |
| 111.030-111.110 | 6.5mm Cancellous Bone Screw, 16mm Thread 2 each (Length in mm) - 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110 | 34 |
| 112.045-112.110 | 6.5mm Cancellous Bone Screw, 32mm Thread 3 each (Length in mm) - 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110 | 42 |
| 113.025-113.110 | 6.5mm Cancellous Bone Screw, Fully Threaded 4 each (Length in mm) - 25, 30, 35, 40, 2 each (Length in mm) - 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110 | 44 |
| 100.120 | Washer for Large Screw | 12 |
| 3415.000 | Screw Holding Forceps | 1 |
| A10.006 | Aluminium Box for Large Screw Set | 1 |

6.5mm Cancellous Screws, 16mm Thread

Drill Bit : 3.2mm



6.5mm Cancellous Screws, 32mm Thread

Drill Bit : 3.2mm

29.25 - 29.35



Large Fragment

| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 25 | 111.025 | TI-111.025 |
| 30 | 111.030 | TI-111.030 |
| 35 | 111.035 | TI-111.035 |
| 40 | 111.040 | TI-111.040 |
| 45 | 111.045 | TI-111.045 |
| 50 | 111.050 | TI-111.050 |
| 55 | 111.055 | TI-111.055 |
| 60 | 111.060 | TI-111.060 |
| 65 | 111.065 | TI-111.065 |
| 70 | 111.070 | TI-111.070 |
| 75 | 111.075 | TI-111.075 |
| 80 | 111.080 | TI-111.080 |
| 85 | 111.085 | TI-111.085 |
| 90 | 111.090 | TI-111.090 |
| 95 | 111.095 | TI-111.095 |
| 100 | 111.100 | TI-111.100 |
| 105 | 111.105 | TI-111.105 |
| 110 | 111.110 | TI-111.110 |
| 115 | 111.115 | TI-111.115 |
| 120 | 111.120 | TI-111.120 |

| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 40 | 112.040 | TI-112.040 |
| 45 | 112.045 | TI-112.045 |
| 50 | 112.050 | TI-112.050 |
| 55 | 112.055 | TI-112.055 |
| 60 | 112.060 | TI-112.060 |
| 65 | 112.065 | TI-112.065 |
| 70 | 112.070 | TI-112.070 |
| 75 | 112.075 | TI-112.075 |
| 80 | 112.080 | TI-112.080 |
| 85 | 112.085 | TI-112.085 |
| 90 | 112.090 | TI-112.090 |
| 95 | 112.095 | TI-112.095 |
| 100 | 112.100 | TI-112.100 |
| 105 | 112.105 | TI-112.105 |
| 110 | 112.110 | TI-112.110 |
| 115 | 112.115 | TI-112.115 |
| 120 | 112.120 | TI-112.120 |




Vadybininkas
Evaldas Ročys

2015 -02- 03

Kopija tikra

Suture Wire - Stainless Steel



| Codes | Size (mm) |
|---------|-----------------|
| 450.016 | 16 SWG (1.60mm) |
| 450.017 | 17 SWG (1.50mm) |
| 450.018 | 18 SWG (1.25mm) |
| 450.019 | 19 SWG (1.00mm) |
| 450.020 | 20 SWG (0.90mm) |
| 450.021 | 21 SWG (0.80mm) |
| 450.022 | 22 SWG (0.70mm) |
| 450.023 | 23 SWG (0.60mm) |
| 450.024 | 24 SWG (0.55mm) |
| 450.026 | 26 SWG (0.45mm) |
| 450.028 | 28 SWG (0.35mm) |
| 450.030 | 30 SWG (0.30mm) |




Kirschner Wire with Trocar Tip both End

29.36 - 29.38



| Diameter (mm) | Length | | | | |
|---------------|------------|-------------|-------------|-------------|-------------|
| | 70 mm | 100 mm | 150 mm | 225 mm | 300 mm |
| 0.8 | 451-0.8-70 | 451-0.8-100 | 451-0.8-150 | 451-0.8-225 | 451-0.8-300 |
| 0.9 | 451-0.9-70 | 451-0.9-100 | 451-0.9-150 | 451-0.9-225 | 451-0.9-300 |
| 1.0 | 451-1.0-70 | 451-1.0-100 | 451-1.0-150 | 451-1.0-225 | 451-1.0-300 |
| 1.1 | 451-1.1-70 | 451-1.1-100 | 451-1.1-150 | 451-1.1-225 | 451-1.1-300 |
| 1.2 | 451-1.2-70 | 451-1.2-100 | 451-1.2-150 | 451-1.2-225 | 451-1.2-300 |
| 1.4 | 451-1.4-70 | 451-1.4-100 | 451-1.4-150 | 451-1.4-225 | 451-1.4-300 |
| 1.5 | 451-1.5-70 | 451-1.5-100 | 451-1.5-150 | 451-1.5-225 | 451-1.5-300 |
| 1.6 | 451-1.6-70 | 451-1.6-100 | 451-1.6-150 | 451-1.6-225 | 451-1.6-300 |
| 1.8 | 451-1.8-70 | 451-1.8-100 | 451-1.8-150 | 451-1.8-225 | 451-1.8-300 |
| 2.0 | 451-2.0-70 | 451-2.0-100 | 451-2.0-150 | 451-2.0-225 | 451-2.0-300 |
| 2.2 | 451-2.2-70 | 451-2.2-100 | 451-2.2-150 | 451-2.2-225 | 451-2.2-300 |
| 2.3 | 451-2.3-70 | 451-2.3-100 | 451-2.3-150 | 451-2.3-225 | 451-2.3-300 |
| 2.5 | 451-2.5-70 | 451-2.5-100 | 451-2.5-150 | 451-2.5-225 | 451-2.5-300 |
| 3.0 | 451-3.0-70 | 451-3.0-100 | 451-3.0-150 | 451-3.0-225 | 451-3.0-300 |


Staples, Pins & Wires



Drut do wiązania odłamów kostnych
Cerclage wire

29. 39.

| L [m] | ØD [mm] | Nr katalogowy / Catalogue No |
|-------|---------|---------------------------------|
| | | SS |
| 5 | 0,2 | 300205 |
| | 0,3 | 300305 |
| | 0,4 | 300405 |
| | 0,5 | 300505 |
| | 0,6 | 300605 |
| | 0,7 | 300705 |
| | 0,8 | 300805 |
| | 0,9 | 300905 |
| | 1,0 | 301005 |
| | 1,2 | 301205 |
| | 1,5 | 301505 |
| | 1,8 | 301805 |
| | 2,0 | 302005 |



Drut Kirschnera z ostrzem jednostronnym typu trokar
Kirschner wire with trocar tip

| Ød [mm] | Nr katalogowy / Catalogue No | | | |
|---------|---------------------------------|-----------|-----------|-----------|
| | SS(T) | | | |
| | L [mm] | | | |
| | 150 | 210 | 310 | 400 |
| 1,0 | 311015(T) | 311021(T) | 311031(T) | 311040(T) |
| 1,1 | 311115(T) | 311121(T) | 311131(T) | 311140(T) |
| 1,2 | 311215(T) | 311221(T) | 311231(T) | 311240(T) |
| 1,4 | 311415(T) | 311421(T) | 311431(T) | 311440(T) |
| 1,5 | 311515(T) | 311521(T) | 311531(T) | 311540(T) |
| 1,6 | 311615(T) | 311621(T) | 311631(T) | 311640(T) |
| 1,8 | 311815(T) | 311821(T) | 311831(T) | 311840(T) |
| 2,0 | 312015(T) | 312021(T) | 312031(T) | 312040(T) |
| 2,2 | 312215(T) | 312221(T) | 312231(T) | 312240(T) |
| 2,4 | 312415(T) | 312421(T) | 312431(T) | 312440(T) |
| 2,5 | 312515(T) | 312521(T) | 312531(T) | 312540(T) |
| 3,5 | 313515(T) | 313521(T) | 313531(T) | 313540(T) |

Vadybininkas
Evaldas Ročys

