

Vitrex® Sterilance Press II Sterile Safety lancet

Technical Data Sheet - Vitrex Safety Lancet -Press II




PRODUCT:

The Vitrex safety lancets are used to carry out skin punctures, in order to collect micro-samples of capillary blood

- Sterile and disposable
- Safety lancets with activation button
- Ergonomic design case, created to provide a safe environment.
- Easy to use: easy use, 2-step operation and no charging
- Safety, after use the lancet retracts inside the case, avoiding accidents

Dimensions

- Length: 52,3 mm
- Width: 11,5 mm
- Bottom: 14,0 mm



VITREX

Vitrex® Sterilance Press II Sterile Safety lancet

Packaging

Primary packaging: 100 pcs
Transit packaging: 1000 pcs
Pallet: 98000 pcs



Technical Specs.

Colour Code	Configuration	Penetration Depth	Article No.	Application
Green	18G blade	1.8 mm	393213	Special baby care and maternity units for heel puncture
Turquoise	30G needle	1.8 mm	399213	Low blood flow, less pain
Purple	28G needle	1.8 mm	398213	Low blood flow, less pain
Yellow	26G needle	1.8 mm	394213	Diabetes clinics/hospital wards for blood glucose monitoring
Blue	21G needle	1.8 mm	397213	As Yellow but for increased blood flow
Orange	21G needle	2.2 mm	395213	Haemoglobin (blood banks), cholesterol, blood typing, coagulation, blood gas and other diagnostic tests
Pink	21G needle	2.8 mm	396213	As Orange but for thicker adult skin

Shelf life 5 years

MATERIALS:

The materials used to manufacture our Vitrex safety lancets are Medical grade:

Component	Material
Needle	Stainless Steel (06Cr19Ni10)
Shell	ABS – QS-0613-017
Button	HDPE-QS-0613-017

Print:

The terminology, graphic symbols and information applied to this medical equipment comply with EN ISO 13485: 2012 and 9001:

PACKAGING:

The inner box is made of white cardboard and the outer carton is made of corrugated cardboard. All products are packaged according to EN ISO 13485 for medical devices. Each packet contains batch number, expiration date and sterilization information.

- An inner box contains 100 individual Vitrex safety lancet units
- One outer box contains 10 inner boxes

Inner Box			
Length	Width	Height	Quantity
13,5	9	7,5	100

The sizes in this table are expressed in cm.

VITREX

Vitrex® Sterilance Press II Sterile Safety lancet

Packaging:

Primary packaging: 100 pcs
Transit packaging: 1000 pcs
Pallet: 96000 pcs



Languages:

The labels contain 13 languages and comply accordingly to the European directive on medical devices

Danish	Swedish	English	Spanish	German
French	Italian	Portuguese	Russian	Arab
Finnish	Dutch	Greek		

Quality:

- Manufactured in accordance with ISO 9001: 2008 and ISO 13485: 2012
- Complies with Annex II, Section 4 of the Directive 93/42 EEC, ISO 13485: 2012 (Quality Management System)
- Sterilization by gamma rays

CHARACTERISTICS

- Shelf life-time: 5 years
- Disposable

VITREX

Vitrex® Sterilance Press II Sterile Safety lancet

Techninių duomenų lapas - "Vitrex Safety Lancet" - "Press II"




PRODUKTAS:

"Vitrex" saugos lankstai yra naudojami odos punkcijoms atlikti, siekiant surinkti kapiliarų kraujo mikro mėginius

- Sterilus ir vienkartinis
- Saugos lankstus su aktyvavimo mygtuku
- Ergonomiškas dizaino dėklas, sukurtas siekiant užtikrinti saugią aplinką.
- Lengva naudoti: paprasta naudoti, dviem veiksmais ir be įkrovimo
- Saugumas, po naudojimo lancetas sugriebia korpuso viduje, vengdamas nelaimingų atsitikimų

Matmenys

- Ilgis: 52,3 mm
- plotis: 11,5 mm
- Apatinis: 14,0 mm



VITREX

Vitrex® Sterilance Press II Sterile Safety lancet

Packaging

Primary packaging: 100 pcs
Transit packaging: 1000 pcs
Pallet: 98000 pcs



Technical Specs.

Colour Code	Configuration	Penetration Depth	Article No.	Application
Green	18G blade	1.8 mm	393213	Special baby care and maternity units for heel puncture
Turquoise	30G needle	1.8 mm	399213	Low blood flow, less pain
Purple	28G needle	1.8 mm	398213	Low blood flow, less pain
Yellow	26G needle	1.8 mm	394213	Diabetes clinics/hospital wards for blood glucose monitoring
Blue	21G needle	1.8 mm	397213	As Yellow but for increased blood flow
Orange	21G needle	2.2 mm	395213	Haemoglobin (blood banks), cholesterol, blood typing, coagulation, blood gas and other diagnostic tests
Pink	21G needle	2.8 mm	396213	As Orange but for thicker adult skin

Shelf life 5 years

MEDŽIAGOS:

Medžiagos, naudojamos Vitrex saugos lanktams gaminti, yra medicinos laipsnis:

Komponentas	Medžiaga
Adata	Stainless Steel (06Cr19Ni10)
"Shell"	ABS – QS-0613-017
Mygtukas	HDPE-QS-0613-017

Spausdinti:

Šiai medicininei įrangai naudojama terminologija, grafiniai simboliai ir informacija atitinka EN ISO 13485: 2012 ir 9001:

PAKUOTĖ:

- Vidinis dėžutė pagaminta iš balto kartono, o išorinė dėžutė pagaminta iš gofruoto kartono.
Visi gaminiai yra supakuoti pagal EN ISO 13485 medicinos prietaisams.
Kiekvienoje pakuotėje yra serijos numeris, galiojimo data ir informacija apie sterilizavimą.
- Vidinėje dėžutėje yra 100 individualių "Vitrex" saugos lancetų vienetų
 - Vienoje išorinėje dėžutėje yra 10 vidinių dėžučių

Vidinis dėžutė			
Ilgis	Width	Plotis	Kiekis
13,5	9	7,5	100

Šios lentelės dydžiai išreiškiami cm.

VITREX

Vitrex® Sterilance Press II Sterile Safety lancet

Packaging:

Primary packaging: 100 pcs
Transit packaging: 1000 pcs
Pallet: 96000 pcs



Kalbos:

Etiketėse yra 13 kalbų ir atitinka Europos direktyvą dėl medicinos prietaisų

Danish	Swedish	English	Spanish	German
French	Italian	Portuguese	Russian	Arab
Finnish	Dutch	Greek		

Kokybė:

- Pagaminta pagal ISO 9001: 2008 ir ISO 13485: 2012
- atitinka Direktyvos 93/42 EEB II priedo 4 skirsnį, ISO 13485: 2012 (Kokybės vadybos sistema)
- sterilizavimas gama spinduliais

CHARAKTERISTIKOS

- Galiojimo laikas: 5 metai
- Vienkartiniai

VITREX