



ITALCERT S.r.l.  
viale Sarca, 336 - IT 20128 MILANO MI  
tel. +39 0266104876 - fax +39 0266101479  
E- mail italcert@italcert.it

Notified Body n° 0426

**CERTIFICATE N° 178-20979/11/E-DM**  
(In compliance with Annex V of the Directive 93/42/EEC)

**ITALCERT**

certifies the

Production Quality Assurance System applied for the  
manufacturing of "Medical Devices" – MD -  
by the manufacturer

**BIOMEDICAL S.r.l.**

via G.B. Lulli, 43 - IT 50144 FIRENZE (FI)

in the production site located in

via G.B. Lulli, 43  
IT 50144 FIRENZE (FI)

complies with the requirements stated in

**Directive 93/42/EEC - Annex V**

and authorizes the manufacturer to mark

**CE 0426**

in compliance with the criteria defined in Annex XII of the Directive 93/42/EEC  
the MD reported in Annex 1 of this Certificate

THE PRESIDENT

*Carlo Tribuno*  
prof. dr. Carlo Tribuno

First Issue date  
2011-11-09

Expire date  
2016-11-02

This certificate must be published only in integral form and accompanied by its Annex 1

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 1 of 9 -

**Surgically Invasive Medical Devices for Transient Use (Class Iia)**

Code	XX	YY(Y)	Z(ZZ)	αα	Description
OBIXxyy/zzz-αα	from 14G to 18G	from 05 to 99 mm	from 005 to 300 mm		OB1 = disposable needle for sternal or iliac aspiration
OBIPxyy/zzz-αα	from 14G to 18G	from 05 to 99 mm	from 005 to 300 mm		OBIP = pre-assembled disposable needle for sternal or iliac aspiration
OBIExyy/zzz-αα	from 14G to 18G	from 05 to 99 mm	from 005 to 300 mm		OBIE = medullar disposable needle for removal and perfusion
OBILxyy/zzz-αα	from 14G to 26G	from 05 to 99 mm	from 005 to 300 mm		OBIL = disposable needle for iliac aspiration with ergonomic handle
OBILExyy/zzz-αα	from 14G to 26G	from 05 to 99 mm	from 005 to 300 mm		OBILE = disposable needle for iliac aspiration with ergonomic handle for medullar removal
OBLxyy-αα	from 07G to 18G	from 05 to 25 cm	---		OBL = disposable needle for bone – medullar biopsy
OBLExyy-αα	from 07G to 18G	from 05 to 25 cm	---		OBLE = disposable needle for medullar removal with lateral holes
OBWxyy-αα	from 07G to 18G	from 05 to 25 cm	---		OBW = Disposable needle for bone - medullar biopsy (patent SOMATEX)
OBLTxyy-αα	from 07G to 18G	from 05 to 25 cm	---		OBLT = disposable needle for bone – medullar biopsy (Trap System-type)
OPSxyy-αα	from 07G to 18G	from 05 to 25 cm	---		OPS = needle for bone biopsy with inside capturing device. PJ-type handle
OBMxyy-αα	from 11G to 22G	from 05 to 50 cm	---		OBM = disposable needle for soft tissue biopsy with manual action
OBDxyy-αα	from 14G to 22G	from 05 to 50 cm	---		OBD = Disposable guillotine needle for soft tissue biopsy with semiautomatic action

ue

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 2 of 9 -

OBDS <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBDS = disposable guillotine needle for soft tissue biopsy with semiautomatic action (shuttle handle), without removable cannula
OBDP <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBDP = disposable guillotine needle for coaxial biopsy
OBDS <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBDS = disposable guillotine needle for soft tissue biopsy with semiautomatic action (shuttle handle)
OBDP <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBDP = disposable guillotine needle for biopsy with semiautomatic action with coaxial introducer
OBE <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBE = disposable guillotine needle for automatic gun
OBEC <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OBEC = disposable guillotine needle for automatic gun with coaxial introducer
OBE <sub>xyy-01</sub>	from 14G to 22G	from 05 to 50 cm	---	01 = Promag 2.5 version	OBE = disposable guillotine needle for automatic gun - Promag 2.5 version -
OBEC <sub>xyy-01</sub>	from 14G to 22G	from 05 to 50 cm	---	01 = Promag 2.5 version	OBEC = disposable guillotine needle for automatic gun - Promag 2.5 version with coaxial introducer
OPG <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OPG = disposable guillotine needle compatible with Bard Magnum automatic gun
OPGC <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 50 cm	---		OPGC = disposable guillotine needle with coaxial introducer compatible with Bard Magnum automatic gun
OBS <sub>xyy-aa</sub>	from 14G to 20G	from 10 to 25 cm	---		OBS = automatic disposable gun for soft tissue biopsy (BIOSHOT)
OIT <sub>xyy-aa</sub>	from 11G to 23G	from 02 to 50 cm	---		OIT = disposable introducer coaxial needle for introduction of cannula, biopsy devices, hook wires, catheters or other devices, without mandrel and smoothed tip cannula
OBT <sub>xyy-aa</sub>	from 11G to 23G	from 02 to 50 cm	---		OBT = disposable introducer coaxial needle for introduction of cannula, biopsy devices, hook wires, catheters or other devices, with trocar mandrel and biopsy lip cannula
OBA <sub>xyy-aa</sub>	from 14G to 22G	from 05 to 35 cm	---		OBA = disposable set of hepatic biopsy by aspiration as for Menghini

he

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 3 of 9 -

OBCxxyy-αα	from 14G to 26G	from 05 to 30 cm	---		OBC = disposable needle of histological and cytological biopsy by aspiration as for Menghini modified
OBCAxxyy-αα	from 14G to 26G	from 05 to 30 cm	---		OBCA = automatic disposable needle histological and cytological biopsy by aspiration as for Menghini modified
OBCACxxyy-αα	from 14G to 26G	from 05 to 30 cm	---		OBCAC = automatic disposable needle histological and cytological biopsy by aspiration as for Menghini modified with coaxial introducer
OMEMxxyy-αα	from 16G to 26G	from 05 to 30 cm	---		OMEM = Chiba disposable needle for cytological and histological aspiration or insertion, Menchelli version
OMEFxxyy-αα	from 16G to 26G	from 05 to 30 cm	---		OMEF = Disposable needle for cytological and histological biopsy, Franseen style
OMEWxxyy-αα	from 16G to 26G	from 05 to 30 cm	---		OMEW = Wescott disposable needle for cytological and histological biopsy
OICxxyy-αα	from 18G to 23G	from 05 to 35 cm	---		OIC = disposable needle for alcoholization with closed trocar point
OILxxyy-αα	from 18G to 23G	from 05 to 35 cm	---		OIL = Open pointed disposable needle for alcoholization
OPBMxxyy-αα	from 14G to 29G	from 05 to 30 cm	---		OPBM = Chiba disposable needle for cytological aspiration and injection, hub LLDU MDL. MRI version
OMExxyy-αα	from 14G to 29G	from 05 to 30 cm	---		OME = Chiba disposable needle for cytological aspiration
OMExxyy-01	from 14G to 29G	from 05 to 30 cm	---	01 = triple sharpening tip	OME = disposable needle for cytological aspiration triple sharpening tip
OMExxyy-02	from 14G to 29G	from 05 to 30 cm	---	02 = Quincke tip	OME = disposable needle for cytological aspiration Quincke tip
OMExxyy-03	from 14G to 29G	from 05 to 30 cm	---	03 = Ultra tip	OME = disposable needle for cytological aspiration Ultra tip
OMExxyy-04	from 14G to 29G	from 05 to 30 cm	---	04 = triple sharpening tip Quick Release plug	OME = disposable needle for cytological aspiration triple sharpening tip with Quick Release plug

he

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 4 of 9 -

OMExxy-05	from 14G to 29G	from 05 to 30 cm	---	05 = Quincke tip with Quick Release plug	OME = disposable needle for cytological aspiration Quincke tip with Quick Release plug
OMExxy-06	from 14G to 29G	from 05 to 30 cm	---	06 = Ultra tip with Quick Release plug	OME = disposable needle for cytological aspiration Ultra tip with Quick Release plug
OMExxy-07	from 14G to 29G	from 05 to 30 cm	---	07 = triple sharpening tip with Quick Release plug and extension	OME = disposable needle for cytological aspiration triple sharpening tip with Quick Release plug and extension
OMExxy-08	from 14G to 29G	from 05 to 30 cm	---	08 = Quincke tip with Quick Release plug and extension	OME = disposable needle for cytological aspiration Quincke tip with Quick Release plug and extension
OMExxy-09	from 14G to 29G	from 05 to 30 cm	---	09 = Ultra tip with Quick Release plug and extension	OME = disposable needle for cytological aspiration Ultra tip with Quick Release plug and extension
OMEpxxy-aa	from 16G to 26G	from 050 to 300 mm	---		OMEp = disposable needle for peripheral nerve block under echography – without mandrel – with connecting tube
OMECxxy-aa	from 16G to 26G	from 05 to 30 cm	---		OMEC = Chiba disposable needle for cytological aspiration, echogenic cannula and tube
OMEBxxy-aa	from 14G to 26G	from 05 to 30 cm	---		OMEB = disposable needle for brachytherapy
OIDxx/Dyy-aa	from 18G to 30G	from 20 to 40 mm	---		OIDxx/D = Set for galactography with straight needle
OIDxx/Cyy-aa	from 18G to 30G	from 20 to 40 mm	---		OIDxx/C = Set for galactography with curved needle
OIDKxx/Cyy-aa	from 18G to 30G	from 20 to 40 mm	---		OIDKxx/C = Kit for galactography with curved needle, 6 dilators and 1ml syringe
OIDKxx/Dyy-aa	from 18G to 30G	from 20 to 40 mm	---		OIDKxx/D = Kit for galactography with straight needle, 6 dilators and 1ml syringe
OIMxxy-aa	from 14G to 26G	from 05 to 35 cm	---		OIM = disposable needle for mammary localization

he

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 5 of 9 -

0IMX <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0IMX = disposable needle for mammary localization with double hook
0PNA <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0PNA = disposable needle for mammary localization, not repositionable; BCA-type handle
0PR <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0PR = repositionable disposable needle for mammary localization; normal handle
0PRD <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0PRD = repositionable disposable needle for mammary localization; normal handle with double anchor
0PRA <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0PRA = repositionable disposable needle for mammary localization; BCA-type handle
0PRAD <sub>xyy-αα</sub>	from 14G to 25G	from 05 to 35 cm	---		0PRAD = repositionable disposable needle for mammary localization; BCA-type handle with double anchor
0AET <sub>xyyy-αα</sub>	from 18G to 30G	from 001 to 200 mm	---		0AET = disposable needle with triple tip for ENS electro stimulation
0AEQ <sub>xyyy-αα</sub>	from 18G to 30G	from 001 to 200 mm	---		0AEQ = disposable needle with Quincke tip for ENS electro stimulation
0AEC <sub>xyyy-αα</sub>	from 18G to 30G	from 001 to 200 mm	---		0AEC = disposable needle with Chiba tip for ENS electro stimulation
0AEY <sub>xyyy-αα</sub>	from 18G to 30G	from 001 to 200 mm	---		0AEY = disposable needle with Thuoy tip for ENS electro stimulation
0AEP <sub>xyyy-αα</sub>	from 18G to 30G	from 001 to 200 mm	---		0AEP = disposable needle with pencil point tip and lateral hole for ENS electro stimulation
0AV01 <sub>xyyA</sub>	from 12G to 20G	from 05 to 25 cm	A = open tip		0AV01 <sub>xyyA</sub> = set for thoracentesis / paracentesis with tap and Verres needle, with open tip mandrel
0AV01 <sub>xyyB</sub>	from 12G to 20G	from 05 to 25 cm	B = 2 holes		0AV01 <sub>xyyB</sub> = set for thoracentesis / paracentesis with tap and Verres needle, with 2 holes mandrel
0AV01 <sub>xyyC</sub>	from 12G to 20G	from 05 to 25 cm	C = 3 pits		0AV01 <sub>xyyC</sub> = set for thoracentesis / paracentesis with tap and Verres needle, with 3 pits mandrel

be

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 6 of 9 -

0AV0103yy	03	from 05 to 25 cm	---		0AV0103yy = set for thoracentesis / paracentesis with tap and 3 needles
0AV02xxyyA	from 12G to 20G	from 05 to 25 cm	A = open tip		0AV02xxyyA = set for thoracentesis / paracentesis with valve and one Verres needle with open tip mandrel
0AV02xxyyB	from 12G to 20G	from 05 to 25 cm	B = 2 holes		0AV02xxyyB = set for thoracentesis / paracentesis with valve and one Verres needle with 2 holes mandrel
0AV02xxyyC	from 12G to 20G	from 05 to 25 cm	C = 3 pits		0AV02xxyyC = set for thoracentesis / paracentesis with valve and one Verres needle with 3 pits mandrel
0AV0203yy	03	from 05 to 25 cm	---		0AV0203yy = set for thoracentesis / paracentesis with valve and 3 needles
0AV03xxyyy	from 08 to 21G	from 030 to 300 mm	---		0AV03xxyyy = set for thoracentesis / paracentesis for removal of ascites and drainage needle
0AV0102	---	---	---		0AV0102 = set for drainage with 2 funnel needles, tap and tube 4,1 x 3 mm.
0AVAxyy	from 12G to 20G	from 05 to 25 cm	---		0AVAxyy = Verres needle with normal slim joint, open point, 16° sharpen, without tap
0AVBxyy	from 12G to 20G	from 05 to 25 cm	---		0AVBxyy = Verres needle with normal slim joint, 2 holes, 16° sharpen, without tap
0AVCxyy	from 12G to 20G	from 05 to 25 cm	---		0AVCxyy = Verres needle with normal slim joint, 3 pits, 16° sharpen without tap
0AVDxyy	from 12G to 20G	from 05 to 25 cm	---		0AVDxyy = Verres needle with normal slim joint, 1 hole, 16° sharpen without tap
0AVAQxyy	from 12G to 20G	from 05 to 25 cm	---		0AVAQxyy = Verres needle with normal slim joint, open tip, 30° sharpen and tap
0AVBQxyy	from 12G to 20G	from 05 to 25 cm	---		0AVBQxyy = Verres needle with normal slim joint, 2 holes, 30° sharpen and tap
0AVCQxyy	from 12G to 20G	from 05 to 25 cm	---		0AVCQxyy = Verres needle with normal slim joint, 3 pits, 30° sharpen and tap

be

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 7 of 9 -

0AVDQxxyy	from 12G to 20G	from 05 to 25 cm	---		0AVDQxxyy = Verres needle with normal slim joint, 1 hole, 30° sharpen and tap
0AVAxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVAxxyy-02 = Verres needle with normal slim joint, open tip, 16° sharpen without tap and PTFE cover
0AVBxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVBxxyy-02 = Verres needle with normal slim joint, 2 holes, 16° sharpen without tap and PTFE cover
0AVCxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVCxxyy-02 = Verres needle with normal slim joint, 3 pits, 16° sharpen without tap and PTFE cover
0AVDxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVDxxyy-02 = Verres needle with normal slim joint, 1 hole, 16° sharpen without tap and PTFE cover
0AVAQxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVAQxxyy-02 = Verres needle with normal slim joint, open tip, 30° sharpen, tap and PTFE cover
0AVBQxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVBQxxyy-02 = Verres needle with normal slim joint, 2 holes, 30° sharpen, tap and PTFE cover
0AVCQxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVCQxxyy-02 = Verres needle with normal slim joint, 3 pits, 30° sharpen, tap and PTFE cover
0AVDQxxyy-02	from 12G to 20G	from 05 to 25 cm	---	02 = PTFE cover	0AVDQxxyy-02 = Verres needle with normal slim joint, 1 hole, 30° sharpen, tap and PTFE cover
0AVAxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVAxxyy-01 = Verres needle with normal slim joint, open tip, 16° sharpen without tap
0AVBxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVBxxyy-01 = Verres needle with normal slim joint, 2 holes, 16° sharpen without tap
0AVCxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVCxxyy-01 = Verres needle with normal slim joint, 3 pits, 16° sharpen without tap
0AVDxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVDxxyy-01 = Verres needle with normal slim joint, 1 hole, 16° sharpen without tap
0AVAQxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVAQxxyy-01 = Verres needle with normal slim joint, open tip, 30° sharpen and tap

be

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 6 of 9 -

0AVBQxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVBQxxyy-01 = Verres needle with normal slim joint, 2 holes, 30° sharpen and tap
0AVCQxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVCQxxyy-01 = Verres needle with normal slim joint, 3 pits, 30° sharpen and tap
0AVDQxxyy-01	from 12G to 20G	from 05 to 25 cm	---	01 = normal slim joint	0AVDQxxyy-01 = Verres needle with normal slim joint, 1 hole, 30° sharpen and tap
0AVAxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVAxyy-03 = Verres needle with normal slim joint, open tip, 16° sharpen without tap and PTFE cover
0AVBxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVBxyy-03 = Verres needle with normal slim joint, 2 holes, 16° sharpen without tap and PTFE cover
0AVCxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVCxyy-03 = Verres needle with normal slim joint, 3 pits, 16° sharpen without tap and PTFE cover
0AVDxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVDxyy-03 = Verres needle with normal slim joint, 1 hole, 16° sharpen with tap and PTFE cover
0AVAQxxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVAQxxyy-03 = Verres needle with normal slim joint, open tip, 30° sharpen with tap and PTFE cover
0AVBQxxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVBQxxyy-03 = Verres needle with normal slim joint, 2 holes, 30° sharpen with tap and PTFE cover
0AVCQxxyy-03	from 12G to 20G	from 05 to 25 cm	---	03 = normal slim joint and PTFE cover	0AVCQxxyy-03 = Verres needle with normal slim joint, 3 pits, 30° sharpen with tap and PTFE cover


he

**Annex 1 to Certificate n° 178-20979/11/E-DM**

- page 9 of 9 -

0AVDQxxyy-03	from 12G to 20G	from 05 to 26 cm	---	03 = short slim joint and PTFE cover	0AVDQxxyy-03 = Verres needle with short slim joint, 1 hole, 30° sharpen, with tap and PTFE cover
0DRxxyyy	from 08 to 21G	from 030 to 300 mm	---		0DRxxyyy = disposable needle for removal of ascites with mandrel, tube, triple tip, blunt with holes, LDU, PC, TMQ. Package with 50 units
0DRxxyyy-01	from 08 to 21G	from 030 to 300 mm	---	01 = Package with 50 units	0DRxxyyy-01 = disposable needle for removal of ascites with mandrel, tube, triple tip, blunt with holes, LDU, PC, TMQ. Package with 50 units

Milan, 2011-11-03

dr. Ing. Roberto Cuspolito  
  
General Manager

Vertimas iš anglų kalbos

**ITALCERT S.r.l.**

viale Sarca, 336-IT 20126 MILANO Mi

tel. +39 0266104876 .tax +39 0268101479

E. mail: [italcert@italcert.it](mailto:italcert@italcert.it)

Notifikuoto organo Nr 0426

# ITALCERT

**SERTIFIKATAS** № **178-20979/11/E-DM**

*(Atitikties priedo V ES Direktyvos 93/42/EEC)*

## ITALCERT

Pažymi, kad Kokybės užtikrinimo  
Sistema įmonės naudojama medicinos prietaisų gamybai

### BIOMEDICAL S.r.l

via G.B Lulli, 43, .IT 50144 Firenze (FI)

gamybinėse patalpose, esančiose  
via G.B Lulli, 43, .IT 50144 Firenze (FI)

atitinka reikalavimus keliamus  
**Direktyvos 93/42/EEC - priedo V,**

ir įgalioja įmonę pažymėti ženklą  
CE 0426

atitinkančiai pagal Direktyvos 93/42/EEC Priede XII medicinos prietaisams  
apibrėžtiems reikalavimams,  
išvardintiems šio Sertifikato priede I

PREZIDENTAS

pr dr. Car T

Pirmo išdavimo data 2011-11-03

galiojimo data 2016-11-02

**ITALCERT S.r.l.**

viale Sarca, 336-IT 20126 MILANO Mi

tel. +39 0266104876 fax +39 0268101479

# ITALCERT

E. mail: [italcert@italcert.it](mailto:italcert@italcert.it)

Notifikuoto organo Nr 0426

## **Priedas I prie Sertifikato n° 178-20979/11/E-DM**

*puslapis 1 iš 9*

Chirurgiškai Invasiivūs Medicininii prietaisai trumpalaikiam naudojimui (CLASS IIa)

*Gil* BIE/ B1P Vienkartinė adata krūtinkaulio ar klubo aspiracijai be ar su šoninėmis skylėmis (Kodas BIE) , su pritvirtintu kraštu (kodas BIP)

Išorinis kaniulės diametras nuo 14G iki 18G Ilgis nuo 10 iki 120 mm

**BL/ BLE** Vienkartinė adata kaulo aspiracijai be ar su šoninėmis (Kodas BLE )

Išorinis kaniulės diametras nuo 14G iki 18 G

Ilgis nuo 50 mm iki 250 mm

**BM** Vienkartinė adata minkštų audinių biopsijai

Išorinis kaniulės diametras nuo 11 G iki 22G

Ilgis nuo 50 mm iki 500 mm

**BE** Vienkartinė adata biopsijai daugkartiniu pistoletu

Išorinis kaniulės diametras nuo 14G iki 22 G Ilgis nuo 50 mm iki 500 mm

**BD/ BDP/IT** Vienkartinė adata biopsijai pusautomatinės giljotinos metodu arba su specialiu mandrenu (kodas BOP) ar viena įvedimo adata (kodas IT)

Išorinis kaniulės diametras nuo 14 G iki 22G Ilgis nuo 50 mm iki 500 mm

**BC** Adata kepenų histologinei ir citologinei aspiracinei biopsijai

Išorinis kaniulės diametras nuo 14G iki 25G Ilgis : from 50 mm iki 300 mm

**BA** Rinkinys kepenų biopsijai pagal Menghini

Išorinis kaniulės diametras nuo 14G iki 22G Ilgis nuo 50 mm iki 350 mm

**IM** Adata priešoperacinei krūties pakenkimų lokalizacijai su vienu ar dvigubu kabliuku (Kodas IMX)

Išorinis kaniulės diametras nuo 14G iki 25G ilgis nuo 50 mm iki 350 mm

**IDxxID IDxxIC** Galaktografijos rinkinys su tiesia ar lenkta adata

Išorinis kaniulės diametras nuo 30G iki 18 G Ilgis nuo 20mm iki 40 mm

**IDK Kit** Galaktografijos rinkinys su tiesia ar lenkta adata (Kodas IDK / IDKX

Išorinis kaniulės diametras nuo 30G iki 18G

ilgis nuo 20mm iki 40 mm

**IC** Adata alkoholio injekcijai, trokaro formos galu

Išorinis kaniulės diametras nuo 23G to 18G

Ilgis nuo 50 iki 350 mm Skylių kiekis: nuo 3 iki 15

**ITALCERT S.r.l.**

viale Sarca, 336-IT 20126 **MILANO Mi**  
tel. +39 0266104876 .tax +39 0268101479

E. mail: [italcert@italcert.it](mailto:italcert@italcert.it)

# ITALCERT

**Notifikuoto organo Nr 0426**

Puslapis 2 iš 3

**IL** Adata atviru galu alkoholio injekcijai

Išorinis kaniulės diametras nuo 23G iki 18G

Ilgis nuo 50 mm iki 350 mm

**ME/MEM/ MEF/MEW** Chiba adata citologinei aspiracijai pagal Menchetti (MEM), pagal Franseen (MEF) ir pagal Wescott (MEW)

Išorinis kaniulės diametras nuo 14G iki 29G Ilgis nuo 50 mm iki 300 mm

**MI** Spinalinė adata Quinke point lumbarinei ir spinalinei anestezijai

Išorinis kaniulės diametras nuo 27G iki 16G Ilgis nuo 50 mm iki 160 mm

**MC** Adata epidūrinei anestezijai su Tuoy point

Išorinis kaniulės diametras nuo 14G iki 23G

Ilgis nuo 50 mm iki 150 mm

**MD/MDI/MDIV** Atraumatinė spinalinė adata (pencil point) spinalinei anestezijai su/be įvedimo adata (Kodas MDI) ar su kintančio dydžio diamtru (MDIV)

Išorinis kaniulės diametras nuo 160 iki 300

ilgis nuo 50 mm iki 250 mm

**AV/ AVO1/AVO2/AVO3** Viena Verres adata su ištraukiamu mandrenu thoracentezei ir paracentezei ar laparoskopijai. Thoracentezės ir paracentezės rakiniai (AVOI- AVO2- AVO3)

Išorinis kaniulės diametras nuo 120 iki 200

Ilgis nuo 50 mm iki 250 mm

**BIL/BILE** Sterili vienkartinė adata kaulų čiulpų aspiracijai, dydis nuo 140 iki 180 ir ilgis nuo 10mm iki 120 mm, su anatominė rankena, su/be šoninėmis skylėmis (kodas BIL/BILE)

**32Z2000 — 32Z20002 — 32Z20004 — 32Z2020 — 32Z2022 \* 32Z2024**

Sterili vienkartinė adata gum biopsijai — diametras: 4,1 mm - 5,2 mm - 6,2 mm.

**32Z2006 - 32Z2007 - 32Z2008 - 32Z2009**

Sterili veinkartinė adata lydinčiai gum biopsijai — diametras: 4,0 mm - 4,9 mm - 5,1 mm - 6,0 mm.

**32Z2026**

Sterili vienkartinė adata linijinei gum biopsijai

**AETxxyy/ AEQxxyy/AECxxyy** Sterili vienkartinė adata elektrinei nervų stimuliacijai naudojama periferinei regioninei anestezijai su trijų briaunų, Quinke, ar Chiba point, dydžiai nuo 18G iki 30G ,

Ilgis nuo 10 mm iki 200 mm

**ITALCERT S.r.l.**

viale Sarca. 336-IT 20)26 **MILANO Mi**

tel. **+39 0266104876** fax **+39 0268101479**

E. ma'is nalcert@italcert.it

# ITALCERT

**Notifikuoto organo Nr 0426**

Puslapis 3 iš 3

**LP** Sterili vienkartinė adata riebalų atsiurbimui

Išorinis kaniulės diametras nuo 1,5 mm iki 8 mm

Ilgis nuo 50 mm iki 500 mm

*dr. ing Roberto CU, SOLITO*

Milano, 2008-12-20

*Generalinis direktorius*

*parašas*

Vertimas tikras. LR BK 235 str. turinys vertėjui žinomas.

Vertė Liutauras Dauderis