

ETHICON

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

PRODUCT CATALOG

Access

Stapling

Ligation

Endo Devices

Gastric Band

Energy





Our Credo

Since 1943

We believe our first responsibility is to the doctors, nurses
and patients, to mothers and fathers and all others
who use our products and services.
In meeting their needs
everything we do must be of high quality.
We must constantly strive to reduce our costs
in order to maintain reasonable prices.
Customers' orders must be serviced promptly and accurately.
Our suppliers and distributors must have an opportunity to make a fair profit.

We are responsible to our employees,
the men and women who work with us throughout the world.
Everyone must be considered as an individual.
We must respect their dignity and recognize their merit.
They must have a sense of security in their jobs.
Compensation must be fair and adequate,
and working conditions clean, orderly and safe.
We must be mindful of ways to help our employees
fulfill their family responsibilities.
Employees must feel free to make suggestions and complaints.
There must be equal opportunity for employment,
development and advancement for those qualified.
We must provide competent management,
and their actions must be just and ethical.

We are responsible to the communities
in which we live and work and to the world community as well.
We must be good citizens – support good works and charities
and bear our fair share of taxes.
We must encourage civic improvements and better health and education.
We must maintain in good order the property we are privileged to use,
protecting the environment and natural resources.

Our final responsibility is to our stockholders.
Business must make a sound profit.
We must experiment with new ideas.
Research must be carried on, innovative programs developed
and mistakes paid for.
New equipment must be purchased, new facilities provided
and new products launched.
Reserves must be created to provide for adverse times.
When we operate according to these principles,
the stockholders should realize a fair return.

For ordering, please contact your local Customer Support

Sverige

Tel: 08-626 22 03

Fax: 08-626 22 30

E-post: cservse@its.jnj.com

Webshop:

http://www.emeaservice.com/eSales_sve

Norge

Tel: 667 747 04

Fax: 669 817 77

E-post: cservno@its.jnj.com

Webshop:

http://www.emeaservice.com/eSales_nor

Finland

Puh: 0207-531 502

Faksi: 0207-531 509

s-posti: cservfi@its.jnj.com

Nettikauppa:

http://www.emeaservice.com/eSales_fin

Danmark

Tel: 45 94 82 04

Fax: 45 94 82 12

E-post: cservdk@its.jnj.com

Webshop:

http://www.emeaservice.com/eSales_dan

Johnson & Johnson AB

www.ethicon.com

Staffans väg 2

S-191 84 Sollentuna

Sweden

Tel. 08-626 22 00

ETHICON INNOVATIONS



Powered ECHELON FLEX™
ENDOPATH® Stapler



ENDOPATH® XCEL® Trocars
with Optiview® Technology



ENSEAL®G2 Articulating



ETHICON Intraluminal Stapler (ILS)


Better surgery for a better world



LIGAMAX™ 5



ECHELON FLEX™ 45mm & 60mm
ENDOPATH® Staplers



ETHICON
Linear Cutter
55mm & 75mm

TABLE OF CONTENTS

ORDERING	p. 03
ACCESS	p. 06
STAPLING	p. 18
LIGATION	p. 38
ENDO DEVICES	p. 46
GASTRIC BAND	p. 52
ENERGY	p. 58
INDEX	p. 76





ACCESS

The benefits of ENDOPATH® XCEL® Trocars, now with smudge mitigation

Low insertion force: Ensures controlled and predictable entry.

- ENDOPATH® XCEL® Bladeless Trocars with OPTIVIEW® Technology have the lowest peak insertion force compared to leading Covidien, Applied Medical, and Taut® bladeless trocars¹

Abdominal wall retention: Integrated thread design on bladeless, universal sleeve, and dilating tip cannulas helps minimize trocar slip-outs.

- Greater stability demonstrated in bladeless trocars:
 - 5mm ENDOPATH® XCEL® Bladeless Trocars with OPTIVIEW® Technology have twice as much peak retention force compared to leading 5mm Applied Medical trocars with threaded sleeves²
 - 12mm ENDOPATH® XCEL® Bladeless Trocars with OPTIVIEW® Technology have higher peak retention force than leading 12mm Applied Medical bladeless trocars³

Low drag force: Housing and seal are designed to reduce instrument hang-ups and provide low instrument insertion/extraction forces.


Direct visualization: Bladeless tip trocar allows for endoscopic optical entry.

ENDOPATH® XCEL® Trocars with OPTIVIEW® Technology are now available in 5mm and 12mm bladeless trocars, dilating tip trocars, and universal sleeves. Also available in 12mm blunt tip trocars.

1. Comparing mean abdominal wall peak insertion forces of 2B5LT/B5LT (10.7lb) to CFR03/CFF03 (21.5lb), CTR03/CTF03 (12.5lb), COQ04/CFI13 (12.2lb), NB5STF (12.0lb) and 40510 (12.7lb), and mean abdominal wall peak insertion forces of 2B12LT/B12LT (19.2lb) to CTF73 (23.1lb), COR29/CFI83 (24.3lb), CFR73/CFF73 (31.7lb), NB12STF (29.6lb) and 41210 (26.0lb), in a preclinical model, $P < 0.05$. Data on file. Study PRC049013. DSL 12-1101

2. Comparing mean abdominal wall retention forces of 2B5LT/B5LT (8.3lb), CTF03/CTR03 (4.1lb) and COQ04/CFI13 (4.1 lb), in a preclinical model, $P < 0.05$. Data on file. Study PRC049013. DSL 12-1101

3. Comparing mean abdominal wall retention forces of 2B12LT/B12LT (16.1lb), CTF73 (8.8lb), CFR73/CFF73 (14.4lb), and COR29/CFI83 (11.9lb), in a preclinical model, $P < 0.05$. Data on file. Study PRC049013. DSL 12-1101



Access

BLADELESS

5 mm ENDOPATH® XCEL™ Bladeless Trocars with Optiview® Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2B5ST	Stability	75mm	6
2B5LT	Stability	100mm	6
2B5XT	Stability	150mm	6

5mm ENDOPATH® XCEL™ Bladeless Trocars



B5ST



B5LT



B5XT

CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B5ST	Stability	75mm	6
B5LT	Stability	100mm	6
B5XT	Stability	150mm	6
B5SP	Smooth	75mm	6
B5LP	Smooth	100mm	6

5mm ENDOPATH® XCEL™ Bladeless Trocar with Handle



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B5LPH	Smooth	100mm	6

Access

8mm ENDOPATH® XCEL™ Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B8LT	Stability	100mm	6

11mm ENDOPATH® XCEL™ Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B11LT	Stability	100mm	6
B11LP	Smooth	100mm	6

11mm ENDOPATH® XCEL™ Bladeless Trocars with Handle



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B11LTH	Stability	100mm	6
B11LPH	Smooth	100mm	6

12mm ENDOPATH® XCEL™ Bladeless Trocars



B12SRT



B12XT



B12LP

CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B12SRT	Stability	75mm	6
B12LT	Stability	100mm	6
B12XT	Stability	150mm	6
B12LP	Smooth	100mm	6

Access

12 mm ENDOPATH® XCEL™ Bladeless Trocars with OPTIVIEW® Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2B12LT	Stability	100mm	6
2B12XT	Stability	150mm	6

12mm ENDOPATH® XCEL™ Bladeless Trocars with Handle



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B12LTH	Stability	100mm	6
B12LPH	Smooth	100mm	6

15mm ENDOPATH® XCEL™ Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B15LT	Stability	100mm	6

DILATING TIP

5 mm ENDOPATH® XCEL™ Dilation Tip Trocars with OPTIVIEW® Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2D5ST	Stability	75mm	6
2D5LT	Stability	100mm	6

Access

DILATING TIP

5mm ENDOPATH® XCEL™ Dilating Tip Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D5ST	Stability	75mm	6
D5LT	Stability	100mm	6

11mm Endopath® XCEL™ Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D11LT	Stability	100mm	6

12 mm ENDOPATH® XCEL™ Dilation Tip Trocars with OPTIVIEW® Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2D12LT	Stability	100mm	6
2D12XT	Stability	150mm	6

12mm Endopath® XCEL™ Dilating Tip Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D12LT	Stability	100mm	6
D12XT	Stability	150mm	6

Access

SLEEVES

5 mm ENDOPATH® XCEL™ Universal Sleeve with OPTIVIEW® Technology

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2CB5ST	Stability	75mm	6
2CB5LT	Stability	100mm	6

5mm ENDOPATH® XCEL™ Universal Sleeves

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB5LT	Stability	100mm	6
CB5ST	Stability	75mm	6

11mm ENDOPATH® XCEL™ Universal Sleeve

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB11LT	Stability	100mm	6

12 mm ENDOPATH® XCEL™ Universal Sleeve with OPTIVIEW® Technology

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2CB12LT	Stability	100mm	6

Access

12mm ENDOPATH® XCEL™ Universal Sleeve

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB12LT	Stability	100mm	6

BLUNT TIP

12 mm ENDOPATH® XCEL™ Blunt Tip Trocar with OPTIVIEW® Technology

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SHAFT LENGTH	QUANTITY
2H12LP	100mm	6

12mm ENDOPATH® XCEL™ Blunt Tip Trocar



CODE	SHAFT LENGTH	QUANTITY
H12LP	100mm	6

NEEDLES

ENDOPATH® Insufflation Needles Pneumoperitoneum



PN120



PN150

CODE	SHAFT LENGTH	QUANTITY
PN120	120mm	12
PN150	150mm	12

Access

ENDOPATH® Insufflation Needle Ultra Veress



CODE	SHAFT LENGTH	QUANTITY
UV120	120mm	12

THORACIC TROCARS

10mm/12mm ENDOPATH® Rigid Thoracic Trocar



CODE	SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
TT012	Thoracic	10mm/12mm	10mm/12mm	6

FLEXIPATH® Flexible Thoracic Trocars



FP007



FP015



FP020

CODE	OBTURATOR AND SLEEVE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
FP007	Flexible	7mm	—	6
FP015	Flexible	15mm	—	6
FP020	Flexible	20mm	—	6

FLEXIPATH® Flexible Thoracic Trocar Pack



CODE	DESCRIPTION	QUANTITY
FPK02	Contains: (1) 15mm Obturator and (3) 15mm Flexible Sleeves	6

Access

HAND-ASSISTED LAPAROSCOPY (HALS)

ENDOPATH® DEXTRUS™ HALS Retractors



CODE	DESCRIPTION	ABDOMINAL WALL THICKNESS	QUANTITY
FLR01	Fixed Length Access Retractor—Small	< 4cm	6
FLR02	Fixed Length Access Retractor—Medium	4-7cm	6
FLR03	Fixed Length Access Retractor—Large	> 7cm	6

ENDOPATH® DEXTRUS™ HALS Products Retractor sold separately



CODE	DESCRIPTION	QUANTITY
HAP02	Seal Cap Assembly with Accessories	3



ETHICON

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES





STAPLING

Stapling

Powered ECHELON FLEX™ ENDOPATH® Stapler

Compression with Stability.
Power with Control.


The Powered ECHELON FLEX™ ENDOPATH® Stapler is the only powered endocutter with enhanced system-wide tissue compression, minimising inadvertent movement at the tip of the stapler and delivering consistent staple formation.

Key surgical concerns

- Minimise the risk of damaging critical anatomical structures adjacent to the surgical site
- Prevent leakage or bleeding from the staple line

Main device benefits

- Virtually effortless, powered firing reduces inadvertent movement at the tip of the stapler, by at least 63% during the transection of thick tissue¹, potentially resulting in less trauma
- Tissue compression before and jaw alignment during firing ensure consistent staple formation for haemostasis across the entire staple line²



¹ Bench top testing on porcine stomach (2,5 – 4,0 mm thick). Surgeons (n=19) fired each instrument/reload once: PSE60A/ECR60G and EGIAUSTND/EGIA60AMT. Reduction of inadvertent movement was at least 63% with a median of 87% (99% reliability at 90% confidence).

² DSL-11-0653. Data on file, Ethicon Endo-Surgery, Inc.

Stapling

ENDOCUTTERS

Powered ECHELON FLEX™ 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCE45A	Yes	280mm	3
PSE45A	Yes	340mm	3
PLE45A	Yes	440mm	3

Echelon Flex™ 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC45A	Yes	280mm	3
EC45A	Yes	340mm	3
EC45AL	Yes	440mm	3

Echelon™ 45mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC45	No	280mm	3
EC45	No	340mm	3

Echelon™ 45mm Reloads

For use with all Echelon™ 45mm Endoscopic Staplers
(SC45A, EC45A, EC45AL, SC45, EC45, PCE45A, PSE45A, PLE45A)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR45M	Gray	6	Mesentery	2.0mm	.75mm	12
ECR45W	White	6	Vascular	2.5mm	1.0mm	12
ECR45B	Blue	6	Standard	3.5mm	1.5mm	12
ECR45D	Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR45G	Green	6	Thick	4.1mm	2.0mm	12

Stapling

Powered ECHELON FLEX™ 60mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCE60A	Yes	280mm	3
PSE60A	Yes	340mm	3
PLE60A	Yes	440mm	3

Echelon Flex™ 60mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC60A	Yes	280mm	3
EC60A	Yes	340mm	3
LONG60A	Yes	440mm	3

Echelon™ 60mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC60	No	280mm	3
EC60	No	340mm	3
LONG60	No	440mm	3

Echelon™ 60mm Reloads

For use with all Echelon™ 60mm Endoscopic Staplers
(SC60A, EC60A, LONG60A, SC60, EC60, LONG60, PCE60A, PSE60A, PLE60A)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECR60M	Gray	6	Mesentery	2.0mm	0,75mm	12
ECR60W	White	6	Vascular	2.5mm	1.0mm	12
ECR60B	Blue	6	Standard	3.5mm	1.5mm	12
ECR60D	Gold	6	Standard/Thick	3.8mm	1.8mm	12
ECR60G	Green	6	Thick	4.1mm	2.0mm	12
ECR60T	Black	6	Extra Thick	4.4mm	2.3mm	12

Stapling

ETS Flex 45mm No-Knife Endocutters Reloads Sold Separately



CTS45NK

CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
ATS45NK	Yes	340mm	3

ETS Flex 45mm Endocutters Reloads Sold Separately



CTS45

CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
CTS45	Yes	240mm	3
ATS45	Yes	340mm	3
LONG45A	Yes	440mm	3

ETS 45mm Reloads

For use with all ETS 45mm Endoscopic Linear Cutters
(CTS45, ATS45, LONG45A, CTS45NK, ATS45NK, ETS45)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TR45W	○ White	6	Vascular	2.5mm	1.0mm	12
6R45B	● Blue	6	Standard	3.5mm	1.5mm	12
TR45G	● Green	4	Standard/Thick	4.1mm	2.0mm	12

Stapling

ETS Flex 35mm Endocutters

ETS Flex 35mm Articulating Endoscopic Linear Cutters



CODE	ARTICULATION	SHAFT LENGTH	RELOAD INCLUDED	QUANTITY
ATW35	Yes	340mm	TR35W	3
ATB35	Yes	340mm	TR35B	3

ETS 35mm Straight Endocutters



CODE	ARTICULATION	SHAFT LENGTH	RELOAD INCLUDED	QUANTITY
TSW35	No	340mm	TR35W	3
TSB35	No	340mm	TR35B	3

ETS 35mm Reloads

For use with all ETS 35mm Endoscopic Linear Cutters (ATW35, ATB35, TSW35, TSB35)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TR35W	○ White	6	Vascular	2.5mm	1mm	12
TR35B	● Blue	6	Standard	3.5mm	1.5mm	12

Stapling

LINEAR CUTTERS

55mm Linear Cutters PROXIMATE® 55mm Linear Cutters with Safety Lockout



TVC55



TLC55



TCT55

CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
TVC55	○ White	Vascular	2.5mm	1.0mm	TVR55	3
TLC55	● Blue	Standard	3.85mm	1.5mm	TCR55	3
TCT55	● Green	Thick	4.5mm	2.0mm	TRT55	3

55mm Linear Cutter Reloads For use with all 55mm Linear Cutters (TVC55, TLC55, TCT55)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TVR55	○ White	4	Vascular	2.5mm	1.0mm	12
TCR55	● Blue	4	Standard	3.85mm	1.5mm	12
TRT55	● Green	4	Thick	4.50mm	2.0mm	12

Stapling

75mm Linear Cutters

PROXIMATE® 75mm Linear Cutters with Safety Lockout



TLC75



TCD75



TCT75

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TLC75	Blue	Standard	TCR75	3.85mm	1.5mm	3
TCD75	Gold	Standard/Thick	TRD75	4.2mm	1.8mm	3
TCT75	Green	Thick	TRT75	4.5mm	2.0mm	3

75mm Linear Cutter Reloads

For use with all 75mm Linear Cutters (TLC75, TCD75, TCT75)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR75	Blue	4	Standard	3.85mm	1.5mm	12
TRD75	Gold	4	Standard/Thick	4.2mm	1.8mm	12
TRT75	Green	4	Thick	4.5mm	2.0mm	12

100mm Linear Cutters

PROXIMATE® 100mm Linear Cutters with Safety Lockout



TLC10



TCT10

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TLC10	Blue	Standard	TCR10	3.85mm	1.5mm	3
TCT10	Green	Thick	TRT10	4.5mm	2.0mm	3

100mm Linear Cutter Reloads

For use with all 100mm Linear Cutters (TLC10, TCT10)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR10	Blue	4	Standard	3.85mm	1.5mm	12
TRT10	Green	4	Thick	4.5mm	2.0mm	12

Stapling

ETHICON Linear Cutter 55, Selectable Staple Height

Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	QUANTITY
NTLC55	  	Selectable	3

ETHICON Linear Cutter 55, Selectable Staple Height - Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR55		6	Standard	4.3mm	1.5mm	12
		6	Standard/Thick	4.3mm	1.8mm	12
		6	Thick	4.3mm	2.0mm	12

ETHICON Linear Cutter 75, Selectable Staple Height

Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	QUANTITY
NTLC75	  	Selectable	3

ETHICON Linear Cutter 75, Selectable Staple Height - Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR75		6	Standard	4.3mm	1.5mm	12
		6	Standard/Thick	4.3mm	1.8mm	12
		6	Thick	4.3mm	2.0mm	12

Stapling

CIRCULAR STAPLERS

Endoscopic Curved Intraluminal Staplers



ECS21A



ECS25A



ECS29A



ECS33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECS21A	12.4mm	28cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
ECS25A	16.4mm	28cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
ECS29A	20.4mm	28cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
ECS33A	24.4mm	28cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

Curved Intraluminal Staplers



CDH21A



CDH25A



CDH29A



CDH33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CDH21A	12.4mm	18cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
CDH25A	16.4mm	18cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
CDH29A	20.4mm	18cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
CDH33A	24.4mm	18cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

Straight Intraluminal Staplers



SDH21A



SDH25A



SDH29A



SDH33A

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SDH21A	12.4mm	18cm	21mm	5.5mm	1.0-2.5mm Adjustable	3
SDH25A	16.4mm	18cm	25mm	5.5mm	1.0-2.5mm Adjustable	3
SDH29A	20.4mm	18cm	29mm	5.5mm	1.0-2.5mm Adjustable	3
SDH33A	24.4mm	18cm	33mm	5.5mm	1.0-2.5mm Adjustable	3

Stapling

ENDOPATH® ILS Circular Sizer Set



CODE	DESCRIPTION	QUANTITY
CSS	Bowel Sizers for the ENDOPATH® ILS Curved Staplers, the set includes one each of a 25mm, 29mm, and 33mm sizer	1

Reusable Purse String Clamp



CODE	DESCRIPTION	QUANTITY
EH40	—	1

PROCEDURE STAPLERS

PPH Procedure Set



CODE	DESCRIPTION	QUANTITY
PPH03	Includes Hemorrhoidal Circular Stapler 33mm, suture threader, circular anal dilator, and purse string anoscope	3

STARR Procedure Set



CODE	DESCRIPTION	QUANTITY
PPH01	For Stapled Transanal Rectal Resection (STARR)	3

Stapling

LINEAR STAPLERS

TX 30mm Linear Stapler

PROXIMATE® TX 30mm Reloadable Linear Stapler




CODE	COLOR	TISSUE TYPE	RELOAD IwNCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX30V	☐ White	Vascular	XR30V	2.5mm	1.0mm	3
XR30V	☐ White	Vascular	—	2.5mm	1.0mm	12

TX 30mm Linear Staplers

PROXIMATE® TX 30mm Reloadable Linear Staplers



TX30B



TX30G

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX30B	☒ Blue	Standard	XR30B	3.5mm	1.5mm	3
TX30G	☒ Green	Thick	XR30G	4.8mm	2.0mm	3

TX 30mm Linear Stapler Reloads

For use with (TX30B, TX30G)




CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR30B	☒ Blue	Standard	3.5mm	1.5mm	12
XR30G	☒ Green	Thick	4.8mm	2.0mm	12

Stapling

TX 60mm Linear Staplers PROXIMATE® TX 60mm Reloadable Linear Staplers



TX60B



TX60G

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX60B	 Blue	Standard	XR60B	3.5mm	1.5mm	3
TX60G	 Green	Thick	XR60G	4.8mm	2.0mm	3

TX 60mm Linear Stapler Reloads For use with (TX60B, TX60G)



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR60B	 Blue	Standard	3.5mm	1.5mm	12
XR60G	 Green	Thick	4.8mm	2.0mm	12

Stapling

TL 30mm Linear Stapler

TL Reloadable Linear Stapler with Adjustable Staple Height and Reload. For use with (TL30)



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TL30	30mm TL Reloadable Linear Stapler	TR30	1.0-2.5mm	3
TR30	—	—	1.0-2.5mm	12

TL 60mm Linear Stapler

TL Reloadable Linear Stapler with Adjustable Staple Height and Reload. For use with (TL60)



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TL60	60mm TL Reloadable Linear Stapler	TR60	1.0-2.5mm	3
TR60	—	—	1.0-2.5mm	12

TL 90mm Linear Stapler

TL Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height and Reload. For use with (TL90)



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TL90	90mm TL Reloadable Linear Stapler	TR90	1.0-2.5mm	3
TR90	—	—	1.0-2.5mm	12

Stapling

TLV 30mm Linear Stapler

TLV Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height for use with TLV30



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TLV30	30mm TLV Reloadable Linear Stapler	TRV30	1.0mm	3
TRV30	For use with TLV30	—	1.0mm	12

TLH 30mm Linear Stapler

TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TLH30	30mm TLH Reloadable Linear Stapler	TRH30	1.0–2.5mm	3
TRH30	For use with TLH30	—	1.0–2.5mm	12

TLH 60mm Linear Stapler

TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TLH60	60mm TLH Reloadable Linear Stapler	TRH60	1.5–2.5mm	3
TRH60	For use with TLH60	—	1.5–2.5mm	12

TLH 90mm Linear Stapler

TLH Reloadable Linear Stapler, Heavy Wire with Adjustable Staple Height



CODE	DESCRIPTION	RELOAD INCLUDED	STAPLE HEIGHT	QUANTITY
TLH90	90mm TLH Reloadable Linear Stapler	TRH90	1.5–2.5mm	3
TRH90	For use with TLH90	—	1.5–2.5mm	12

Stapling

SKIN STAPLERS

Rotating Head Skin Staplers PROXIMATE® Rotating Head Skin Staplers with Stainless Steel Staples



CODE	SIZE	STAPLES	QUANTITY
PRR35	Regular	35	6
PRW35	Wide	35	6

Fixed Head Skin Staplers PROXIMATE® Plus MD Fixed Head Skin Staplers with Multi-Directional Release



CODE	SIZE	STAPLES	QUANTITY
PMR35	Regular	35	6
PMW35	Wide	35	6

Fixed Head Skin Staplers PROXIMATE® Plus MD Fixed Head Skin Staplers with Multi-Directional Release, Pistol Grip



CODE	SIZE	STAPLES	QUANTITY
PXW35	Wide	35	6
PXR35	Regular	35	6

Staple Extractor



CODE	SIZE	QUANTITY
PSX	Squeeze Handle Staple Extractor	12

Stapling

CURVED CUTTER STAPLERS

Contour® 40mm Linear Staplers





CODE	COLOR	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CS40B	 Blue	CR40B	3.5mm	1.44mm	3
CS40G	 Green	CR40G	4.7mm	2.0mm	3


Contour® 40mm Linear Stapler Reloads For use with (CS40B, CS40G)





CODE	COLOR	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CR40B	 Blue	3.5mm	1.44mm	6
CR40G	 Green	4.7mm	2.0mm	6

The Ethicon Linear Cutter

Optimal compression,
superior haemostasis



Stapling



The Linear Cutter is the only open linear cutter with an 6-row, 3D surgical staple technology. Designed to deliver superior hemostasis and optimal compression*

Key surgical concerns

- Haemostasis/Airostasis
- Reliability
- Versatility

Main device benefits

- 6-Rows of staples, 3-D surgical staple designed to increase the area of tissue compression and superior haemostasis
- Unique Proximal Preload Mechanism enables consistent staple formation and safety lockout feature prevents firing of unloaded device
- selectable staple height in a single cartridge for a variety of tissue thickness you encounter
- Two sided firing allows for firing at any angle, whether left or right handed

*Preclinical animate study comparing the EES Linear Cutter 75 (NTLC75), the Ethicon Endo-Surgery TLC 75, and the DST Series™ GIA™ 80. Data on file; DSL 10-0412

ETHICON

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES





LIGATION

Ligation

ENDOSCOPIC MULTIPLE CLIP APPLIERS

Ligamax™ 5 Rotating Multiple Clip Applier



CODE	DIAMETER	CLIP SIZE	# OF CLIPS	QUANTITY
EL5ML	5mm	Medium/Large	15	3

LIGACLIP® Rotating Multiple Clip Applier



CODE	DIAMETER	CLIP SIZE	# OF CLIPS	QUANTITY
ER320	10mm	Medium/Large	20	3

LIGACLIP® Rotating Multiple Clip Applier



CODE	DIAMETER	CLIP SIZE	# OF CLIPS	QUANTITY
ER420	12mm	Large	20	3

ENDOPATH® MULTIFEED STAPLER

Endoscopic MultiFeed Stapler

CODE	DIAMETER	SHAFT LENGTH	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	# OF CLIPS	QUANTITY
EMS	11mm	37,5 cm	3,7 mm	2,59 mm	20	6

Ligation

OPEN MULTIPLE CLIP APPLIERS

LIGACLIP® Multiple Clip Appliers



CODE	LENGTH	CLIP SIZE	# OF CLIPS	QUANTITY
MCS20	23.8cm	Small	20	6
MSM20	23.8cm	Medium	20	6
MCM20	29.2cm	Medium	20	6
MCM30	29.2cm	Medium	30	6
MCL20	33.7cm	Large	20	6

LIGATION

ENDOSCOPIC SINGLE CLIP APPLIERS

LIGACLIP® Multi-Patient Use Single Clip Appliers

(Uses LIGACLIP® EXTRA Stainless Steel or Titanium Ligating Clips)



CODE	CLIP SIZE	QUANTITY
LC2010Z	Medium	1
LC3010Z	Medium/Large	1
LC4010Z	Large	1

OPEN SINGLE CLIP APPLIERS


LIGACLIP® Multi-Patient Use Single Clip Appliers—Blue



CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX105	—	Blue	14.6cm	Small	1
LX107	—	Blue	19.1cm	Small	1
LX110	—	Blue	26.7cm	Small	1
LX130	Right Angle	Blue	26.7cm	Small	1

Ligation

LIGACLIP® Multi-Patient Use Single Clip Appliers—Silver



CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX205	—	Silver	14.6cm	Medium	1
LX207	—	Silver	19.1cm	Medium	1
LX210	—	Silver	26.7cm	Medium	1
LX220	Angled Jaw	Silver	26.7cm	Medium	1
LX230	Right Angle	Silver	26.7cm	Medium	1

LIGACLIP® Multi-Patient Use Single Clip Appliers—Green



CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC307	—	Green	19.1cm	Medium/Large	1
LC310	—	Green	26.7cm	Medium/Large	1
LC320	Angled Jaw	Green	26.7cm	Medium/Large	1
LC330	Right Angle	Green	26.7cm	Medium/Large	1

LIGACLIP® Multi-Patient Use Single Clip Appliers—Yellow



CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC407	—	Yellow	19.1cm	Large	1
LC410	—	Yellow	26.7cm	Large	1
LC420	Angled Jaw	Yellow	26.7cm	Large	1
LC430	Right Angle	Yellow	26.7cm	Large	1

Ligation

LIGACLIP® Ligating Clip Cartridge Base



CODE	DESCRIPTION	QUANTITY
LC800	LIGACLIP® Ligating Clip Cartridge Base	1

SINGLE CLIPS

LIGACLIP® EXTRA Titanium Ligating Clips

For use with both Endoscopic and Open/Conventional Single Clip Reusable Appliers



CODE	COLOR	CLIP SIZE	# OF CLIPS	QUANTITY
LT100	Blue	Small	6	36
LT102	Blue	Small	20	15
LT200	Silver	Medium	6	36
LT202	Silver	Medium	20	15
LT300	Green	Medium/Large	6	18
LT400	Yellow	Large	6	18

Ligation

ABSOLOK absorbable clips

ABSOLOK® Endoscopic Reusable Single Ligating Clip Applier



CODE	DIAMETER	CLIP SIZE	COLOR CODE	QUANTITY
AP2010S	10 mm	Medium	 Silver	1
AP3010S	10 mm	Medium/Large	 Green	1
AP4010S	10 mm	Large	 Yellow	1

ABSOLOK® Open Reusable Single Ligating Clip Applier



CODE	LENGTH	CLIP SIZE	COLOR CODE	QUANTITY
AC105	14,5 cm	Small	 Blue	1
AC107	18,5 cm	Small	 Blue	1
AC207	18,5 cm	Medium	 Silver	1
AC210	27,5 cm	Medium	 Silver	1
AC307	18,5 cm	Medium/Large	 Green	1
AC310	27,5 cm	Medium/Large	 Green	1
AC410	27,5 cm	Large	 Yellow	1

Ligation

ABSOLOK[®] Absorbable Single Clips



CODE	CLIP SIZE	COLOR CODE	# OF CLIPS	Quantity
AP200	Medium	 Silver	10	6
AP201	Medium	 Silver	5	6
AP300	Medium/Large	 Green	10	6
AP301	Medium/Large	 Green	5	6
AP306	Medium/Large	 Green	6	6
AP400	Large	 Yellow	10	6
AP401	Large	 Yellow	5	6

LIGATION





ENDO DEVICES

Endo Devices

POUCH

ENDOPATH® Specimen Retrieval Bags



CODE	DESCRIPTION	QUANTITY
POUCH	4"x6" ENDOPOUCH® Specimen Retrieval Bag, 224ml	6

Endo Devices

ENDO INSTRUMENTS

ENDOPATH® 5mm Instruments

		
CODE	DESCRIPTION	QUANTITY
5BB	Babcock, 5mm	6
5DCD	Dissector, Curved, with Monopolar Cautery, 5mm	6
5DCS	Scissors, Curved, with Monopolar Cautery, 5mm	6
5DSG	Grasper, 5mm	6

ENDOPATH® 5mm Instruments—Blunt Tip

		
CODE	DESCRIPTION	QUANTITY
BTD05	Dissector, Blunt Tip, 5mm, 3 per Pouch, 12 Pouches per Unit	12

ENDOPATH® 10mm Instruments

		
CODE	DESCRIPTION	QUANTITY
10AG	Anvil Grasper, 10mm	6
10BB	Babcock, 10mm	6

ENDO DEVICES

Endo Devices

ENDOPATH® 10mm Instruments—Blunt Tip

		
CODE	DESCRIPTION	QUANTITY
BCD10	Dissector, Blunt Cherry, 10mm, 3 per Pouch, 12 Pouches per Unit	12

ENDOSUTURE

LAPRA-TY® Absorbable Suture Products

		
CODE	DESCRIPTION	QUANTITY
MIC4030	LAPRA-TY® Absorbable Suture Clip Applier, Reusable, for use with 11mm or 12mm Diameter Trocar	1

LAPRA-TY® Absorbable Suture Products


 MIC4036		
CODE	DESCRIPTION	QUANTITY
MIC4032	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 2 Clips per Cartridge	6
MIC4034	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 4 Clips per Cartridge	6
MIC4036	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 6 Clips per Cartridge	6

Suture Assistant

		
CODE	DESCRIPTION	QUANTITY
SW100	Endoscopic Suturing Device	4

Endo Devices

Suture Assistant



CODE	DESCRIPTION	QUANTITY
SW110	Suture Reload Unit with 15,24 cm ETHIBOND EXCEL (size 0) and EEN (CANOE) Needle	10
SW120	Suture Reload Unit with 15,24 cm ETHIBOND EXCEL (size 0) and SH Needle	10
SW122	Suture Reload Unit with 15,24 cm ETHIBOND EXCEL (size 2-0) and SH Needle	10

ENDOLOOP® Ligature



CODE	DESCRIPTION	QUANTITY
EJ10C	ENDOLOOP® Coated VICRYL Ligature, 50 cm	12
EJ11	ENDOLOOP®, VICRYL Loop Ligature, 0, 50cm	12
EZ11	ENDOLOOP®, PDS Loop Ligature, 0, 50 cm	12
MIC108G	ENDOLOOP®, PDS II Loop Ligature, 3-0	12
MIC109G	ENDOLOOP®, PDS II Loop Ligature, 2-0	12
MIC110G	ENDOLOOP®, PDS II Loop Ligature, 0	12
MIC113G	ENDOLOOP®, PDS II Loop Ligature, Lwarge, 1	12
MIC52E	PDS II VIO 7cm M2	24
MIC54E	PDS II VIO 7cm M2	24
MIC55E	PDS II VIO 10cm M2	24

LAPAROSCOPIC NEEDLE HOLDER

CODE	DESCRIPTION	QUANTITY
E705R	ENDOPATH® Needle Holder, Reusable, 5mm, 30cm Length	1
E705RL	ENDOPATH® Needle Holder, Reusable, 5mm, 45cm Length	1
SRNH1	Self Righting Needle Holder, Reusable, 5mm, 30cm Length	1
SRNH1L	Self Righting Needle Holder, Reusable, 5mm, 45cm Length	1





GASTRIC BANDING

Gastric Band

ADJUSTABLE GASTRIC BAND-C

Adjustable Gastric Band-C



CODE	DESCRIPTION	QUANTITY
BD3XV	Includes Band-C, Injection Port and Applicator	1

Adjustable Gastric Band-C Pak with Endoscopic Dissector



CODE	DESCRIPTION	QUANTITY
LGB12	Contains one each of BD3XV, GOLD1, B15LT	1

Gastric Band

ANCILLARY DEVICES FOR GASTRIC BANDING

Injection Port and Applier



CODE	DESCRIPTION	QUANTITY
PT2XV	Replacement Port and Applier Only	1

Goldfinger™ Endoscopic Dissector




CODE	DESCRIPTION	QUANTITY
GOLD1	Goldfinger™ Endoscopic Dissector and Gastric Band retrieval system	1

Gastric Calibration Tube, Asymmetrical



CODE	DESCRIPTION	QUANTITY
GCT-180	Gastric Calibration Tube - 180° Asymmetrical ballon	1

Gastric Calibration Tube, Symmetrical



CODE	DESCRIPTION	QUANTITY
GCT-360	Gastric Calibration Tube - 360° Symmetrical ballon	1

Gastric Band

50mm Huber Needle



CODE	DESCRIPTION	QUANTITY
79995	Huber Needles, 50mm, 22G	25

90mm Huber Needle



CODE	DESCRIPTION	QUANTITY
79994	Huber Needles, 90mm, 22G	25

Gastric Band

Curved Adjustable Gastric Band

The Curved Adjustable Gastric Band with Gastric Band Sutureless Port and Applier (previously: SAGB VC Gastric Band with Velocity Injection Port and Applier) is designed to meet your practice needs and deliver a consistent band experience.

Integrated locking connector and strain relief

Protection against tubing punctures and tube kinking.

Greatest tubing protection

30.4mm protection zone provides 27 percent to 95 percent greater protection than competitive ports.¹

Minimises inadvertent tubing punctures near the port connection.

One-size-fits-all design

Accommodates a wide range of patient sizes, eliminating band choice.

Allows you to follow a single, preferred fill protocol, simplifying adjustment follow-up.

High-volume balloon enables manageable fill volumes.

High volume, low pressure

Designed to reduce potential for tissue trauma.



1. Measurement done from center of septum to end of the locking connector.





ENERGY



ENSEAL® G2 Articulating Seals like no other


Unparalleled approach to superior sealing

- Facilitates a perpendicular approach to vessels through **110° of articulation** with **full 360° shaft rotation**
- Vessels sealed with a **perpendicular approach** are more than **28% stronger** than vessels sealed at a 45° angle¹
- Helps capture vessels in one bite

Unmatched maneuvering for better access

- Provides the ability to maneuver around corners and behind structures
- Provides access to tissue in deep or tight spaces for greater control of the angle of approach to vessels²
- May reduce the amount of tissue manipulation needed to access a targeted area²





Unsurpassed tissue-sealing technology

SECURE

- Seals and cuts vessels up to 7mm diameter as well as lymphatics³
- I-BLADE® delivers high uniform compression to ensure a strong seal

GENTLE

- Temperature regulating PTC material is designed to minimize sticking
- Offset electrode configuration is designed to minimize thermal spread

1. ENSEAL® devices tested in a benchtop study on 5-7mm porcine carotid arteries. With NSLG2C35A devices, median burst pressures were 51% higher for vessels sealed at a 90° angle compared to vessels sealed at a 45° angle (P=0.0007). With NSLG2S35A devices, mean burst pressures were 29% higher for vessels sealed at a 90° angle compared to vessels sealed at a 45° angle (P=0.001).

2. Compared to a non-articulating device.

3. Ethicon Endo-Surgery internal study PSP003113. Studies conducted on porcine mesentery.

ENSEAL® G2 Tissue Sealers

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN 11).

ENSEAL® G2 Articulating Curved



CODE	SHAFT DIAMETER	SHAFT LENGHT	QUANTITY
NSLG2C35A	5mm	35cm	6

ENSEAL® G2 Articulating Straight



CODE	SHAFT DIAMETER	SHAFT LENGHT	QUANTITY
NSLG2S35A	5mm	35cm	6

ENSEAL® G2 Curved



CODE	SHAFT DIAMETER	SHAFT LENGHT	QUANTITY
NSLG2C14	5mm	14cm	6
NSLG2C25	5mm	25cm	6
NSLG2C35	5mm	35cm	6
NSLG2C45	5mm	45cm	6

ENSEAL® G2 Straight



CODE	SHAFT DIAMETER	SHAFT LENGHT	QUANTITY
NSLG2S14	5mm	14cm	6
NSLG2S25	5mm	25cm	6
NSLG2S35	5mm	35cm	6
NSLG2S45	5mm	45cm	6

ENSEAL® G2 Super Jaw



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSEALX22L	12mm	22cm	6

ENSEAL® TRIO



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
ETRIO325H	3mm Curved	5mm	25cm	6
ETRIO335H	3mm Curved	5mm	35cm	6
ETRIO345H	3mm Curved	5mm	45cm	6

ENSEAL® Round Tip



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSEAL525RH	5mm Round	5mm	25cm	6
NSEAL535RH	5mm Round	5mm	35cm	6
NSEAL545RH	5mm Round	5mm	45cm	6

HARMONIC ACE® +7 Shears: the most intelligent and innovative HARMONIC® device ever created

Uniting unmatched precision with powerful sealing ability, HARMONIC ACE + 7 Shears are designed for a wider range of surgical jobs to reduce the number of surgical devices needed to achieve hemostasis.

Next generation Adaptive Tissue Technology

- Ethicon generator modulates energy, controlling the thermal profile to reduce the risk of thermal damage
- The system senses and responds appropriately to changes in patient tissue conditions
- Audible feedback provides a cue to reduce activation time during transection, driving improved efficiency



Available in 3 Shaft Lengths

- 23 cm, 36 cm and 45 cm

Advanced Hemostasis mode

- Coagulates vessels up to 7 mm in diameter with the use of the Advanced Hemostasis hand control button

Refined Blade Design

- Tapered tip designed for precision and multifunctionality
- Features a proprietary, nonstick coating

ETHICON Energy HARMONIC®

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN 11).

SHEARS

HARMONIC ACE® +7 Shears with Adaptive Tissue Technology



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HARH23	Curved Shears	5mm	23cm	HP054	6
HARH36	Curved Shears	5mm	36cm	HP054	6
HARH45	Curved Shears	5mm	45cm	HP054	6

HARMONIC ACE® + Shears with Adaptive Tissue Technology



HAR23



HAR36

CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HAR23	Curved Shears	5mm	23cm	HP054	6
HAR36	Curved Shears	5mm	36cm	HP054	6

HARMONIC ACE®



ACE 23E



ACE 36E



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
ACE23E	Curved Shears	5mm	23cm	HP054	6
ACE36E	Curved Shears	5mm	36cm	HP054	6
ACE45E	Curved Shears	5mm	45cm	HP054	6

HARMONIC ACE®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
ACE14S	Curved Shears	5mm	14cm	HP054	6

ETHICON Energy HARMONIC®

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN 11).

HARMONIC FOCUS® + with Adaptive Tissue Technology



CODE	TIP	SHAFT LENGTH	HAND PIECE	QUANTITY
HAR9F	Curved Shears	9cm	HPBLUE	6

HARMONIC FOCUS®




CODE	TIP	SHAFT LENGTH	HAND PIECE	QUANTITY
FCS9	Curved Shears	9cm	HPBLUE	6
FCS17	Curved Shears	17cm	HPBLUE	6

HARMONIC WAVE®



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
WAVE18S	Straight Shears	8.5mm	18cm	HP054	6

HARMONIC® Coagulating Shears



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
LCSC5	Curved Shears	5mm	36cm	HP054	6
CS14C	Curved Shears	5mm	14cm	HP054	6
CS23C	Curved Shears	5mm	23cm	HP054	6

ETHICON Energy HARMONIC®

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN 11).

BLADES

HARMONIC SYNERGY®



SNGCB



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
SNGCB	Curved	3cm	4-9cm	HPBLUE	6
SNGHK	Hook	3cm	4-9cm	HPBLUE	6
SNGHK2	Hook	3cm	4-9cm	HPBLUE	6

HARMONIC® Combination Hook Blade



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HK105	Hook	5mm	10cm	HPO54	6
DH105	Hook	5mm	10cm	HOO54	6

HARMONIC® Laparoscopic Blades



HDH05

CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HDH05	Hook	5mm	32cm	HPO54	6

ETHICON Energy GENERATOR & Accessories

CAPITAL

EES Generator



CODE	DESCRIPTION	QUANTITY
GEN11	EES Generator compatible with all HARMONIC® and ENSAL® DEVICE	1

Generator Cart



CODE	DESCRIPTION	QUANTITY
CRT11	Generator Cart	1

Foot Switch and Cable



CODE	DESCRIPTION	QUANTITY
FSW11	Generator Foot Switch	1

Connector



HGA11



EGA11

CODE	DESCRIPTION	QUANTITY
HGA11	HARMONIC® Connector - EES Generator and current HARMONIC® Hand Pieces (HP054 & HPBLUE)	1
EGA11	ENSESL® Connector - EES Generator and current ENSEAL® Disposable Instruments	1

ETHICON Energy GENERATOR & Accessories

Hand Pieces



HP054



HPBLUE

CODE	DESCRIPTION	QUANTITY
HP054	HARMONIC® Hand Piece	1
HPBLUE	HARMONIC® BLUE Hand Piece	1

ACCESSORIES

Accessories

CODE	DESCRIPTION	QUANTITY
HST01	Sterilization Tray	1
HST02	Test Tip for HP054	1
TLB01	Torque Lock Blade Wrench	2
TTBLUE	Test Tip for HPBLUE	1
HSA06	5mm Blade System Adaptor	2
HSA08	Disposable Hand Switch Adaptor	3
GEN11VK	HARMONIC® GEN11 Verification Key	1
HP54CTA	HARMONIC® Hand Piece Clean Tool	1

ETHICON Energy POWERSTAR® Bipolar Scissors



Bipolar Scissors for open surgery

PowerStar® scissors are multifunctional, for precise cutting, dissecting and achieving better hemostasis with one instrument.

This leads to fewer instrument changes, thus reducing operating time and allowing an uninterrupted focus on the surgical site.

The safety of bipolar technology minimises undesired collateral tissue damage, as the current only passes through the tissue between the blades.

Because of the short bipolar current pathway, PowerStar® may be a safer alternative to monopolar surgery in patients with pacemakers or implants and may reduce ECG interferences.

The two blades of the scissors are insulated from one another. This is achieved by applying a ceramic coat to one surface of the scissor blade and clear surface hardening to the other. An insulated screw is inserted and the handles are coated.

PowerStar® scissors are available in various lengths and designs to best suit your requirements. Cables with different connectors can be obtained to ensure compatibility with most electrosurgery generators.

POWERSTAR® Bipolar Scissors

CODE	DESCRIPTION	
BP 100	PowerStar Tenotomy 115 mm (4 1/2) curved	
BP120	Power Star Tenotomy 175 mm curved	
BP310	Power Star Metzenbaum Fine 140 mm curved	
BP320	PowerStar Metzenbaum Fine 175 mm (7) curved	
BP340	PowerStar Metzenbaum Fine 230 mm (9) curved	
BP360	PowerStar Metzenbaum Fine 280 mm (11) curved	
BP520	PowerStar Metzenbaum 175 mm (7) curved	
BP540	PowerStar Metzenbaum 230 mm (9) curved	
BP560	PowerStar Metzenbaum 280 mm (11) curved	
BP720	PowerStar Mayo 170 mm (6 3/4) curved	

POWERSTAR® Cables

CODE	GENERATOR	OTHER INFORMATION
BP910	Martin, Berchtold, Wolf, Aesculap	5 m
BP930	Erbe, Storz	5 m
BP940	Pegasys, Valleylab	5 m, fixed "banana"

ETHICON Energy ENDOPATH®

ENDOPATH® Laparoscopic Bipolar Forceps

	EBF01	EBF02	
CODE	JAW	DIAMETER	QUANTITY
EBF01	Macro	5mm	5
EBF02	Micro	5mm	5

ENDOPATH® PROBE PLUS® II Handles



EPH01

EPH02

EPH03

EPH04

CODE	CONTROL	GRIP	QUANTITY
EPH01	Foot	Pistol	6
EPH02	Hand	Pistol	6
EPH03	Foot	Pencil	6
EPH04	Hand	Pencil	6


ETHICON Energy ENDOPATH®

ENDOPATH® PROBE PLUS® II Hollow Tip Electrodes



CODE	ELECTRODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS01	Hook	5mm	34cm	6
EPS02	Right Angle	5mm	34cm	6
EPS03	Right Angle	5mm	34cm	6
EPS04	Curved Dissector	5mm	34cm	6
EPS06	Spatula	5mm	29cm	6
EPS07	Right Angle	5mm	29cm	6

Endopath® PROBE PLUS® II Irrigation



CODE	SUCTION	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS11	Open End	10mm	34cm	6

ETHICON Energy ENDOPATH®

5mm Endopath® PROBE PLUS® II Canulas



CODE	TYPE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS13	Flexible Fiber	5mm	29cm	6

Endopath® Active Cords



CODE	Description	PINS	QUANTITY
EBC02	Reusable Coaxial Pin Connector Bipolar Cord	1	1
EBC05	Active Return Cord Fixed Pin Connector	2	1



ETHICON

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES





INDEX

Index

CODE	PAGE
10AG	49
10BB	49
2B12LT	11
2B5LT	9
2B5ST	9
2B5XT	9
2CB12LT	13
2CB5LT	13
2CB5ST	13
2D12LT	12
2D12XT	12
2D5LT	11
2D5ST	11
2H12LP	14
5BB	49
5DCD	49
5DCS	49
5DSG	49
6R45B	23
79994	56
79995	56
AC105	44
AC107	44
AC207	44
AC210	44
AC307	44
AC310	44
AC410	44
ACE14S	65
ACE23E	65
ACE36E	65
ACE45E	65
AP200	45
AP201	45
AP2010S	44
AP300	45

CODE	PAGE
AP301	45
AP3010S	44
AP306	45
AP400	45
AP401	45
AP4010S	44
ATB35	24
ATS45	23
ATS45NK	23
ATW35	24
B11LP	10
B11LPH	10
B11LT	10
B11LTH	10
B12LP	10
B12LPH	11
B12LT	10
B12LTH	11
B12SRT	10
B12XT	10
B15LT	11
B5LP	9
B5LPH	9
B5LT	9
B5SP	9
B5ST	9
B5XT	9
B8LT	10
BCD10	50
BD3XV	54
BP100	71
BP120	71
BP310	71
BP320	71
BP340	71
BP360	71

CODE	PAGE
BP520	71
BP540	71
BP560	71
BP720	71
BP910	71
BP930	71
BP940	71
BTD05	49
CB11LT	13
CB12LT	14
CB5LT	13
CB5ST	13
CDH21A	28
CDH25A	28
CDH29A	28
CDH33A	28
CR40B	35
CR40G	35
CRT11	68
CS14C	66
CS23C	66
CS40B	35
CS40G	35
CSS	29
CTS45	23
D11LT	12
D12LT	12
D12XT	12
D5LT	12
D5ST	12
DH105	67
E705R	51
E705RL	51
EBC02	74
EBC05	74
EBF01	72

CODE	PAGE
EBF02	72
EC45	21
EC45A	21
EC45AL	21
EC60	22
EC60A	22
ECR45B	21
ECR45D	21
ECR45G	21
ECR45M	21
ECR45W	21
ECR60B	22
ECR60D	22
ECR60G	22
ECR60M	22
ECR60T	22
ECR60W	22
ECS21A	28
ECS25A	28
ECS29A	28
ECS33A	28
EGA11	68
EH40	29
EJ10C	51
EJ11	51
EL5ML	40
EMS	40
EPH01	72
EPH02	72
EPH03	72
EPH04	72
EPS01	73
EPS02	73
EPS03	73
EPS04	73
EPS06	73

Index

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
EPS07	73	HP54CTA	69	LX220	42	PLE45A	21
EPS11	73	HPBLUE	69	LX230	42	PLE60A	22
EPS13	74	HSA06	69	MCL20	41	PMR35	34
ER320	40	HSA08	69	MCM20	41	PMW35	34
ER420	40	HST01	69	MCM30	41	PN120	14
ETRIO325H	63	HST02	69	MCS20	41	PN150	14
ETRIO335H	63	LC2010Z	41	MIC108G	51	POUCH	48
ETRIO345H	63	LC3010Z	41	MIC109G	51	PPH01	29
EZ11	51	LC307	42	MIC110G	51	PPH03	29
FCS9	66	LC310	42	MIC113G	51	PRR35	34
FCS17	66	LC320	42	MIC4030	50	PRW35	34
FLR01	16	LC330	42	MIC4032	50	PSE45A	21
FLR02	16	LC4010Z	41	MIC4034	50	PSE60A	22
FLR03	16	LC407	42	MIC4036	50	PSX	34
FP007	15	LC410	42	MIC52E	51	PT2XV	55
FP015	15	LC420	42	MIC54E	51	PXR35	34
FP020	15	LC430	42	MIC55E	51	PXW35	34
FPK02	15	LC800	43	MSM20	41	SC45	21
FSW11	68	LCSC5	66	NSEAL525RH	63	SC45A	21
GCT-180	55	LGB12	54	NSEAL535RH	63	SC60	22
GCT-360	55	LONG45A	23	NSEAL545RH	63	SC60A	22
GEN11	68	LONG60	22	NSEALX22L	63	SDH21A	28
GEN11VK	69	LONG60A	22	NSLG2C14	62	SDH25A	28
GOLD1	55	LT100	43	NSLG2C25	62	SDH29A	28
H12LP	14	LT102	43	NSLG2C35	62	SDH33A	28
HAP02	16	LT200	43	NSLG2C35A	62	SNGCB	67
HAR23	65	LT202	43	NSLG2C45	62	SNGHK	67
HAR36	65	LT300	43	NSLG2S14	62	SNGHK2	67
HAR9F	66	LT400	43	NSLG2S25	62	SR55	27
HARH23	65	LX105	41	NSLG2S35	62	SR75	27
HARH36	65	LX107	41	NSLG2S35A	62	SRNH1	51
HARH45	65	LX110	41	NSLG2S45	62	SRNHIL	51
HDH05	67	LX130	41	NTLC55	27	SW100	50
HGA11	68	LX205	42	NTLC75	27	SW110	51
HK105	67	LX207	42	PCE45A	21	SW120	51
HP054	69	LX210	42	PCE60A	22	SW122	51

Index

CODE	PAGE	CODE	PAGE
t2B12XT	11	TT012	15
TCD75	26	TTBLUE	69
TCR10	26	TVC55	25
TCR55	25	TVR55	25
TCR75	26	TX30B	30
TCT10	26	TX30G	30
TCT55	25	TX30V	30
TCT75	26	TX60B	31
TL30	32	TX60G	31
TL60	32	UV120	15
TL90	32	WAVE18S	66
TLB01	69	XR30B	30
TLC10	26	XR30G	30
TLC55	25	XR30V	30
TLC75	26	XR60B	31
TLH30	33	XR60G	31
TLH60	33		
TLH90	33		
TLV30	33		
TR30	32		
TR35B	24		
TR35W	24		
TR45G	23		
TR45W	23		
TR60	32		
TR90	32		
TRD75	26		
TRH30	33		
TRH60	33		
TRH90	33		
TRT10	26		
TRT55	25		
TRT75	26		
TRV30	33		
TSB35	24		
TSW35	24		

Notes

ETHICON

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Sweden

Johnson & Johnson AB
Staffans väg 2
191 84 Sollentuna, Sverige
tfn: +46 8 626 22 00

Norway

Johnson & Johnson MD&D
A division of Janssen-Cilag AS
Drammensveien 288
0283 Oslo, Norge
tlf: +47 66 98 10 30

Denmark

Johnson & Johnson MD&D
A division of Janssen-Cilag A/S
Bregnerødvej 133
3460 Birkerød, Danmark
tlf: +45 45 94 82 00

Finland

Johnson & Johnson Finland
Vaisalantie 2
02130 Espoo, Suomi
puh: +358 20 753 1500

www.ethicon.com

BR PCNORDIC, Version 1 ©, Ethicon Endo-Surgery
All rights reserved. These materials may not be duplicated,
copied, or further distributed without specific written
permission from Ethicon Endo-Surgery, Nordics.

