




**KINEVO 900 from ZEISS**  
Advancing Surgical Certainty



# Mastering the complex.

ZEISS KINEVO 900

// INNOVATION  
MADE BY ZEISS



## KINEVO 900 – The Robotic Visualization System

Just like you, we love challenging the status quo.

The result? Over 100 innovations to perfect the already acclaimed surgical visualization platform. KINEVO® 900 from ZEISS is designed to deliver more functionalities than any surgical microscope today.

ZEISS KINEVO 900 combines **digital and optical visualization modalities**, offers a unique **Micro-Inspection Tool** and will impress you with its **Surgeon-Controlled Robotics**. All to enable you to gain greater certainty in a virtually disruption-free workflow.


Designed to meet real needs. To make a real difference!



## A lot more. And, a lot less too.

When treating complex vascular conditions, you typically work at high magnification. Even the slightest vibrations can cause disruptions. And constant manual repositioning to better visualize structures or precisely approach deep-seated lesions can become extremely tedious. Not anymore! ZEISS KINEVO 900 delivers a lot more positioning precision with a lot less effort.

### PointLock



Focus

Activate

Swivel

**Surgeon-Controlled Robotics** adds a complete new level of ease to precise positioning. Imagine being able to focus and move around a structure to visualize the targeted anatomy – reducing any manual hassle. In addition, **PointLock** enables you to do a KeyHole movement to observe a larger area inside a cavity – a particular benefit in areas with narrow access. Simply put:

**Focus. Activate. Swivel.**

Taško užrakinimo funkcija įgalina apžiūrėti didesnę sritį skylės viduje, pasukant mikroskopą kitu matymo kampu

### Active vibration damping



- 1.3. You know the problems that can be created by the tiniest vibrations. The active damping provided by ZEISS KINEVO 900 minimizes collateral system vibrations, ensuring rock-solid stability. Enabling you to completely, and steadily, focus on what matters most: **your treatment.**

Aktyvus vibracijų slopinimas suteikiams ZEISS KINEVO 900 sumažina šalutinę sistemos vibraciją, užtikrinantis mikroskopo padėties stabilumą



## When you need it. Where you need it.

The new navigation interface of ZEISS KINEVO 900 is designed to work in concert with your navigation device. When you require precise repositioning to reexamine previously visualized structures or when you need to align with a pre-mapped trajectory, making use of all six axes, the **Robotic Visualization System™** delivers precise positioning at the push of a button. Putting you exactly where you need to be – when you need to be there.

### PositionMemory



Save

Move

Recall

When working on a tumor case, you may already have identified regions of concern where you want to protect the functional structure. After storing these in **PositionMemory**, you can come back and visualize them at the exact same magnification, working distance and focus – without losing time for manual repositioning. In a nutshell: **Save. Move. Recall.**

Po išsaugojimo Padėties Įsiminimo funkcijos pagalba jūs galite sugrąžti ir vizualizuoti ją tiksliai tame pačiame didinime, darbiniam atstume ir fokuse - neprarasdami tam laiko rankiniam padėties nustatymui.

### Image-guided surgery



Approaching deep-seated pathologies in cranial surgery, such as aneurysms, brain stem and skull base tumors, is challenging. The **Surgeon-Controlled Robotics** of ZEISS KINEVO 900 enables automated positioning to pre-defined anatomical landmarks based on pre-operative data planning – **right when you need it.**



## Critical challenge. Vital solution.

Your challenge: When working from an external perspective of a surgical microscope, your visualization of the anatomy is limited to a straight line of sight – missing critical information behind tissue or corners. Efficient and effortless access to this comprehensive information is essential for treatment.


26.

Our solution: **QEVO from ZEISS**

The unique, proprietary **Micro-Inspection Tool** from ZEISS complements intraoperative microsurgical visualization, enabling you to discover unexplored areas during the surgical intervention without additional footprint. You can look around corners and eliminate blind spots. And most importantly, you can gain greater insights – for better clinical decisions.

To support your surgical workflow, ZEISS QEVO is engineered with an angled design – keeping your hands out of the line of sight during insertion in the surgical field. And, it allows for an easy fit between the ZEISS KINEVO 900 and the situs, eliminating the need to reposition the head of the device.

### Greater insights, on demand.



ZEISS QEVO enables you to inspect the perforator or examine the distal neck of the aneurysm to ensure the clip blades are fully extended.




## Ease of use. Peace of mind.

Surgical certainty is your imperative. Enabling you to achieve it is ours. That's why, in the development of the Micro-Inspection Tool, we placed a high priority on its ease of use.

**ZEISS QEVO** is truly integrated. You don't have to plan for an additional device during surgery. Just plug it into your ZEISS KINEVO 900 for a seamless surgical workflow and to easily switch back and forth between views.

**ZEISS QEVO** is fully autoclavable. So there's no need for any additional draping. This is another attribute that makes ZEISS QEVO an indispensable tool – always available during surgery. On demand.

### **ZEISS QEVO. Innovation in action.**



With its ability to look around corners, ZEISS QEVO enables identification of possible tumor remnants – avoiding unnecessary bone removal and retraction. During a Vestibular Schwannoma case, for instance, it can help identify the course of facial nerves. And, can support inspection of regions that are not directly visualized by a surgical microscope.




## New dimensions. Freedom of choice.

Working through oculars at extreme angles can sometimes be a pain in the neck. Literally. With no way out, you might have to contend with uncomfortable working positions causing fatigue. Now, relief and revolutionary dimensions in visualization are in sight.

The **Digital Hybrid Visualization** with integrated 4K technology of ZEISS KINEVO 900 welcomes you to a world of heads-up ocular-free surgery, giving you freedom of movement. And freedom of choice to use an optical setup, depending on the application need.

### Fully integrated 4K camera technology



During lateral lumbar or thoracic spine and posterior fossa approaches, ZEISS KINEVO 900's integrated 4K visualization can be essential. It provides you with multimodal visualization capabilities – the flexibility to decouple from the classic optical approach and to work with outstanding 4K picture quality and clarity. Even when magnifying tiny details.

What's more... your assistant surgeon, OR staff and residents also benefit from the 4K visual clarity of ZEISS KINEVO 900. They share the same high-resolution, digital image to follow the procedure with comparable fidelity. Delivering indispensable education and training.

## Deeper insights. Greater control.

Imagine being able to identify the blood flow in the tiniest blood vessels with an intraoperative angiogram during any vascular procedure. Or to analyze the blood flow dynamics in real time. Or to use technologies that support in visualizing tumor tissues during a high-grade glioma resection. Or to visualize fluorescence-stained structures while viewing the anatomy in natural-like colors. Or, all of the above with one system!

In challenging neurosurgery, visualization adjuncts are essential for making the right decisions at the right time. The redesigned Intraoperative Fluorescence Technologies from ZEISS offer you the **Power of Four** – so you are always equipped with the tools you need. **Check. Interpret. Decide.**

### 20. ZEISS INFRARED 800 – Now in HD resolution

Intraoperative visual assessment of blood flow and vessel patency during aneurysm, bypass and AVM surgery is critical to your treatment. During such complex vascular procedures, the new high definition visual quality of ZEISS INFRARED 800 enables visualization of sub-millimeter blood vessels – for deeper insights into the blood flow dynamics.


ZEISS INFRARED 800 -  
Dabar jau HD rezoliucijoje

Intraoperacinis vizualinis kraujotakos ir kraujagyslių praeinamumo vertinimas aneurizmo, šuntavimo ir AVM operacijų metu yra labai svarbus jūsų gydymui. Tokių sudėtingų kraujagyslių procedūrų metu naujoji ZEISS INFRARED 800 didelės raiškos vaizdo kokybė leidžia matyti submilimetrines kraujagysles - giliausiam kraujo tėkmės dinamikos supratimui.




### Virtually uninterrupted focus. Always.

ZEISS KINEVO 900 optimizes the workflow to deliver a live overlay of the ZEISS INFRARED 800 image in the oculars – for a virtually uninterrupted workflow.




## 21. ZEISS FLOW 800


FLOW® 800 from ZEISS is a unique analysis tool generating blood flow dynamics data by identifying detailed vessel blood flow from INFRARED 800 video sequences – intraoperatively. The newly transformed ZEISS FLOW 800 delivers a more convenient visual assessment of the increase in the fluorescence intensity during the procedure.




*For the indicative time: The Delay Map (or Summary Map) provides quick information about the time when the fluorescent signal appeared for each image point in the map.*




*For the fluorescence distribution: The Intensity Map enables you to conveniently identify relative fluorescence levels reached during the INFRARED 800 observation period.*




*For the speed of the flow: The Speed Map indicates how fast the fluorescence intensity increased during the observation period – indicating the speed of the blood flow.*



*For a complete picture: The Diagram Function outlines assessment of fluorescence intensity variation over time and fast access to the key indicators for further analysis.*



Before




After

*For no compromises: The new optimized view option enables you to generate summaries from a selected sequence of the INFRARED 800 video. For instance, removing video sequences with movement artefact, you can now generate a summary map without compromises. So, you can get the most vivid and helpful representation of your procedure – for the right decisions and convincing podium talks.*

## ZEISS BLUE 400<sup>2</sup>


Supports intraoperative visualization of tumor tissue. It was the only microscope integrated fluorescence module to prove its efficiency in a successfully conducted Phase III multi-center study<sup>1</sup>.



24.4. Real-time detection and visualization of malignant tissue during glioma surgery using BLUE 400.

## ZEISS YELLOW 560<sup>2</sup>

Visualizes green-yellowish fluorescence for additional fields of research application. It is the first intraoperative fluorescence module to highlight the fluorescence-stained structures while visualizing non-stained tissue in its natural-like color.



Visualization of fluorescence-stained structures while performing left-temporal craniotomy for tumor resection using YELLOW 560. Obtained within the scope of a clinical investigation.

Piktybinio audinio detekcija ir vizualizacija realiu laiku gliomos operacijoje naudojant BLUE 400.

## Setting new benchmarks. Shaping a new future.

When we envisioned the all-new **Robotic Visualization System**, we conceived a design that can deliver so much more without losing its familiarity. With ZEISS KINEVO 900, we continue to live our vision of supporting you in becoming one with your visualization system – of delivering purposeful innovations.

Among scores of leading-edge innovations , here are the ones that matter the most for you.

**The Robotic Visualization System:** The first of its kind.


### **Surgeon-Controlled Robotics**

Delivering precise positioning with a lot less effort – with motors in all axes.

### **ZEISS QEVO – The Micro-Inspection Tool**

Complementing intraoperative microsurgical visualization to discover unexplored areas during surgical intervention. Gain greater insight. On demand.





### **Digital Hybrid Visualization**

Providing an opportunity for ocular-free surgery, with the freedom to use a traditional optical setup – depending on the application need.

### **Integrated Intraoperative Fluorescence – The Power of Four.**

The redesigned intraoperative fluorescence technologies from ZEISS offer you the Power of Four – so you always have the tools you need.

**ZEISS Transfer** – Easily transfer surgical images and videos to your iOS device.

**ZEISS Observe<sup>1</sup>** – Live stream in real time with ZEISS VR ONE Plus.



*ZEISS Transfer*



*ZEISS Observe*


<sup>1</sup>Available soon.

# Technical Data

## KINEVO® 900 from ZEISS

### Technical Data

23. Rated Voltage	100 V – 240 V
Current	Max. 1.350 VA
Consumption	
Rated Frequency	50 Hz – 60 Hz
Electrical Standard	Complying with IEC 60601-1:2005+A1:2012 Protection class I, degree of protection IP20 Class 2 laser product as per IEC 60825:2007, IEC 60825:2014
Weight	Weight max. 395 kg Weight of system incl. transport container: approx. 525 kg



reddot award 2017  
winner



# QEVO® from ZEISS and QEVO ECU

22.

## Technical Data

<b>Direction of View</b>	45° upwards
<b>Shaft Diameter</b>	3.6 mm
<b>Shaft Length</b>	120.0 ± 1.0 mm
<b>Total Diameter</b>	13.0 mm
<b>Field of View</b>	100° ± 5° wide angle view
<b>Illumination</b>	20 – 35 lumen LED
<b>Weight (without cable)</b>	250 g
<b>Sterilization</b>	Autoclavable
<b>Image Resolution</b>	1920 x 1080 pixel full HD
<b>Length of Cable</b>	5000 mm
<b>Operation Temperature</b>	+10 to +40 °C (500/1000 s intermittent use)


Stebėjimo kryptis: 40°  
Darbinės dalies diametras: 3,6 mm;  
Darbinės dalies ilgis: 120 ± 1 mm;  
Bendras diametras: 13 mm  
Regos laukas: 100° ± 5° plataus lauko matymas;  
Pašvietimas: 20 - 35 liumenų LED;  
Svoris (be kabelio): 250g  
Sterilizacija: Autoklavuojamas  
Vaizdo raiška: 1920 x 1080 pikselių pilnai HD;  
Kabelio ilgis: 5000 mm;  
Darbinė Temperatūra +10 iki +40°C

## QEVO ECU

<b>Dimensions</b>	Length = 265.0 ± 1 mm, height = 59.3 ± 1 mm and depth = 212.2 ± 1
<b>Weight</b>	2.5 kg
<b>Operating Voltage</b>	24V (+/- 10%) ADC
<b>Video Output</b>	DVI-D full HD




reddot award 2017  
winner



# Connecting simplicity and innovation.

## ZEISS SMARTDRAPE



Your visualization needs are paramount to us. And, so are the needs of your team. That's why, we gave a special focus to the OR preparation process in the development of ZEISS KINEVO 900.

Being an integral part of the optical path, the SMARTDRAPE with VisionGuard® from ZEISS is designed together with ZEISS KINEVO 900 so you and your team can have the benefits of a vivid view, uninterrupted movement and effective patient protection. At the same time – the new innovations make the draping process simply simple!

- Innovative folding: to eliminate guesswork and complexity.
- Intuitive attachment: for an effortless and simple self-locking mechanism.
- Integrated RFID chip: for easy activation of AutoDrape®.

**Designed for ZEISS KINEVO 900.**

# Technical Data

Apochromatinė optika

## Standard Configuration

<b>Apochromatic Optics</b>	11. 1. Motorized focus; Varioskop® with working distance 200 – 625 mm	Motorizuotas fokusas; Varioskopas su darbinio atstumu 200-625mm
	10. Motorized zoom; zoom ratio 1:6, magnification factor $y = 0.4x - 2.4x$	Motorizuotas didinimas; didinimo santykis 1:6,
	11. 5. AutoFokus with 2 visible laser dots, automatic mode with magnetic brakes	Autofokusavimas su 2 matomais lazerio taškais, automatinis režimas su magnetiniais stabdžiais
<b>1. 1. Illumination Apšvietimas</b>	2. 1. 2 x 300 W Xenon, with automatic lamp exchange	2 x 300 W Ksenoninis, su automatinio lempos pakeitimu
	2. 4. Automatic Iris Control for adjusting the illumination to the field of view	Automatinė Diafragmos Kontrolė, skirta priderinti apšvietimą prie matymo lauko
	2. 5. Focus Light Link: working distance controlled light intensity	Fokuso Apšvietimo Sąsaja: priklausomai nuo darbinio atstumo kontroliuojamas šviesos intensyvumas
	2. 3. Additional illumination beam to brighten up shadows, motorized	Papildomas apšvietimo spindulys, skirtas apšviesti šešėliams, motorizuotas
<b>System Operation</b>	Multifunctional programmable handgrips	
	1. 1. Magnetic clutches for all system axes	Magnetinės sankabos visoms sistemos ašims
	1. 1. XY robotic movement in 6 axes (variable speed)	XY robotizuotas judėjimas 6 ašyse (reguliuojamo greičio)
	Active damping	
	Manual and motorized PointLock function	
	PositionMemory	
	1. 1. Motorized XY lateral movement	Motorizuotas XY lateralinis judėjimas
	MultiVision System	
<b>System Setup</b>	AutoBalance	
	1. 6. AutoDrape – air evacuation system <sup>1</sup>	AutoDrape - oro išsiurbimo sistema
	Park Position	
	Drape Position	
<b>Video</b>	Integrated 3-chip Full HD video camera, 1080p	
	4. 3., 4.4., 4.5., 4.6. 24" HD video touchscreen on extendable arm, 16:9 aspect ratio 24" HD vaizdo valdomas jutimu ekranas ant ištiesiamos alkūnės	
	18.2. Integrated still image capturing both on HDD and USB-media	Integruotas sustabdytų vaizdų įrašymas tiek HDD, tiek USB atmintinėje
<b>Connectivity / Data Management</b>	Video-in for external HD video sources	
	Remote diagnosis via internet/VPN	
<b>Sterile Drape</b>	ZEISS SMARTDRAPE	

<sup>1</sup>Available with ZEISS SMARTDRAPE only.

## Options

<b>Video</b>	Stereo video camera 3D HD, fully integrated, 2 x 3-chip HD, 1080p incl. 2 <sup>nd</sup> HD 3D monitor	
	4K video camera, fully integrated 3-chip 4K, 2160p incl. 2 <sup>nd</sup> HD 3D monitor	
	18. 1. Stereo video camera 4K 3D, fully integrated, 2 x 3-chip 4K, 2160p	Stereo vaizdo kamera 4K 3D, pilnai integruota, 2 x 3 lustų 4K, 2160p
	18. 2. Integrated HD video recording, editing and streaming	Integruotas HD vaizdo įrašymas, redagavimas ir transliavimas
	2 <sup>nd</sup> system monitor HD 2D	
	Attachment for consumer (SLR) photo camera	
	19.1. External 55" 4K 3D video monitor, with mobile cart	Išorinis 55" 4K 3D vaizdo monitorius su mobiliu vežimėliu
<b>Intraoperative Fluorescence</b>	BLUE 400	
	INFRARED 800	
	INFRARED 800 with FLOW 800	
	YELLOW 560	
<b>Connectivity/ Data Management</b>	24.1. DICOM module for image and video data transfer from /to PACS. Patient management by modality worklist management.	DICOM modulis vaizdo ir vaizdo duomenų perdavimui iš/i PACS. Pacientų valdymas pagal modalinį darbą
	24.3. Shared Network Data storage	Duomenų išsaugojimui bendro tinklo kataloguose.
	24.2. WLAN option, with WiFi Hotspot	WLAN** opcija su „Wi-Fi Hot Spot“
	17. Navigation Interface Standard	Navigacijos sąsaja Standartinė
	Navigation Interface Extended	
<b>Accessories</b>	ZEISS QEVO and QEVO ECU	
	12.5x magnetic wide field eyepieces with integrated eyecups	
	Stereo co-observation tube	
	Foldable Tube f170 /f260, including the PROMAG function for additional 50 % magnification and integrated rotate function	
	Tilttable binocular tube, swivel range 180°, focal length $f = 170$ mm	
	14-function, wired foot control panel	
	15. 2. 14-function, wireless foot control panel	14 funkcijų, belaidis kojinių valdymo pedalas
	2-function foot switch	
	17. Mouth switch	Burna valdomas įrenginys
	3-step magnification changer	

*View of the cerebellar tonsils and medulla.* Image courtesy of Dr. Robert F. Spetzler, Barrow Neurological Institute, Phoenix, Arizona, USA. (Cover page)

*View onto cerebellum and lower cranial nerves.* Image courtesy of Dr. Robert F. Spetzler, Barrow Neurological Institute, Phoenix, Arizona, USA. (Page 2)

*Front temporal area for STA-MCA bypass procedure.* Image courtesy of Dr. Peter Nakaji, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 2)

*View onto optic nerve and internal carotid artery.* Image courtesy of Dr. Peter Nakaji, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 4)

*Image-guided surgery.* Image courtesy of BrainLab AG (Page 6)

*Cranial procedure.* Image courtesy of Barrow Neurological Institute, Phoenix, Arizona, USA (Page 7)

*Small view of the cerebellum through the Retrosigmoid Approach.* Image courtesy of Dr. Peter Nakaji, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 8)

*Right temporal Craniotomy for AVM.* Image courtesy of Dr. Robert F. Spetzler, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 9, 14 and 15)

*View onto corpus callosum and septum pellucidum.* Image courtesy of Dr. Peter Nakaji, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 10)

*Transnasal transsphenoidal for re-exploration and excision of recurrent pituitary Macroadenoma with possible abdominal fat.* Image courtesy of Dr. William White, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 11)

*View onto spinal cord dura.* Image courtesy of Dr. Robert F. Spetzler, Barrow Neurological Institute, Phoenix, Arizona, USA (Page 12-13)

*Glioma surgery using BLUE 400.* Image courtesy of Prof. Dr. Walter Stummer, University Clinic, Münster, Germany (Page 15)

*Left-temporal craniotomy for tumor resection with YELLOW 560.* Image Courtesy of Dr. Peter Nakaji, Barrow Neurological Institute, Phoenix, Arizona, USA. (Page 15)



KINEVO 900  
QEVO ECU  
BLUE 400  
YELLOW 560



0297  
QEVO  
INFRARED 800 with FLOW 800 Option  
SMARTDRAPE



**Carl Zeiss Meditec AG**  
Goeschwitzer Strasse 51–52  
07745 Jena  
Germany  
[www.zeiss.com/med](http://www.zeiss.com/med)  
[www.zeiss.com/kinevo](http://www.zeiss.com/kinevo)

**EN\_30\_010\_0023III** Printed in Germany. CZ-XII/2017

The contents of the brochure may differ from the current status of approval of the product or service offering in your country. Please contact our regional representatives for more information. Subject to changes in design and scope of delivery and due to ongoing technical development. Robotic Visualization System, KINEVO, QEVO, FLOW, AutoDrape, Varioskop and VisionGuard are either trademarks or registered trademarks of Carl Zeiss Meditec AG.  
© Carl Zeiss Meditec AG, 2017. All rights reserved.