LUBELSKA WYTWORNIA DZWIGOW OSOBOWYCH
# LIFT SERVICE S.A.
20-270 LUBLIN, ul. Plewinskiego 22
www.lift.pl
Fax: 081 528-95-70
e-mail: info@lift.pl

**Ref. no. 155/25/04/25/25/11/2025**

**Lublin, 2025-11-04**

**KAUNO LIFTAI Taikos pr.**
**110 LT-51159 Kaunas 31**
**Lietuva**
Fax: + 370 37 47 33 31
Tel: + 370 37 353 607

***Subject: Offer for Traction Lift***

With reference to your query for project **933/20** would like make an offer for the following lifts:

1. **LF1 - Traction lift with rated load 1200 kg, 4** landings, rated speed **V=1 m/s,** with CMM automatic, **3AT 1300 mm,** landing doors fire rated **EI 60,**
2. **LF2 - MRL lift with rated load 630 kg, 3** landings, rated speed **V=1 m/s,** with CMM automatic, **2AT 900 mm,** landing doors fire rated **EI 60,**
3. **LF3 - MRL lift with rated load 2000 kg, 4** landings, rated speed **V=1 m/s,** with CMM automatic, **4AC 1400 mm,** landing doors fire rated **EI 60,**

**We would like to draw your attention to the fact, that to start realization of the possible order we need all detail information considering existing shafts. Only having received this data, we would be able to provide the final design of the lifts (e.g. car dimensions) and start the production.**

***The offer prepared by:***
*Adam Korszon tel:0-81 528 95 22, kom:0-509 257 935, e-mail:*
***adam.korszon@Hift.Di***

**LF1:**

**traction drive lift, VVVF drive, top machinery room, (existing), commercial lift for goods and passengers control - simplex, up/down collection,**

| | |
|---|---|
| **traveling speed** | **V = 1.0 m/s;** |
| drive rate | 180 per hour; |
| rated load | 1200 kg; |
| travel speed | I, 0 m/s; |
| Shaft dimension | 2100 x 2400 mm; |
| car dimension | 1350 x 1950 x 2150 mm, |
| doors | 1300 X 2000 mm, **3 side** opening, **EI60 fire rated,** |
| overhead | **3190 mm** |
| pit | 1150 mm |
| travel height | II, 40 m, |
| No of stops | 4 stops, entrance from one side; |
| No of landing doors | 4, |
| Landings | n_1n 11 !11 11 2·f "3" |
| Landing sills | stainless steel. |

Emergency lowering in case of power loss to nearest stop INCLUDED.
81-73, two escape landings.
LOP car position indication on all floors
Key for elevator swich off at "1" landing (main).

**LF2:**

**MRL lift, VVVF drive, passenger lift control - simplex, up/down collection,**

| | |
|---|---|
| **traveling speed** | **V = 1.0 m/s;** |
| drive rate | 180 per hour; |
| rated load | 630 kg; |
| travel speed | 1,0 m/s; |
| Shaft dimension | 1600 x 1700 mm; |
| car dimension | 1100 x 1400 x 2150 mm, |
| doors | 900 X 2000 mm, **2 side** opening, **EI60 fire rated,** |
| overhead | **3900 mm** |
| pit | 1250 mm |
| travel height | 6,70 m, |
| No of stops | 3 stops, entrance from one side; |
| No of landing doors | 3, |
| Landings | n_1n 11 !11 11 2·f |
| Landing sills | stainless steel. |

Emergency lowering in case of power loss to nearest stop INCLUDED
81-73, two escape landings.
LOP car position indication on all floors
Key for elevator swich off at "1" landing (main).

**LF3:**

- **MRL, VVVF drive,**
- 2000 kg
- Shaft 2300x2900
- Car 1500x2500x2100
- Doors 1400x2000 **4 central** opening **EI60 fire rated** - side door frame 100 mm and top 220 MM - LOP in wall
- Pit 1350
- Travel 9.940
- Headroom 3560
- Stops 4
- Landings "-1", "1", "2", "3"
- Landing sills - stainless steel.

- Emergency lowering in case of power loss to nearest stop INCLUDED
- 81-73, two escape landings.
- LOP car position indication on all floors
- Key for elevator swich off at "1" landing (main).

**Execution:**

- Car execution - Stainless steel, ceiling st.steel with LED light,
- Floor - gray
- handrail st.steel, on side wall
- COP with door open/close buttons,
- mirror - back wall;
- car doors - VVVF automatic, finish **st.steel brushed;**
- landing doors - VVVF automatic: finish **st.steel brushed;**
- Door protection - light curtain,
- LOP wall mounting with Braille markings,
- LCD indication in car - blue backlight, overload control, emergency light, possibility to connect building fire control system, lift must go down and stay with doors opened after, receiving FIRE signal.
- All other requirements according EN norms,
- Emergency lowering in case of power loss to nearest stop **INCLUDED,**

***DELIVERY:***

- Up to 24 weeks depending on the production schedule, after receiving the prepayment, delivery time individually agreed before signing contract,

***VALIDITY***

- The offer is valid for 30 days.

According to art. 14 of the General Data Protection Regulation (GDPR) of 27 April 2016 and provisions of the Law of 10 May 2018 on the protection of personal data, we hereby announce that:

1) the controller of your personal data is Lublin Factory of Passenger Lifts Lift Service S.A. with its registered office in Lublin, ul. Plewinskiego 22
2) your personal data shall be processed for the purpose of tendering and stored for the duration of this offer.
3) you have the right to access the contents of your personal data as well as the right to correct them.
4) the provision of personal data is voluntary, however, refusal to provide the data shall result in refusal to conclude

AK