

# spinal anesthesia needles

prizmės formos  
likvoro indikatorius

smaigalio nuopjovos žymeklis

New Hub  
Design

likvoro indikatoriumi, gerai matomu bent  
dviejose adatos jungties plokštumose



Tulip Design

Atrau-com®

- Multi-angle grinded tip with special bending
- Extra thin wall
- Atraumatic


pencil point

- Perfect conic elliptical bevel enables easy access to desired location, without cutting or harming tissues.

quincke tip


- Quincke bevel is formed using state of the art technology. Smooth needle point ensures easy insertion into tissues.
- Perfect matching of stylet and needle bevel prevent coring. Angular tip prevents tissue damage.
- Crystal clear needle hub enables monitoring fluid flow and helps to keep CSF loss at a minimum level.
- Thin wall needle lets faster fluid flow.

\* Please check page 11 for details.


SIZES	reference	product name	gauge	color	length mm	length inch
quincke 	TSPQ1875	18 G – 75 mm Spinal Needle Quincke Bevel	18G		75mm	3"
	TSPQ1890	18 G – 90 mm Spinal Needle Quincke Bevel	18G		90mm	3½"
	TSPQ1990	19 G – 90 mm Spinal Needle Quincke Bevel	19G		90mm	3½"
	TSPQ2075	20 G – 75 mm Spinal Needle Quincke Bevel	20G		75mm	3"
	TSPQ2090	20 G – 90 mm Spinal Needle Quincke Bevel	20G		90mm	3½"
	TSPQ2190	21 G – 90 mm Spinal Needle Quincke Bevel	21G		90mm	3½"
	TSPQ2240	22 G – 40 mm Spinal Needle Quincke Bevel	22G		40mm	1½"
	TSPQ2275	22 G – 75 mm Spinal Needle Quincke Bevel	22G		75mm	3"
	TSPQ2290	22 G – 90 mm Spinal Needle Quincke Bevel	22G		90mm	3½"
	TSPQ22120	22 G – 120 mm Spinal Needle Quincke Bevel	22G		120mm	4¾"
	TSPQ2390	23 G – 90 mm Spinal Needle Quincke Bevel	23G		90mm	3½"
	TSPQ2490	24 G – 90 mm Spinal Needle Quincke Bevel	24G		90mm	3½"
	TSPQ2575	25 G – 75 mm Spinal Needle Quincke Bevel	25G		75mm	3"
	TSPQ2590	25 G – 90 mm Spinal Needle Quincke Bevel	25G		90mm	3½"
	TSPQK2590	25 G – 90 mm Spinal Needle Quincke Bevel with Guide	25G		90mm	3½"
	TSPQK25103	25 G – 103 mm Spinal Needle Quincke Bevel with Guide	25G		103mm	4"
	TSPQK25120	25 G – 120 mm Spinal Needle Quincke Bevel with Guide	25G		120mm	4¾"
	TSPQ2690	26 G – 90 mm Spinal Needle Quincke Bevel	26G		90mm	3½"
	TSPQK2690	26 G – 90 mm Spinal Needle Quincke Bevel with Guide	26G		90mm	3½"
	TSPQK26103	26 G – 103 mm Spinal Needle Quincke Bevel with Guide	26G		103mm	4"
	TSPQK26120	26 G – 120 mm Spinal Needle Quincke Bevel with Guide	26G		120mm	4¾"
	TSPQ2790	27 G – 90 mm Spinal Needle Quincke Bevel	27G		90mm	3½"
	TSPQK2790	27 G – 90 mm Spinal Needle Quincke Bevel with Guide	27G		90mm	3½"
	TSPQK27103	27 G – 103 mm Spinal Needle Quincke Bevel with Guide	27G		103mm	4"
	TSPQK27120	27 G – 120 mm Spinal Needle Quincke Bevel with Guide	27G		120mm	4¾"
	TSPQ2990	29 G – 90 mm Spinal Needle Quincke Bevel	29G		90mm	3½"
	TSPQK2990	29 G – 90 mm Spinal Needle Quincke Bevel with Guide	29G		90mm	3½"
	TSPQK29120	29 G – 120 mm Spinal Needle Quincke Bevel with Guide	29G		120mm	4¾"

dydis

ilgis

SIZES	reference	product name	gauge	color	length mm	length inch
pencil point 	TSPP2290	22 G – 90 mm Spinal Needle Pencil Point	22G		90mm	3½"
	TSPPK2290	22 G – 90 mm Spinal Needle Pencil Point with Guide	22G		90mm	3½"
	TSPP2390	23 G – 90 mm Spinal Needle Pencil Point	23G		90mm	3½"
	TSPP2490	24 G – 90 mm Spinal Needle Pencil Point	24G		90mm	3½"
	TSPP2590	25 G – 90 mm Spinal Needle Pencil Point	25G		90mm	3½"
	TSPPK2590	25 G – 90 mm Spinal Needle Pencil Point with Guide	25G		90mm	3½"
	TSPPK25103	25 G – 103 mm Spinal Needle Pencil Point with Guide	25G		103mm	4"
	TSPPK25120	25 G – 120 mm Spinal Needle Pencil Point with Guide	25G		120mm	4¾"
	TSPP2690	26 G – 90 mm Spinal Needle Pencil Point	26G		90mm	3½"
	TSPPK2690	26 G – 90 mm Spinal Needle Pencil Point with Guide	26G		90mm	3½"
	TSPPK26103	26 G – 103 mm Spinal Needle Pencil Point with Guide	26G		103mm	4"
	TSPP2790	27 G – 90 mm Spinal Needle Pencil Point	27G		90mm	3½"
	TSPPK2790	27 G – 90 mm Spinal Needle Pencil Point with Guide	27G		90mm	3½"
	TSPPK27103	27 G – 103 mm Spinal Needle Pencil Point with Guide	27G		103mm	4"
	TSPPK27120	27 G – 120 mm Spinal Needle Pencil Point with Guide	27G		120mm	4¾"
	TSPP2990	29 G – 90 mm Spinal Needle Pencil Point	29G		90mm	3½"
	TSPPK2990	29 G – 90 mm Spinal Needle Pencil Point with Guide	29G		90mm	3½"

1 p.d.

SIZES	reference	product name	gauge	color	length mm	length inch
atrau-com® 	TSPAK2590	25 G – 90 mm Atraucom Spinal Needle with Guide	25G		90mm	3½"
	TSPAK25100	25 G – 100 mm Atraucom Spinal Needle with Guide	25G		100mm	4"
	TSPA2650	26 G – 50 mm Atraucom Spinal Needle	26G		50mm	2"
	TSPAK2688	26 G – 88 mm Atraucom Spinal Needle with Guide	26G		88mm	3½"
	TSPAK26100	26 G – 100 mm Atraucom Spinal Needle with Guide	26G		100mm	4"

### Spinalinės anestezijos adatos

#### Atraucom tipo

- Daugiakampiu galiuku, specialiai išlenkta
- Ypač plona siennele
- Atraumatinė

#### Pieštukinės

- Ideali konusinė eliptinė nuopjova leidžia lengvai pasiekti lokaciją be pjovimo ir audinių pažeidimų

# TECHNICAL DATA SHEET

## One-piece Convex Open Ostomy Bag

Code No.: 1204800FC



### Product Construction:

- Large drainable pouch for adult
- Hydrocolloid adhesive, unique beveled edge technology, more flexible to follow the body movement and reduce upturned from edge
- Integrated Hook-Loop closure, create a secure closure at the bottom of the pouch
- With integrated bar filter
- Odor-barrier rustle-free pouch film with unique "raincoat" design to protect the filter from the output
- Water repellent and comfortable fabric on both sides
- The viewing option allows the stoma and output to be observed clearly when the flap is lifted

**Pouch size:** 15.0×30.0cm

**Adhesive surface:** Dia. 12.0cm

**Pouch color:** Beige-Trans.

**Cutting range:** Cut-to fit, 10-48mm

### Typical Application:

One-piece open pouching system designed to be opened at the bottom when emptying. These pouches are most suitable for colostomies or ileostomies.

### Physical Properties:

<u>Properties</u>	<u>Test Methods</u>	<u>Results</u>
In vitro cytotoxicity	ISO 10993-5	PASS
Skin sensitization	ISO 10993-10	PASS
Skin irritation	ISO 10993-23	PASS
Test volume	ISO 8670-2	≥700ml
Freedom from leakage	ISO 8670-2	PASS
Burst strength (static)	ISO 8670-2	PASS
Retention of bag closure	ISO 8670-2	PASS
Odor transmission	ISO 8670-3	PASS
Surface pH	ISO 12505-1	4.0-7.0
Water-absorbency	ISO 12505-1	≥2.0g per 10 square cm in 6h



### Packaging:

Products are available in 10 pieces / box (260×160×65mm), and 20 boxes / carton (550×340×360mm).

### Storage & Shelf-life:

Three years when store in a cool and dry place, keep away from direct heat and sunlight.

### For Further Information:

**Tongxiang BAO-Health Medical Instrument Co., Ltd.**

① Bldg. 22-23, No. 869 Fengxiang East Road,  
Tongxiang City, Zhejiang Province, 314500, P. R. China  
☎ +86-573-80889033 📠 +86-573-80889034  
🌐 www.bao-health.com 📧 info@bao-health.com



# TECHNICAL DATA SHEET

## One-piece Open Ostomy Bag

Code No.: 1207000F



### Product Construction:

- Large drainable pouch for adult
- Hydrocolloid adhesive, unique beveled edge technology, more flexible to follow the body movement and reduce upturned from edge
- Integrated Hook-Loop closure, create a secure closure at the bottom of the pouch
- With integrated bar filter
- Odor-barrier rustle-free pouch film with unique "raincoat" design to protect the filter from the output
- Water repellent and comfortable fabric on both sides
- The viewing option allows the stoma and output to be observed clearly when the flap is lifted

**Pouch size:** 15.0×30.0cm

**Adhesive surface:** Dia. 12.0cm

**Pouch color:** Beige-Trans.

**Cutting range:** Cut-to fit, 15-70mm

### Typical Application:

One-piece open pouching system designed to be opened at the bottom when emptying. These pouches are most suitable for colostomies or ileostomies.

### Physical Properties:

<u>Properties</u>	<u>Test Methods</u>	<u>Results</u>
In vitro cytotoxicity	ISO 10993-5	PASS
Skin sensitization	ISO 10993-10	PASS
Skin irritation	ISO 10993-23	PASS
Test volume	ISO 8670-2	≥700ml
Freedom from leakage	ISO 8670-2	PASS
Burst strength (static)	ISO 8670-2	PASS
Retention of bag closure	ISO 8670-2	PASS
Odor transmission	ISO 8670-3	PASS
Surface pH	ISO 12505-1	4.0-7.0
Water-absorbency	ISO 12505-1	≥2.0g per 10 square cm in 6h



### Packaging:

Products are available in 20 pieces / box (260×160×65mm), and 20 boxes / carton (550×340×360mm).

### Storage & Shelf-life:

Three years when store in a cool and dry place, keep away from direct heat and sunlight.

### For Further Information:

**Tongxiang BAO-Health Medical Instrument Co., Ltd.**

① Bldg. 22-23, No. 869 Fengxiang East Road,  
Tongxiang City, Zhejiang Province, 314500, P. R. China  
☎ +86-573-80889033 📠 +86-573-80889034  
🌐 www.bao-health.com 📧 info@bao-health.com



# TECHNICAL DATA SHEET

## One-piece Open Ostomy Bag

Code No.: 1214001F



### Product Construction:

- Mini drainable pouch for infant
- Hydrocolloid adhesive, unique beveled edge technology, more flexible to follow the body movement and reduce upturned from edge
- Integrated Hook-Loop closure, create a secure closure at the bottom of the pouch
- With integrated bar filter
- Odor-barrier rustle-free pouch film with unique "raincoat" design to protect the filter from the output
- Water repellent and comfortable fabric on side facing the skin

**Pouch size:** 10.0×20.0cm

**Adhesive surface:** Dia. 7.0cm

**Pouch color:** Clear

**Cutting range:** Cut-to fit, 10-40mm

### Typical Application:

One-piece open pouching system designed to be opened at the bottom when emptying. These pouches are most suitable for colostomies or ileostomies.

### Physical Properties:

<u>Properties</u>	<u>Test Methods</u>	<u>Results</u>
In vitro cytotoxicity	ISO 10993-5	PASS
Skin sensitization	ISO 10993-10	PASS
Skin irritation	ISO 10993-23	PASS
Test volume	ISO 8670-2	≥180ml
Freedom from leakage	ISO 8670-2	PASS
Burst strength (static)	ISO 8670-2	PASS
Retention of bag closure	ISO 8670-2	PASS
Odor transmission	ISO 8670-3	PASS
Surface pH	ISO 12505-1	4.0-7.0
Water-absorbency	ISO 12505-1	≥2.0g per 10 square cm in 6h



### Packaging:

Products are available in 20 pieces / box (260×160×65mm), and 20 boxes / carton (550×340×360mm).

### Storage & Shelf-life:

Three years when store in a cool and dry place, keep away from direct heat and sunlight.

### For Further Information:

**Tongxiang BAO-Health Medical Instrument Co., Ltd.**

① Bldg. 22-23, No. 869 Fengxiang East Road,  
Tongxiang City, Zhejiang Province, 314500, P. R. China  
☎ +86-573-80889033 ☎ +86-573-80889034  
🌐 www.bao-health.com ✉ info@bao-health.com





# TECHNICAL DATA SHEET

## One-piece Open Ostomy Bag

Code No.: 1154000F



### Product Construction:

- Small drainable pouch for pediatric
- Hydrocolloid adhesive, unique beveled edge technology, more flexible to follow the body movement and reduce upturned from edge
- Integrated Hook-Loop closure, create a secure closure at the bottom of the pouch
- With integrated bar filter
- Odor-barrier rustle-free pouch film with unique "raincoat" design to protect the filter from the output
- Water repellent and comfortable fabric on both sides
- The viewing option allows the stoma and output to be observed clearly when the flap is lifted

**Pouch size:** 13.5×23.5cm

**Adhesive surface:** Dia. 9.0cm

**Pouch color:** Beige-Trans.

**Cutting range:** Cut-to fit, 10-40mm

### Typical Application:

One-piece open pouching system designed to be opened at the bottom when emptying. These pouches are most suitable for colostomies or ileostomies.

### Physical Properties:

<u>Properties</u>	<u>Test Methods</u>	<u>Results</u>
In vitro cytotoxicity	ISO 10993-5	PASS
Skin sensitization	ISO 10993-10	PASS
Skin irritation	ISO 10993-23	PASS
Test volume	ISO 8670-2	≥340ml
Freedom from leakage	ISO 8670-2	PASS
Burst strength (static)	ISO 8670-2	PASS
Retention of bag closure	ISO 8670-2	PASS
Odor transmission	ISO 8670-3	PASS
Surface pH	ISO 12505-1	4.0-7.0
Water-absorbency	ISO 12505-1	≥2.0g per 10 square cm in 6h



### Packaging:

Products are available in 20 pieces / box (260×160×65mm), and 20 boxes / carton (550×340×360mm).

### Storage & Shelf-life:

Three years when store in a cool and dry place, keep away from direct heat and sunlight.

### For Further Information:

**Tongxiang BAO-Health Medical Instrument Co., Ltd.**

① Bldg. 22-23, No. 869 Fengxiang East Road,  
Tongxiang City, Zhejiang Province, 314500, P. R. China  
☎ +86-573-80889033 📠 +86-573-80889034  
🌐 www.bao-health.com 📧 info@bao-health.com



### Suction Catheter P.d.8

With Vakon Connector, Ideal Tip

- Frosted surface for easy insertion
- Appropriate degree of hardness provides kink resistance
- Metric type has accurate positioning depth marks at each cm from the distal end
- Ideal tip reducing the risk of tissue damage
- Atraumatic, soft rounded, open tip
- Two small relieving eyes
- Vakon connector
- Transparent for easy observation of secretions
- Color coded
- Prevents finger contamination
- Length: 50 cm (40 and 60 cm are available)



Ideal Tip

Metric	Ref		Size	Color
019 1190 1	190 0551 1		05 Ch	Grey
019 1191 1	190 0651 1		06 Ch	Light Green
019 1192 1	190 0751 1		07 Ch	Violet
019 1193 1	190 0851 1		08 Ch	Blue
019 1194 1	190 1051 1		10 Ch	Black
019 1195 1	190 1251 1		12 Ch	White
019 1196 1	190 1451 1		14 Ch	Green
019 1197 1	190 1651 1		16 Ch	Orange
019 1198 1	190 1851 1		18 Ch	Red



### Suction Catheter

With Vakon II Connector, Ideal Tip

- Frosted surface for easy insertion
- Appropriate degree of hardness provides kink resistance
- Metric type has accurate positioning depth marks at each cm starting 4 cm from the distal end
- Ideal tip reducing the risk of tissue damage
- Atraumatic, soft rounded, open tip
- Two small relieving eyes
- Vakon connector
- Color coded
- Prevents finger contamination
- Length: 50 cm (40 and 60 cm are available)



Ideal Tip

Metric	Ref		Size	Color
019 1290 1	190 0581 1		05 Ch	Grey
019 1291 1	190 0681 1		06 Ch	Light Green
019 1292 1	190 0781 1		07 Ch	Violet
019 1293 1	190 0881 1		08 Ch	Blue
019 1294 1	190 1081 1		10 Ch	Black
019 1295 1	190 1281 1		12 Ch	White
019 1296 1	190 1481 1		14 Ch	Green
019 1297 1	190 1681 1		16 Ch	Orange
019 1298 1	190 1881 1		18 Ch	Red







## Atsiurbimo kateteriai su vakon



Matinis paviršius lengvam vamzdelio įterpimui  
 Vamzdelio kietumas tinkamas pasipriešinimui  
 Metric tipas, t.y. turi tikslią pozicionavimo gylio ženklinaimą  
 Per kiekvieną cm pradedant 4 cm nuo distalinio galiuko  
 Idealiai galiuko mažinančio audinio pažeidimo riziką  
 Atraumatinis, minkštas apvalus, su dviem ertmėmis gale  
 Vakon jungtis  
 Skaidrus, suteikia galimybę laisvai stebėti sekretus  
 Spalva koduojami  
 Efektyvus ilgis: 50 cm (40 ir 60 cm yra)



Ideal Tip

Ref		Size	Color
Metric			
019 1190 1	190 0551 1	05 Ch	Grey
019 1191 1	190 0651 1	06 Ch	Light Green
019 1192 1	190 0751 1	07 Ch	Violet
019 1193 1	190 0851 1	08 Ch	Blue
019 1194 1	190 1051 1	10 Ch	Black
019 1195 1	190 1251 1	12 Ch	White
019 1196 1	190 1451 1	14 Ch	Green
019 1197 1	190 1651 1	16 Ch	Orange
019 1198 1	190 1851 1	18 Ch	Red





X-DETAYI  
ÖLÇEK: 2/1

Kod No Reference No	Özel Kod No Reference No	Cinsi Type	iç çap(mm)		Dis çap(mm)		Göz Adedi Number of eye	A ±2mm	ØB(mm)		Renk Color
			ID	± Tolerans	OD	± Tolerans			min.	max.	
019 1190 1	019 1190 1 RU	5 Fr/Ch	0.85	±0.02	1.67	±0.02	2	5.0	0.5	1.3	Gri/Gray
019 1191 1	019 1191 1 RU	6 Fr/Ch	1.35	±0.02	2.00	±0.02	2	5.0	0.5	1.3	Açık Yeşil/Light Green
019 1192 1	019 1192 1 RU	7 Fr/Ch	1.50	±0.02	2.33	±0.02	2	5.0	0.6	1.4	Fildisi-Ivory
019 1193 1	019 1193 1 RU	8 Fr/Ch	1.90	±0.02	2.67	±0.02	2	5.0	0.6	1.4	Mavi-Blue
019 1194 1	019 1194 1 RU	10 Fr/Ch	2.40	±0.02	3.33	±0.02	2	5.0	0.7	1.5	Siyah-Black
019 1195 1	019 1195 1 RU	12 Fr/Ch	2.80	±0.02	4.00	±0.02	2	5.0	0.8	2.2	Beyaz-White
019 1196 1	019 1196 1 RU	14 Fr/Ch	3.35	±0.02	4.70	±0.02	2	8.0	0.8	2.2	Yeşil-Green
019 1197 1	019 1197 1 RU	16 Fr/Ch	3.60	±0.02	5.33	±0.02	2	8.0	1.1	2.5	Turuncu-Orange
019 1198 1	019 1198 1 RU	18 Fr/Ch	4.30	±0.02	6.00	±0.02	2	8.0	1.1	2.5	Kırmızı-Red

REF:  
019 119- 1

Ürün/Product:  
ASP. KAT. VAKON KON. METRİK --CH 50cm İDEAL UÇ

Tanım/Description:  
SUC. CATHETER W/VAKON CON. METRIC --CH 50cm

Çizen/Drawn by:  
MELEK ÇAYIR  
İmza/Signature:

Kontrol eden/Controlled by:  
YASEMİN ŞENGÖZ  
İmza/Signature:

Onaylayan/Approved by:  
AYSEL YILDIRIM  
İmza/Signature:

DIR:  
TB4 \  
PLASTİK \


Ölçek/Scale:  
YOK/NA

Tarih/Date:  
20/04/2023


Rev. No:  
06

 **BİÇAKCILAR**

## PRIMEDILOOP blood vessels holders



- Disposable;
- Sterile;
- 4 different colors (blue, red, white, yellow) to facilitate identification and marking of arteries, veins, urinary tract, tendons;
- Biocompatible, latex free, X-ray contrast, smooth surface;
- 3 different sizes: 5mmx1,5mm; 2,5mmx1,2mm; 1,5mmx1mm;
- Package in pairs. Length 47 cm, 47,5 cm, 48 cm. Can be used in surgery in cardiac surgery, neurosurgery and urology.



# TECHNICAL DATA SHEET

## One-piece Open Ostomy Bag

Code No.: 1199004F



### Product Construction:

- Drainable pouch for adult
- Hydrocolloid adhesive, unique beveled edge technology, more flexible to follow the body movement and reduce upturned from edge
- Integrated Hook-Loop closure, create a secure closure at the bottom of the pouch
- With integrated bar filter
- Odor-barrier rustle-free pouch film with unique "raincoat" design to protect the filter from the output
- Water repellent and comfortable fabric on both sides
- The viewing option allows the stoma and output to be observed clearly when the flap is lifted

**Pouch size:** 16.5×28.5cm    **Adhesive surface:** 13.0×14.5cm

**Pouch color:** Clear    **Cutting range:** Cut-to fit, 10-90/80mm

### Typical Application:

One-piece open pouching system designed to be opened at the bottom when emptying. These pouches are most suitable for colostomies or ileostomies.

### Physical Properties:

<u>Properties</u>	<u>Test Methods</u>	<u>Results</u>
In vitro cytotoxicity	ISO 10993-5	PASS
Skin sensitization	ISO 10993-10	PASS
Skin irritation	ISO 10993-23	PASS
Test volume	ISO 8670-2	≥600ml
Freedom from leakage	ISO 8670-2	PASS
Burst strength (static)	ISO 8670-2	PASS
Retention of bag closure	ISO 8670-2	PASS
Odor transmission	ISO 8670-3	PASS
Surface pH	ISO 12505-1	4.0-7.0
Water-absorbency	ISO 12505-1	≥2.0g per 10 square cm in 6h



### Packaging:

Products are available in 20 pieces / box (260×160×65mm), and 20 boxes / carton (550×340×360mm).

### Storage & Shelf-life:

Three years when store in a cool and dry place, keep away from direct heat and sunlight.

### For Further Information:
















**Tongxiang BAO-Health Medical Instrument Co., Ltd.**

① Bldg. 22-23, No. 869 Fengxiang East Road,  
Tongxiang City, Zhejiang Province, 314500, P. R. China  
☎ +86-573-80889033    📠 +86-573-80889034  
🌐 www.bao-health.com    ✉ info@bao-health.com







Reference	Description	Features	Packing
<b>IFB004EA150</b>  available variants <b>IFC004EA150</b>	<b>Micro-dropper I.V. set</b>  PVC DEHP-free I.V. Administration set 150 cm long composed by vented spike with air-inlet (with hydrophobic filter and ON/OFF cap) and with micro-dropper, drip-chamber with 15 µm solution filter, tube Ø 3,0 x 4,1 mm, roller clamp, male luer lock connector with cap. <u>totally PVC-free</u>	 <b>STERILE</b> <b>EO</b>  0425	Carton (29x29x49 cm) 125 pcs.  Full pallet (80x120x220 cm) 42 cartons
<b>IFB012AA150</b>  available variants <b>IFB012AA180</b>	<b>I.V. set for photosensitive drugs</b>  PVC DEHP-free I.V. Administration set 150 cm long for photosensitive drugs composed by vented spike with air-inlet (with hydrophobic filter and ON/OFF cap) and with standard dropper, opaque drip-chamber with 15 µm solution filter, opaque tube Ø 3,0 x 4,1 mm, roller clamp and male luer lock connector with cap. <b>180 cm long</b> <u>totally PVC-free</u>	 <b>STERILE</b> <b>EO</b>  0425	Carton (29x29x49 cm) 100 pcs.  Full pallet (80x120x220 cm) 42 cartons
<b>IFC012AA150</b>  <b>IFB012AA180</b>	<u>totally PVC-free</u> <u>totally PVC-free and 180 cm long</u>		
<b>IFB001AA180</b>  available variants <b>IFB001AA210</b> <b>IFB001AB180</b> <b>IFB001AB210</b> <b>IFB001DA180</b> <b>IFB001DA210</b> <b>IFB001DB180</b> <b>IFB001DB210</b>	<b>I.V. set for photosensitive drugs with injection port</b>  PVC DEHP-free I.V. Administration set 180 cm long for photosensitive drugs composed by vented spike with air-inlet (with hydrophobic filter and ON/OFF cap) and with standard dropper, opaque drip-chamber with 15 µm solution filter, opaque tube Ø 3,0 x 4,1 mm, roller clamp, standard injection port finger protective male luer lock connector with cap. 210 cm long with rotating male luer lock distal connector with rotating male luer lock distal connector and 210 cm long with needle-free injection port with needle-free injection port and 210 cm long with needle-free injection port and rotating male luer lock distal connector with needle-free injection port, rotating male luer lock distal connector and 210 cm long	 <b>STERILE</b> <b>EO</b>  0425	Carton (29x29x49 cm) 100 pcs.  Full pallet (80x120x220 cm) 42 cartons
<b>IFC001AA180</b>  <b>IFC001AA210</b>  <b>IFC001DB180</b>  <b>IFC001DB210</b>	<u>totally PVC-free</u> <u>totally PVC-free and 210 cm long</u> <u>totally PVC-free with needle-free injection port</u> <u>totally PVC-free with needle-free injection port and rotating male luer lock distal connector</u>		
<b>IFB013AA190</b>  available variants <b>IFB013BA190</b> <b>IFB013AA160</b> <b>IFB013CA190</b>	<b>I.V. set for photosensitive drugs with in-line filter</b>  PVC DEHP-free I.V. Administration sets 190 cm long for photosensitive drugs composed by vented spike with air-inlet (with hydrophobic filter and ON/OFF cap) and with standard dropper, drip-chamber without solution filter, tube Ø 3,0 x 4,1 mm, roller clamp, in-line 0,2 µm filter (10 cm²), Y injection port (finger protective), male luer lock connector with cap with 1,2 µm filter (instead of 0,2 µm filter) cm 160 with needle-free Y injection port	 <b>STERILE</b> <b>EO</b>  0425	Carton (29x29x49 cm) 100 pcs.  Full pallet (80x120x220 cm) 42 cartons
<b>IFC013AA190</b>  <b>IFC013BA190</b>  <b>IFC013CA190</b>	<u>totally PVC-free</u> <u>totally PVC-free with 1,2 µm filter (instead of 0,2 µm filter)</u> <u>totally PVC-free with needle-free Y injection port</u>		

Caption: