



# Famed LM-01.5


**ECONOMIC AND COMFORTABLE  
MATERNITY BED WITHOUT ELECTRIC CONTROL**

# Famed LM-01.5

COMFORTABLE, ROBUST AND FUNCTIONAL  
DELIVERY BED WITH ELECTRICAL CONTROL

Famed LM-01.5 delivery bed is intended for obstetrics and gynaecology wards. A solid **mechanical delivery bed**, with an outstanding quality/price ratio. Its robust, stable, and easy-to-clean structure distinguishes the product. No need for power supply guarantees its reliability at all times.

2.1.1. Valdymo tipas:  
mechaninis



2.1.3. Lovos aukštis reguliuojamas hidraulinio būdu



## CONTROL OPTIONS

Height adjustment of the rest is accomplished using a hydraulic pump and foot lever. Additionally, because of the gas springs with a lock, it is possible to adjust the Trendelenburg and Reverse-Trendelenburg positions as well as back rest inclination.

2.1.2. Nugaros segmento kampas reguliuojamas dujinių spyruoklių pagalba;

2.1.4.3. Pozicijos reguliuojamos dujinių spyruoklių pagalba

## EXTENSIVE ACCESSORIES

Maternity bed is equipped with a set of mattresses, a mattress for a newborn, arms, legs and knees supports as well as stainless steel bowl. Attaching and deattaching the accessories is made on the easy-to-use, dedicated accessory rail. The construction is stable and robust and the high quality protective materials and pSilver™ technology ensures long-term, trouble-free use and safety for a mother and her child.

## QUICK POSITION CHANGE

Famed LM-01.5 can be quickly transformed into a place ready for labour. Removal of mattress from the legs section and simple disassembly of the top enables change of the configuration and adjustment of comfortable labour position.



DELIVERY BED LM-01.5



Length 2170 mm | Total width 1080 mm | Minimum height 580 mm | Maximum height 940 mm | Back rest inclination angle 70° | Trendelenburg position 12° | Reverse-Trendelenburg position 5° | Maximum load 170 kg

2.1.4.1. Trendelenburgo pozicija 12°


2.1.4.2. į atvirkštinio Trendelenburgo pozicija 5°



## FEATURES:

- Bed is constructed of steel profiles covered with powder varnish;
- Back segment inclination angle regulated by gas springs with interlocking;
- Height adjustment of the bed frame realized due to hydraulic pump regulated by foot crank;
- Trendelenburg and reverse Trendelenburg positions are realized by gas springs with interlocking;
- Wall fenders mounted on the bed corners in the head part of the bed;
- Removable ABS covers of the seat segment and protractile frame ensure keeping the bed clean;
- **Leg segment can be pulled under the seat segment;**
- Detachable chromium plated head and foot boards filled with laminated board;
- Side rails, made of ABS are fixed to the back segment and lifted up enhance safety of the patient (patient with new-born) and make it possible to change the position of the body. After releasing the locker the rails can be folded down;
- Wheels with individual blockade;
- Bed is equipped with: set of mattresses (two mattresses of bed frame and one for a new-born baby), foot rests, hand grips, knee rests WS-05.6, stainless steel bowl;
- Ensure comfort and safety for patient;
- Bed can be easily transformed into a birthing chair;
- Equipment enables specialistic examinations whilst offering the most convenient birthing position for the patient;
- Easy to operate by medical staff;
- Beds are covered with powder varnish resistant to UV, mechanical damages and disinfectants;
- ABS covers of seat segment facilitate keeping the chair clean;
- Wide range of upholstery colours.

**2.4.5. Kojų segmentą galima pastumti po sėdmenų segmentu**



Drip bottle holder WK-08



Holder for squatting position WL-41.5 (option)



Adapter WK-15.0 (option) for mounting drip bottle holder from head side

## OPTIONAL ACCESSORIES:

- Holder for squatting position WL-41.5 (option);
- Drip bottle holder with possibility of height regulation (option);
- Adapter WK-15.0 (option);
- Trolley for accessories WL-22.0 (option).



Trolley for accessories WL-22.0 (option)

## Technical data

LM-01.5

2.4.8. Aukščio reguliavimo diapazonas: nuo 580 mm iki 940 mm;

Height adjustment	580-940 mm (hydraulic pump)
Back rest inclination angle	70° (gas spring)
Trendelenburg position	12° (gas spring)
Reverse Trendelenburg position	5° (gas spring)
Seat section inclination angle	-
Bed's length	2170 mm
Bed's length in chair position	1600 mm
Maximum width	1080 mm
Bed frame width	855 mm
Permissible load	170 kg
Permissible load (foot segment)	170 kg
Power supply	-
Maximum power consumption	-
Gynaecological bowl capacity	14 l

2.4.7. Išmatavimai:  
2170 x 1080 mm

Famed Żywiec Sp. z o.o.  
ul. Fabryczna 1  
34-300 Żywiec, Poland

Office:  
tel.: +48 33 866 62 00  
fax: +48 33 475 58 90

Export:  
tel.: +48 33 866 62 58  
fax: +48 33 861 46 78

export@famed.com.pl  
www.famed.com.pl

2.4.9. Nugaros atlošo atlenkimo kampo diapazonas: nuo 0° iki 70°;

2.4.10. Maksimali apkrova: 170 kg.



Functions adjustable manually



Functions adjustable by a foot-operated pump



pSilver™

All ABS elements were made using pSilver™ technology. The prefabricate contains silver nanoparticles, which we use in the process of plastics production, provides effective bacteriostatic protection. The use of pSilver™ technology in the places that are most often touched by patients limits the proliferation of dangerous bacteria, fungi or viruses. The pSilver™ technology also involves a process of plastic element processing providing a smooth surface, whose texture prevents the accumulation of impurities.



The product meets the requirements of the European Directive MDD 93/42/EEC concerning safety of medical devices

Edition 190/2021/01/1. Famed Żywiec reserves the right to make modifications in the products in the course of technical progress. All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.



Żywiec, 16.12.2025

## DECLARATION

We are Famed Żywiec sp. z o.o., which is an official manufacturer of operating tables, medical beds, delivery beds, with a factory located in str. Fabryczna 1, 34-300 Żywiec - Poland, declares that the parameters of our delivery bed Famed LM-01.5 for the second part of 5459276 purchase are as follows:


**2.4.6.** The ABS side railings of the bed are equipped with non-slip handles;

**2.4.11.** Additional accessories supplied

- Mattress set – 1 pc.;
- Stainless steel container – 1pc.
- Set of standard supports for knees, feet and arms – 1pc.
- Bow for the procreation position when squatting/kneeling – 1pc.

We also confirm that original spare parts (or equivalent alternatives) will be supplied for a minimum of 5 years after the end of the warranty period.

Vice President, CFO

  
Paweł Tomala

FAMED ŻYWIEC Sp. z o.o.  
34-300 Żywiec, ul. Fabryczna 1  
Reg. 146369568 NIP 5272685925  
tel. 33 86 66 200

(vertimas iš anglų k.)

Žyvecas 16.12.2025

## DEKLARACIJA

Mes Famed Żywiec sp. z o.o., kurie yra oficialus operacinių stalų, ligoninių lovų, gimdymo lovų gamintojas, turintis gamyklą, esančią str. Fabryczna 1, 34-300 Żywiec - Lenkija, pareiškia, kad mūsų gimdymo lova Famed LM-01.5, skirtos 5459276 pirkimo antrai daliai, parametrai yra šie:

2.4.6. Lovos ABS šoniniai turėklai komplektuojami su neslystančiomis rankenomis;

Papildomi priedai, pateikiami kartu

2.4.11.

- Čiužnių komplektas – 1vnt.;
- Nerūdijančio plieno indas – 1vnt.
- Standartinių atramų komplektas keliams, pėdoms ir rankoms – 1vnt.
- Lankas gimdymo pozicijai atsitūpus/atsiklaupus – 1vnt.

Taip pat patvirtiname, kad originalios atsarginės dalys (arba lygiavertės alternatyvos) bus tiekiamos mažiausiai 5 metus po garantinio laikotarpio pabaigos.

Viceprezidentas, CFO  
(parašas)  
Pawel Tomala