

1, 2, 3, 4, 5, 6, 7, 8, 9, 10



Invacare®

**Action[®] 3
NG**

A star is re-born!

Trusted Solutions,
Passionate People



The **Action³_{NG}** is one of the best examples of cross-compatibility in the Invacare range. Offering high levels of efficiency for dealers, platform sharing across the **Action_{NG}** Family and other Invacare models makes re-use and refurbishment an easy and attractive feature for users. The second generation has an optimized design together with improved functionalities in terms of stability and comfort ensuring that the **Action³_{NG}** stays our flagship product in style.



2. *suglaidinams
rimas*

Functionality

Invacare always seeks to innovate and the **Action³_{NG}** introduces a new cross bar with a folding mechanism under the seat improves stability and makes folding and unfolding even easier. Together with a new-style footplate, the **Action³_{NG}** is a great choice for all-round maximum comfort.

Durability

Adaptable and modular, the **Action³_{NG}** accommodates progressive changes in user needs. It is also simple to refurbish, with a wide range of options. This model is a great example of a second-generation wheelchair, with a proven track record behind it. A popular wheelchair with valuable new improvements, users can count on the **Action_{NG}** to facilitate their daily lives.

Transportable

With a low transfer weight and foldable backrest, the **Action³_{NG}** is easy to fold and to dismantle, making it easily transportable in a small car.

stūmimo karkas

stūmimo rėnkas 3.



daugiau informacijos

UAB "TEIDA"
Migle Jonike


2008-05-07

Features and options




lengvas svoris
Lightness

The total weight of 14,2 kg addresses the need for improved handling, storage and transportation. The lowest transportation weight (without legrest, armrest and rear wheels) is 7.6 kg.



Brake lever

Fold the brake handle for easier side transfers.



Length compensating elevating legrest

Offers optimal length compensation with the elevation stepped in approximately 3° / 5°.




Footrest

The proven design of the swing in / swing out footrest has an easy-to-operate quick release mechanism. Adjust the foot support height in steps of 10 mm.



Tension adjustable backrest upholstery

Provides increased comfort and appropriate spinal support.




Amputee support

Height, angle and depth-adjustable, the amputee support is also swingaway.



20 rear wheel positions

Driving performance is enhanced with a choice of 20 rear wheel positions as standard.



stiprinimo būklės
Handrims

Choice of plastic coated or anodized aluminium.

anodizuoti



Picture shows **Action⁴ NG**

Reclining backrest

A gas spring backrest allows carers to easily adjust the user's back position in one continuous movement and with raised assistance.



teigiamas vertinimas tikrai
2018-05-04

Features and options




Bi-material cover

In addition to the nylon seat-back, a bi-material cover is available as an option. A pocket on the back offers users comfort and practicality.

Polydoro sal domus

Transit chair

The Transit version offers seat heights of 460, 485 and 510 mm with 12" plastic rear wheels.



Buckle belt

Increased safety while seated.



Dual handrim propulsion

An improved dual handrim propulsion with QR mechanism makes the chair easily foldable.



praktiniai rotatoriai

Front castor

Front castors available in 5", 6" and 8" pneumatic or solid tyre, various options of tyre width also available.



Footplate

The design of the fixed footplate offers more comfort and provides additional space for the feet.




Headrests

A neckrest, headrest or cheek support are all available, depending on user needs. These elements can all be adjusted on the backbrace: change the height or depth for the most optimum position.



kepinis ir vortimas šeris.
UAB TEIDA
Viešųjų pirkimų tarnyba
Nijole Jonike
2018-04-07

Features and options




Armrest assortment

rankų atrėms 6.


*paūliavimas
nėmens*

① Swing away detachable, ② swing away detachable height-adjustable, ③, ④ and ⑤ removable height-adjustable, ⑥ comfort detachable height-adjustable and ⑦ hemi.




Anti-tip device

Provide extra safety on slopes or uneven ground.




Transparent tray

Useful for mealtimes and leisure activities such as reading.



One piece footplate

Optional one piece footplate adjustable in depth and angle.



Cane holder

Hold the cane securely to the wheelchair.

patydas skėdėiai 12.




One arm lever drive

This control system allows users with low muscular tone to propel the wheelchair. Using one arm through the lever pendular motion which propels it forward or backwards, steering and braking integrated.


Backrest types

On top of the fixed backrest (0° or 7°), **Action³NG** offers 4 different types of backrests to suit user's needs:

- ① folding,
- ② angle adjustable (-6°/+24°),
- ③ ratchet reclining (0°/30°) and
- ④ gas spring reclining (0°/30°)



pagėmėli 1 5.



Cushions

patėlas neįėjėbi

① 50 mm foam cushion, ② comfort **Mistral2** cushion and ③ visco cushion.



knije ir vestiniai tėtėri.
UAB 'TEIDA'
Viešoji pėrimo vaizdavėkė
Migliė Jonikė
2018-05-07

Technical data

For more comprehensive pre-sales information about this product, including the product's user manual, please see <http://www.invacare-eu-export.com/action3-ng>

sidynis plotis
universalis ver.
polydoro vald. ver.


	Seat width	Seat depth	Seat angle	Seat height	Backrest angle	Backrest height	Front frame angle
Self Propulsion	380 / 405 / 430 / 455 / 480 / 505 mm	400 / 450 mm	0° / 3° / 6°	360 / 385 / 410 / 435 / 460 / 485 / 510 mm	0° / 7° / 0° - 30° / -6° - +24°	350 - 510 mm	80° / 0 - 80° / 90°
Transit	380 / 405 / 430 / 455 / 480 / 505 mm	400 / 450 mm	0° / 3° / 6°	460 / 485 / 510 mm	0° / 7° / 0° - 30° / -6° - +24°	390 - 510 mm	80° / 0 - 80° / 90°

	Length of footrests	Armrest height	Driving unit width	Total width, folded	Total length inc. Footrests	Total length without footrests	Total height
Self Propulsion	200 - 400 / 330 - 460 / 440 - 510 mm	200 - 280 / 240 / 170 - 300 / 210 - 350 mm	Seat width + 190 mm	295 mm	980 - 1105 mm	835 - 960 mm	820 - 1050 mm
Transit	200 - 400 / 330 - 460 / 440 - 510 mm	200 - 280 / 240 / 170 - 300 / 210 - 350 mm	Seat width + 160 mm	260 mm	950 - 1050 mm	710 - 910 mm	920 - 1050 mm

	Max. Safe slope	Radius	Max. User weight	Total weight	Mass of the heaviest part
Self Propulsion	9°	870 mm	125 kg	14,2 kg	7,6 kg
Transit	9°	870 mm	125 kg	13,5 kg	10,7 kg



Frame colours



Upholstery



nylonas
lengva prižiūrinamas



Please notice colors may vary slightly from those displayed above. Scan here to access the website www.invacare-eu-export.com

Phone + 49 (0) 57 31 / 7 54-5 40
Fax + 49 (0) 57 31 / 7 54-5 41
E-Mail edo@invacare.com
www.invacare-eu-export.com

Invacare EU-Export
Kleiststraße 49
32457 Porta Westfalica
Germany



UAB 'TEIDA'
Migė Jonaitė
2018-05-07



5-7 d.

MARATHON PLUS



THE FLAT-LESS TIRE FOR WHEELCHAIRS.

The Marathon has become the absolute benchmark for puncture-resistant pneumatic tires on wheelchairs. The Smart Guard protection belt is made from a proportion of recycled natural rubber. The "anti-aging" sidewall construction can withstand typical overloading caused by low inflation pressure for much longer.

Note: Use a pressure gauge to adjust tire pressures as the common 'thumb check' is insufficient due to the special construction of the Marathon Plus.

*šneec.
gamos
studovnis*

3.



Apsaugos lygis

SMARTGUARD | FLAT-LESS

The safest puncture belt for bicycle tires. Unbeatable for more than 15 years. It has proved itself in practice more than any other tire. Only tires with SmartGuard® are real flat-less tires. Available exclusively from Schwalbe.



TIRES

Marathon Plus | Marathon Plus Tour | Marathon Plus MTB


ypatingas atsparumas



Kopije is vertinimo tiki.
UAB "TEIDA"
Viešųjų pirkimų vadyninke
Migle Jonike
2018-05-07

5-7d.

INFO ABOUT DIAMETER MARKING ON SCHWALBE TYRES



THE NUMBER "559" GIVES INFO ABOUT THE DIAMETER OF THE TYRE

Clarifying information of how to read out the diameter on the Schwalbe tyre.

To find out the correct diameter you should check the number printed on the tyre, looking like the image above (23-559), where "23" specifies the width of the tyre in mm and "559" the diameter in mm. "559" is equal to diameter 25".

- "451" mm is equal to diameter 20"
- "489" mm is equal to diameter 22"
- "540" mm is equal to diameter 24"
- "559" mm is equal to diameter 25"
- "590" mm is equal to diameter 26"




2015-01-07

AD 10 PELVIC ABDOMINAL BELT

One size

CHARACTERISTICS:
Laminated fabric which permits transpiration and offers a great comfort.
Ergonomic design adapted to any kind of morphology.
Fastening and closure system with plastic buckles in the front part which permits a fast fitting.



INDICATIONS:
Comfortable fastening of the patient to the wheelchair and offers a suitable trunk stability avoiding lateral movements and slides.

AD 11/11M/11E ABDOMINAL BELT

Sizes: 0 / 1

CHARACTERISTICS:
Laminated fabric which permits transpiration and offers a great comfort.
Ergonomic design adapted to any kind of morphology.
Adjustment and fastening system which permits an easy fitting.
AD11 (plastic buckle closure system), AD11M (magnetic closure system), AD11E: narrow version.



INDICATIONS:
If offers a comfortable fastening of the patient to the wheelchair, avoiding possible falls and slides.

AD 12/12M PERINEAL BELT

Sizes: 0 / 1

CHARACTERISTICS:
Laminated fabric which permits transpiration and offers a great comfort.
Made of an abdominal belt with a perineal piece.
Ergonomic design adapted to any kind of morphology.
Adjustment and fastening system which permits an easy fitting.
AD12 (plastic buckle closure system), AD12M (magnetic closure system).



INDICATIONS:
If offers a comfortable fastening of the patient to the wheelchair, avoiding possible falls. Suitable for patients who are prone to slide from the seat.

AD 13/13M TORSO FIXING BELT

Sizes: 0 / 1

CHARACTERISTICS:
Laminated fabric which permits transpiration and offers a great comfort.
Made of an abdominal belt with straps for the trunk stability.
Ergonomic design adapted to any kind of morphology.
Adjustment and fastening system which permits an easy fitting.
AD13 (plastic buckle closure system), AD13M (magnetic closure system).




INDICATIONS:
If offers a comfortable fastening of the patient to the wheelchair, avoiding possible falls. It gives a suitable trunk stability avoiding lateral movements and slides.

AD 14/14M TORSO AND PELVIS FIXING BELT

Sizes: 0 / 1

CHARACTERISTICS:
Laminated fabric which permits transpiration and offers a great comfort.
Made of an abdominal belt with straps for the trunk stability.
Ergonomic design adapted to any kind of morphology.
Adjustment and fastening system which permits an easy fitting.
AD14 (plastic buckle closure system), AD14M (magnetic closure system).



INDICATIONS:
If offers a comfortable fastening of the patient to the wheelchair, avoiding possible falls. It gives a suitable trunk stability avoiding lateral movements and slides.

BELTS FOR WHEELCHAIR

Ergonomic design adapted to any kind of morphology.

5. dispositivos para piernas



dispositivos para piernas 2.

REFERENCIA**AD-14****PRODUCTO****CINTURÓN SUJECCIÓN TRONCO Y
PÉLVIS A SILLAS DE RUEDAS****Clase I CE****MEDIDAS DEL PRODUCTO ACABADO (placa) (EN CMS)**

TALLA	LONGITUD <i>placior delis ilop</i>	ALTURA CENTRAL	PERÍMETRO <i>perimetras 6.</i>	GROSOR <i>storus</i>
0	40	12	1,50 m	5 mm
1	56	16,5	1,50 m	5 mm

COMPONENTES**Tejido laminado/Tissus :****(Cod.Vettel:133305)**

- ◇ **Composición:** 100% Poliéster
 ◇ **Color:** Azul/Gris

Cinta retier:**(Cod.Vettel:115246)****(Cod.Vettel: 115476)**

- ◇ **Composición:** 100% Poliéster
 ^ **Ancho:** 25 mm
 ◇ **Color:** Gris
 ^ **Dimensión:** 68,2 cm

Hebilla/ boucle plastique: 4 piezas**(Cod.Vettel: 251490)**

- ◇ **Composición:** Acetal
 ◇ **Dimensión:** ancho: 50 mm
 ◇ **Color:** negro

Ajustador / passant:**(Cod. Vettel: 251480)**

- ◇ **Composición:** Acetal
 ◇ **Dimensión:** ancho: 50 mm
 ◇ **Color:** negro

Hilos de costura/ fil

- ◇ **Composición:** 100% Poliester
 ◇ **Color:** Gris



teija ir vertimai
 UAB "TEIDA"
 šiuo prikimu vadybinis
 Miglė Jonikė
 2011-05-10
(Cod.Vettel:100106)

ENVASE

Bolsa de plástico en Polipropileno transparente de 25 micras.
25 x 33 cm

(Cod.Vettel: 322533)

ETIQUETA

◇
Tela etiqueta :

(Cod.Vettel:441301)

◇ **Composición:** 100% Nylon.

◇ **Dimensión:** Ancho: 3 cm
Largo: 5 cm

Ribon :

(Cod.Vettel:442040)

◇ **Composición:** Material base: Poliester; Tinta: Resina
◇ **Color:** negro

LOTE

Composición del número de lote:

XX YY ZZZ

— / — / —
año semana orden de fabricación

CARACTERISTICAS DEL PRODUCTO

◇ Perímetro regulable.

◇ Lavable a 60° (Washable at 60°)

plumones.

INDICACIONES

◇ Para sillas de ruedas, sillas normales con respaldo, butacas...sin espacio libre entre asiento y respaldo.

REALIZADO POR:

AUTORIZADO POR:



UAB "TEIDA"
Kūno priežiūros, vadybininkė
Migliė Jonikė

2018-05-07



STINGRAY

100.

Explore the new Stingray

10 Responsible, hygienic & safe fabric



6 Unique swivel action



Učienas gali žinoti ir iš palydovų ir vaizdams kryptimi

Go out together!

Living an active family life demands the right equipment. The new Stingray is a superbly stylish buggy with tool free adjustment of postural support and unique swivel action for forward/rearward facing options.

The carbon frame with its trendsetting design encourages every family to go out together. The new Stingray is in a league of its own.

Adjustments, comfort and lightness of steering are keywords for this buggy. The new Stingray makes it possible to change from forward to rearward facing with its 180° turnable seat with the child seated. The child is always comfortably seated, whilst the various angle adjustments make it easy to find exactly the position they need.

The new Stingray makes it possible to bring your child out and about giving your child a lot of stimulation. Giving the child support around the pelvis creates a stable base and ensures a good sitting balance. It helps the child maintain the trunk and the head in midline. Good postural control will help the child to feel secure and enable the child to learn new motor skills.

Good looking and functional equipment giving specific support, exactly where it is needed.



4 Going outside?

11 Colour up your life



180° turnable seat with the child seated

pagrindas atrama ir atskiras segmentas 9.

14 20. pakabinti - atsukinti



76




STINGRAY

Outdoor adventure?

The new Stingray makes it possible to bring your child out and about - giving your child a lot of stimulation. Children with disabilities are often very sensitive to the wind and sun. A purpose-made, adjustable folding top can be mounted to provide weather protection.

Pulling the folding top all the way down in front of the child. A window can be opened so the child will still be able to actively follow what is going on.




Folding top with many options

KAUNO MIESTAS
Donauskio
M.2
K.2
K.1
K.0
K.3
K.4
K.5
K.6
K.7
K.8
K.9
K.10
K.11
K.12
K.13
K.14
K.15
K.16
K.17
K.18
K.19
K.20
K.21
K.22
K.23
K.24
K.25
K.26
K.27
K.28
K.29
K.30
K.31
K.32
K.33
K.34
K.35
K.36
K.37
K.38
K.39
K.40
K.41
K.42
K.43
K.44
K.45
K.46
K.47
K.48
K.49
K.50
K.51
K.52
K.53
K.54
K.55
K.56
K.57
K.58
K.59
K.60
K.61
K.62
K.63
K.64
K.65
K.66
K.67
K.68
K.69
K.70
K.71
K.72
K.73
K.74
K.75
K.76
K.77
K.78
K.79
K.80
K.81
K.82
K.83
K.84
K.85
K.86
K.87
K.88
K.89
K.90
K.91
K.92
K.93
K.94
K.95
K.96
K.97
K.98
K.99
K.100

2008-05-07
UAB "TEIDA"
Miklojaus Donike

Cover for rainy adventures...



apsaugo nuo lietaus
23

Cold outside?

apsaugo nuo vėjo


Easy & safe transportation

Wol.

The new Stingray is folded quickly and fits into almost any car. Fold the seat and frame units separately or together and pack them into your car - soon you will be on your way.

furthermore approved for transportation of 40 kg user weight in vehicles. The accessories consist of a selection of things that help you on the go:


The new Stingray complies with ISO 7178-19, for safe transportation in vehicles. The new Stingray is




Shopping basket



Transport fittings




Oxygen bottle holder



Vent tray

keeping
23



Foldable

Frame length, folded: 90 cm (35"), Height, folded: 49 cm (19")

lengvai sulenktumas
3.

23

ROB



STINGRAY

Postural support and stability

It is important to ensure an optimum postural support for the individual needs. A little extra support by creating a stable base in the seating position gives the child the freedom to move. The new Stingray seat unit comes with foot support -

a minimum support to affect the position of the pelvis and in that way the abdominal muscles. The new Stingray comes with a range of accessories to create postural stability:

pidet' B.



Head rest cushion




Head rest



Sculpted head support

golvos atvoms B.



Side supports

limens 1. atvoms



Hip supports

klusis vabekoms



Vests & belts



Pommel

limens i clivai B. abduktorius B.



Grip handle



Trays

rankenili 2p.

Take a closer look at all our accessories options on our website

108-05

Go ahead and grow!

** augu su vartu 2.*


Your child's motor skills are constantly evolving, and result in new skills, needs and autonomy. The new Stingray consists of a one size frame and the seat unit comes in two sizes. You can grow with your Stingray and just change the seat unit.

Footplate, seat and back supports provide the freedom of many seating positions, so the child can sit actively and varied and therefore develop in the best possible way



Stingray seat	Size 1	Size 2
Seat width	30 cm (11¾")	35 cm (13¾")
Seat width with hip supports	18 - 22 - 26 cm (7 - 8½ - 10¼")	23 - 27 - 31 cm (9 - 10½ - 12")
Seat depth	18 - 30 cm (7 - 11¾")	25 - 40 cm (9¾ - 15½")
Back height, shoulder	27 - 41 cm (10½ - 16")	36 - 51 cm (14 - 20")
Back height, total	41 - 51 cm (16 - 20")	50 - 65 cm (19¾ - 25¼")
Length of foot rod	21 - 28 - 34 cm (8¼ - 11 - 13¼")	21 - 28 - 34 cm (8¼ - 11 - 13¼")

ONE SIZE FRAME



R82
a part of Etac



Measurements



180-310 mm



180-300 mm



430-670 mm





max.40 kg

5. *sėdynio plotis*

6. *sėdynio gylis*

8. *nugaros atvėmas*



reg. ilgis kojų atvėmas

didis polinkio kampas

15

	Size 1 mm	Size 2 mm
Effective seat width (A)	300 mm	350 mm
Effective seat depth (B) <i>sėdynio gylis</i>	180-300 mm	250-400 mm
Backrest height (C)	410-650 mm	500-650 mm
Back height at shoulders (c1)	270-410 mm	360-510 mm
Footrest to seat distance (D)	140-450 mm	140-450 mm
Leg to seat surface angle	-30° - 30°	-30° - 30°
Seat surface height at front edge (E)	520 mm	520 mm
Back width, inside (F)	300 mm	360 mm
Back width, outside (F1)	450 mm	520 mm
Overall width, frame (G)	590 mm	590 mm
Length w. turnable front wheels (H)	740 mm	740 mm
Length w. large front wheels (H)	840 mm	840 mm
Overall height, push brace 15° (I)	1000, 1030, 1060 mm	1000, 1030, 1060 mm
Back recline <i>Nugaros atvėmas atlenkim</i>	170°	170°
Seat plane angle	45° <i>2.</i>	45°
Foot plate (width x depth)	310 x 200 mm	310 x 200 mm
Minimum turning radius	1020 mm	1020 mm
Folded length	900 mm	900 mm
Folded height	490 mm	490 mm
Total mass, frame	13,5 kg	13,5 kg
Total mass, seat	5,5 kg	6,5 kg
Max load	40 kg	40 kg
Max load at transportation	40 kg	40 kg
Seat width between hip supports (accessories)	180, 220, 260 mm	230, 270, 310 mm
Seat width between knee supports	280 mm	330 mm



2018-05-01

UAB "TEIDA"
Migle Jonike

py

Vežimėlis atitinka šiuos reikalavimus

Genf

Selfpropelling shower-commode chair

Equipment:

- ergonomically shaped backrest with integrated grip
- swinging armrests enable easy side transfer
- height adjustable, swinging and detachable foot support
- 24-inch driving wheels with grip wheel
- approved up to 130 kg body weight

Genf

- upholstered seat with hygiene opening
 - incl. bucket device and bucket
- ref. no. 346...10

Genf only grey/blue and red-colourful

- seat with hygiene opening
 - incl. bucket device and bucket
- ref. no. 346...20

Genf

- toiletseat
 - incl. bucket device and bucket
- ref. no. 346...30

Genf

- upholstered seat without hygiene opening
- ref. no. 346...40



Up to 130 kg!

Colour	Colourcode
grey/grey	03
grey/black	10
grey/fire-red	30
grey/rubin-red	44
grey/blue	54
red-colourful	97

Type:	Genf	Genf	Genf
depth:	95 cm	95 cm	95 cm
width:	71 cm	71 cm	71 cm
seat depth:	45 cm	45 cm	45 cm
seat height:	55 cm	52 cm	52 cm
seat width:	46 cm	46 cm	46 cm
toilet-height with bucket device:	43 cm	43 cm	43 cm
max. toilet width:	38 cm	38 cm	38 cm
weight:	24 kg	22 kg	23 kg
max. body weight:	130 kg	130 kg	130 kg
ref. no.	346...10	346...20	346...30

Technical changes and changes in colour reserved.



BIG 150 BIG 250

Crutch with patented locking system

Equipment:

- wide cuff
- 3 adjustments in height from handle to cuff
- ergonomic handle
- reflector

3 aukščio reg. padidinti
momentas iki aliuminio 2.
Up to 150 kg!

BIG 150

- very light aluminium tube
- approved up to 150 kg body weight

ref.no. 106.10

BIG 250

- 10 adjustments in height
- incl. nonsliding rubber "Big-Foot"
- approved up to 250 kg body weight

ref.no. 106.00...

BIG 250 „excess length”


- 10 adjustments in height
- + 10 cm length
- incl. nonsliding rubber "Big-Foot"
- approved up to 250 kg body weight

ref.no. 106.04...

Accessories:

- Handle upholstery „BIG” ref.no. 160.01.03
- Forearm upholstery ref.no. 160.02.03
- Crutch-Strap ref.no. 167.00...

Up to 250 kg!



ref.no. 106.00.10

ref.no. 106.10
Shown with accessory "BIG Foot"

Colour	Colourcode
grey	00
black	10

Type:	BIG 150	BIG 250	BIG 250 „UL”
height from handle to cuff:	22 cm - 25 cm	22 cm - 25 cm	22 cm - 25 cm
height of handle:	max. 108 cm	74 cm - 97 cm	84 cm - 107 cm
diameter Ø in mm:	22	25/22	25/22
ref.no.:	106.10	106.00...	106.04...



kopija ir notinomas tikrai.
UAB "Tera"
Viešųjų pirkimų skyriaus
Miglė Jonikė
2018-05-07

Technical changes and changes in colour reserved.



BIG 160 BIG 200

Shoulder crutches

Equipment BIG 160:

- pleasant upholstered armpit holder *mielusia porotams doli 4*
- anatomic soft handle *mielusia rankene 4.*
- handle adjustable in height *reguliuojamas aukštis 8.*
- incl. nonsliding rubber "Big-Foot"
- approved up to 160 kg body weight


ref. no. 129.00

150 cm storis 8.

Equipment BIG 200:

- pleasant upholstered armpit holder *metalo 2.*
- anatomic soft handle
- handle adjustable in height
- incl. nonsliding rubber "Big-Foot"
- approved up to 200 kg body weight

ref. no. 128.10



Superstrong!

ref. no. 129.00

ref. no. 128.10

Type:	BIG 160	BIG 200
height of shoulder:	118 cm - 151 cm	118 cm - 151 cm
min. height of handle:	65 cm - 83 cm	65 cm - 83 cm
max. height of handle:	93 cm - 116 cm	93 cm - 116 cm
diameter Ø in mm:	22	22
ref. no.:	129.00	128.10

aukštis

67



2018-05-07

2018-05-07

Technical changes and changes in colour reserved.



18d.

predci
i stulci



x:panda

Features

Measurements

Standard

Accessories



apinsāba stulciem 60° C

multi-regulējama dinamiska sēdētne 3.

x:panda is a multi-adjustable dynamic seat, delivered in 4 different sizes - each seat with up to 10 cm in seat width and up to 20cm of depth adjustment coupled with sliding back growth.

The back is dynamic, making it possible for the child to extend and push back against relatively light resistance and then regain the desired sitting position. The back is lockable which could be preferred in feeding situations and required when being used in transportation. The back can also be angled to make it possible to seat the child with either an open or closed hip angle.

The x:panda seat complies with ISO 16840-4




2018-05-04
UAB 'TEIDA' -
Vasiliu pilsētas iedzīvotāji
Ningē Jociņa
kopija ir arhīva nos. tēri.


Features




Dynamic back *dinamiski neregulējama*
The x:panda has a unique dynamic back that absorbs the energy of extension and returns the child to upright sitting without compromising pelvic positioning



Multi-adjustable *Multi-regulējama*
Overlap in sizing means that the starting option always offers the maximum growth potential coupled with individual leg positioning



Growth *Augs*
Individual growth in width, depth and back height extend the life of the seat and accommodate the greatest range of sizes for any chair on the market



Back recline *Atlosta neregulējama atvēršana*
The point for rotation (recline of the back) is close to the axis of the hips which means that the back support maintains the correct position and minimizes shear

Measurements



160-460 mm



160-530 mm



270-710 mm



max 80 kg

5. *sidynis plotis* 6. *sidynis gylis* *nujeras atremas aukstis*




2008-05-07
in vertinimo turini
UAB "TEIKONIS"
Mieste, Klaipėdoje

	Size 1 mm	Size 2 mm	Size 3 mm	Size 4 mm
Effective seat width (A) <i>sidynis plotis</i>	160, 200, 240	200, 240, 280	260, 310, 360	340, 400, 460
Width thighs (A1)	70, 90, 110	100, 120, 140	120, 145, 170	130, 190, 250
Effective seat depth (B) <i>sidynis gylis</i>	160-260	220-330	260-390	360-530
Backrest height (C)	270-370	320-420	350-470	500-710
Back width, top (F)	230	260	330	35+5
Overall width both legs in max abduc. (G)	310, 350, 390	380, 420, 460	470, 520, 570	590, 650, 710
Armrest to seat distance	100-165	100-165	100-165	100-165
Front location of armrest structure	140	140	180	350
Backrest angle (a) <i>nujeras atremas</i>	-5° - +30°	-5° - +30°	-5° - +30°	-5° - +30°
Abduction angle each leg (α1)	0° - 15° *	0° - 15°	0° - 15°	0° - 15°
* size 1 in the smallest position	0° - 8°	-	-	-
Total mass, seat	6,5 kg	8,5 kg	11 kg	13 kg
Max load <i>max apkrovis</i>	30 kg	30 kg	60 kg	80 kg
Max load at transportation	30 kg	30 kg	60 kg	75 kg
Approx. min user height <i>min usis</i>	650	850	1000	1390
Approx. max user height <i>max usis</i>	1050	1280	1430	1800

Accessories

pridedi 13.



Head supports *galvos atremos*
99xxxx-xx
For correct position and support
See the Accessories section for further information on options and measurements




Swing-away side supports
839xx-xx
For additional support, adjustable in height and width
See the Accessories section for further information on options and measurements



Fixed side supports
8910401-x, 8910401-xP
Adjustable in height and width

Type	Measurements
1	W:11 x H:7 cm
2	W:10 x H:10 cm
3	W:12 x H:14 cm
4	W:16 x H:9 cm
5	W:16 x H:15 cm
6	W:12 x H:14 cm




Adjustable upper arm supports
8910407-x0
Provides additional support and comfy closeness


- | | |
|---|----------------|
| 1 | W:14 x H:18 cm |
| 2 | W:19 x H:29 cm |



Vest and belts
89113-x
For added support in a variety of
liemenis ir diržai



Tray *sheliskes*
891072-x
Shapes 5 and 6.
See the Accessories section for further information on options and measurements



Pommel *alochkoris*
8910408-x
Prevents the users legs from adducting



Kopija ir vertinimas tiki.
UAB "TEIDA"
išgulu pirkimu vad. I
Miglė Jonikė
MJ
2018-05-07

19d.

prideai



manatee


Features

Measurements

Standard

Accessories

10, 11, 12




The Manatee is constructed to provide both caregivers and users a wonderful bathing experience.

vosios kedute 2.
 The bathing chair is designed to place the user in exactly the right sitting position. The depth of the seat can be adjusted allowing the bathing chair to grow with the child and provides many years of use. The adjustments and accessories are logically positioned, affording the caregiver better working conditions.


The Manatee is a bathing chair suitable for children from the age of 1 year. Not all children are alike - that is why it is important to use the measuring chart to find the correct size for your child.



Features




Depth adjustable seat
 Provides depth adjustment for growth



Adjustable back and leg rests 8.
 Allows adjustments of the back and of the lower leg support with a simple pull of a strap or push of a button

reguliuojame nuferos atzeme is kojis atzeme



Head cushion/lateral support
 Provides support and comfort for bathing children. Cushions can be used for head or torso support

galvos atzeme 17.



Adjustable waist strap
 Supports the child safely in the Manatee



liemens dirzios 11.

2008-09-02
 kopija is vertinimo klauzi
 UAB JTEIDA
 Versliu pirkimui vartojimui
 Ingite Jonike

Measurements



330-400 mm 430-640 mm 220-470 mm max.75 kg



	Size 0 mm	Size 1 mm	Size 2 mm	Size 3 mm
Effective seat width (A)	330 mm	330 mm	330 mm	400 mm
Effective seat depth (B)	220 & 250 mm	300-370 mm	390-460 mm	400-470 mm
Backrest height (C)	430 mm	430 mm	580 mm	640 mm
Footrest to seat distance (D)	280 mm	280 mm	350 mm	350 mm
Seat height (E)	140-430 mm	140-430 mm	140-430 mm	140-430 mm
Overall width (G)	420 mm	420 mm	420 mm	490 mm
Folded length	1030-1100 mm	1100-1170 mm	1360-1430 mm	1440-1510 mm
Folded height	130 mm	130 mm	130 mm	130 mm
Total mass	5½ kg	5½ kg	6 kg	7 kg
Max load	50 kg	50 kg	75 kg	75 kg
Frames for all sizes of Manatee bath chairs:				
One size frames	Height adjustable frame	Basic frame		
Overall width	590 mm	435 mm		
Frame length	980 mm	990-1110 mm		
Height		270 mm		
Height, minimum	380 mm			
Height, minimum, with chair	760 mm			
Height, middle	440 mm			
Height, middle, with chair	840 mm			
Height, maximum	480 mm			
Height, maximum, with chair	900 mm			
Frame height, folded	210 mm			
Frame weight	8 kg	2 kg		

Sidzys gyls
Sidzys auksts

nozini plotis
audzuma ilgums > 3
sudalos auksts

svetis 14
max aptuvena



2008-05-02
23
UAB "TEIDA" ir jos dukterines kompanijos
UAB "TEIDA" ir jos dukterines kompanijos

Clipper Raised Toilet Seats



*prilicna
tuchtamis sv.
2.*

Very handy when access to the toilet becomes difficult, our toilet raisers easily adapt to any toilet bowl. The Clipper range stands out thanks to its unique design and conception.

The Clipper range is totally made of injected plastic and is therefore rustproof.



It raises the height of the toilet by **11 cm**.

Clipper I 500400

Maximum user's weight 185 Kg. 2 year Warranty



Clipper I



To place on the toilet bowl, without fixations, anti slip rubber pads.



Ad.

Clipper II 500410

Maximum user's weight 185 Kg. 2 year Warranty



Clipper II




4. fiksalovni sustinimi. 5
4 fixation clips to secure strongly and easily seat on the toilet bowl.

4, 3.

*plastikine
erpa is pjaaa
be ranky abanuy*


Clipper III 500411



Auksta



Clipper II in position



Clipper III with lid

Designations	Height	Total Width	Total Depth	Inside dimensions
Clipper I				
Clipper II		41 cm		
Clipper III	11 cm			
Clipper IV		66 cm	42 cm	25*21 cm
Clipper V				
Clipper VI	52/65 cm*	60 cm		
Clipper VII	52/65 cm*	60 cm		

* Top of the Clipper / floor

6

konja is nostinms tlekt
LIEPĀVAS RESPUBLIKĀ
DABĀRĪBAS
Nr 2
LIAU, TEIDA*
Vēstulī priekšu sadarbības
Migē Jonikē
2018-05-07

EN RAISED TOILET SEATS WITH SIDE BLOCK
F SIÈGES DE TOILETTE REHAUSSÉS AVEC BLOC LATÉRAL
ES ASIENTO ELEVADOR CON BLOQUEO LATERAL
P ELEVADOR SANITA COM FIXAÇÃO LATERAL

EN Thanks to the adjustable plastic clamps it can be fixed on all types of toilets. Rear and frontal openings allow easy access for personal hygiene.

F Il peut rehausser tous les types de toilettes, par deux pattes de fixation latérales en plastique, réglables. Pour faciliter l'hygiène personnelle, il est doté d'une ouverture frontale et arrière.

ES Se adapta a todos los retretes. Se fija con dos palomillas laterales en plástico, graduables. Fácil acceso para la higiene personal.

P Adapta-se a todos os tipos de vasos sanitários. Fixa-se com 2 patilhas laterais de plástico ajustáveis. Para facilitar a higiene pessoal possui uma abertura frontal e posterior.


fikrojavane out. & kvalitety
 2.

WITH CLAMPS


WITH CLAMPS AND COVER

Max loading weight 250 kg 8.


Max aprova



RP400
 6 cm with clamps
 Weight 0,84 kg




RP410
 6 cm with clamps and cover
 Weight 1,76 kg



RP401
 10 cm with clamps
 Weight 1,40 kg

daugtin 3.



plata kos

vego i'p'ava 4.


22d.

Turistinis 6.

aukstin 7.

RP411
 10 cm with clamps and cover
 Weight 1,90 kg

daugtin




RP402
 14 cm with clamps
 Weight 1,93 kg




RP412
 14 cm with clamps and cover
 Weight 2,24 kg

Optional accessory

Spare parts



RP432
 Bidet for raised toilet seats with side block only



RP431N
 Screw kit

Kopije is vertimo tika.



Toilettensitzerhöher »CLOO« mit Armlehnen, verstellbar

15510

- Kunststoff
- hochklappbare Armlehnen
- passend für alle Standard-WC's
- Montage ohne Werkzeug
- Sitzneigung einstellbar
- Sitzhöhe 3-fach verstellbar: 6 cm, 10 cm, 14 cm
- max. Belastung: 150 kg

[HMV-Nr.: 33.40.01.3024]


etac



Toilettensitzerhöher, 3-fach höhenverstellbar

15520

- Kunststoff
- gepolsterte und hochklappbare Armlehnen
- seitliche Verrutschsicherung
- integrierter Spritzschutz
- passend für alle Standard-WC's
- Montage ohne Werkzeug
- Sitzneigung einstellbar
- Sitzhöhe 3-fach verstellbar: 8 cm, 12 cm, 16 cm
- max. Belastung: 114 kg



Toilettensitzerhöher »RELAXON STAR« mit Armlehnen

15550

- Kunststoff
- gepolsterte und hochklappbare Armlehnen
- seitliche Verrutschsicherung
- integrierter Spritzschutz
- passend für alle Standard-WC's
- Montage ohne Werkzeug
- Sitzneigung einstellbar
- Sitzhöhe 3-fach verstellbar: ca. 8 cm, 10 cm, 13 cm
- max. Belastung: 130 kg

3-fach höhenverstellbar!

[HMV-Nr.: 33.40.01.3015]



LITVINDS RESERVE
"TEI"
DOKUMENT
NR. 2
KAUPO M.

33d.

2018-05-02

3-fach höhenverstellbar!
dargest. 7.
tiefe standardhöhe wc 2.
außen 8.
isoliert
sitzhöhe 9.
plastik
3,4,5.
6
26