

Wkręt do kości korowej Ø4,5/3,0mm
Cortex screw Ø4,5/3,0mm

1.1.





| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|---|---|---|---|
| |  | |  | |
| |  |  |  |  |
| | SS | SS(T) | SS | SS(T) |
| 12 | 200012 | 200212(T) | 200312 | 200512(T) |
| 14 | 200014 | 200214(T) | 200314 | 200514(T) |
| 16 | 200016 | 200216(T) | 200316 | 200516(T) |
| 18 | 200018 | 200218(T) | 200318 | 200518(T) |
| 20 | 200020 | 200220(T) | 200320 | 200520(T) |
| 22 | 200022 | 200222(T) | 200322 | 200522(T) |
| 24 | 200024 | 200224(T) | 200324 | 200524(T) |
| 26 | 200026 | 200226(T) | 200326 | 200526(T) |
| 28 | 200028 | 200228(T) | 200328 | 200528(T) |
| 30 | 200030 | 200230(T) | 200330 | 200530(T) |
| 32 | 200032 | 200232(T) | 200332 | 200532(T) |
| 34 | 200034 | 200234(T) | 200334 | 200534(T) |
| 36 | 200036 | 200236(T) | 200336 | 200536(T) |
| 38 | 200038 | 200238(T) | 200338 | 200538(T) |
| 40 | 200040 | 200240(T) | 200340 | 200540(T) |
| 42 | 200042 | 200242(T) | 200342 | 200542(T) |
| 44 | 200044 | 200244(T) | 200344 | 200544(T) |
| 46 | 200046 | 200246(T) | 200346 | 200546(T) |
| 48 | 200048 | 200248(T) | 200348 | 200548(T) |
| 50 | 200050 | 200250(T) | 200350 | 200550(T) |

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--|---|---|---|
| |  | |  | |
| |  |  |  |  |
| | SS | SS(T) | SS | SS(T) |
| 52 | 200052 | 200252(T) | 200352 | 200552(T) |
| 54 | 200054 | 200254(T) | 200354 | 200554(T) |
| 56 | 200056 | 200256(T) | 200356 | 200556(T) |
| 58 | 200058 | 200258(T) | 200358 | 200558(T) |
| 60 | 200060 | 200260(T) | 200360 | 200560(T) |
| 62 | 200062 | 200262(T) | 200362 | 200562(T) |
| 64 | 200064 | 200264(T) | 200364 | 200564(T) |
| 66 | 200066 | 200266(T) | 200366 | 200566(T) |
| 68 | 200068 | 200268(T) | 200368 | 200568(T) |
| 70 | 200070 | 200270(T) | 200370 | 200570(T) |
| 72 | 200072 | 200272(T) | 200372 | 200572(T) |
| 74 | 200074 | 200274(T) | 200374 | 200574(T) |
| 76 | 200076 | 200276(T) | 200376 | 200576(T) |
| 78 | 200078 | 200278(T) | 200378 | 200578(T) |
| 80 | 200080 | 200280(T) | 200380 | 200580(T) |
| 82 | 200082 | 200282(T) | 200382 | 200582(T) |
| 84 | 200084 | 200284(T) | 200384 | 200584(T) |
| 86 | 200086 | 200286(T) | 200386 | 200586(T) |
| 88 | 200088 | 200288(T) | 200388 | 200588(T) |
| 90 | 200090 | 200290(T) | 200390 | 200590(T) |

2015-03-30



Handwritten signature
Kopija tikra



WKRĘT DO KOŚCI KOROWEJ
samogwintujący
CORTICAL SCREW
 self-tapping
ø 3,5 x 1,25 mm




| L [mm] | ⊖ | + |
|--------|-------------|-------------|
| 8 | 4-01-01-08 | 4-01-02-08 |
| 10 | 4-01-01-10 | 4-01-02-10 |
| 12 | 4-01-01-12 | 4-01-02-12 |
| 14 | 4-01-01-14 | 4-01-02-14 |
| 16 | 4-01-01-16 | 4-01-02-16 |
| 18 | 4-01-01-18 | 4-01-02-18 |
| 20 | 4-01-01-20 | 4-01-02-20 |
| 22 | 4-01-01-22 | 4-01-02-22 |
| 24 | 4-01-01-24 | 4-01-02-24 |
| 26 | 4-01-01-26 | 4-01-02-26 |
| 28 | 4-01-01-28 | 4-01-02-28 |
| 30 | 4-01-01-30 | 4-01-02-30 |
| 32 | 4-01-01-32 | 4-01-02-32 |
| 34 | 4-01-01-34 | 4-01-02-34 |
| 36 | 4-01-01-36 | 4-01-02-36 |
| 38 | 4-01-01-38 | 4-01-02-38 |
| 40 | 4-01-01-40 | 4-01-02-40 |
| 45 | 4-01-01-45 | 4-01-02-45 |
| 50 | 4-01-01-50 | 4-01-02-50 |
| 55 | 4-01-01-55 | 4-01-02-55 |
| 60 | 4-01-01-60 | 4-01-02-60 |
| 65 | 4-01-01-65 | 4-01-02-65 |
| 70 | 4-01-01-70 | 4-01-02-70 |
| 75 | 4-01-01-75 | 4-01-02-75 |
| 80 | 4-01-01-80 | 4-01-02-80 |
| 85 | 4-01-01-85 | 4-01-02-85 |
| 90 | 4-01-01-90 | 4-01-02-90 |
| 95 | 4-01-01-95 | 4-01-02-95 |
| 100 | 4-01-01-100 | 4-01-02-100 |
| 105 | 4-01-01-105 | 4-01-02-105 |
| 110 | 4-01-01-110 | 4-01-02-110 |
| 115 | 4-01-01-115 | 4-01-02-115 |
| 120 | 4-01-01-120 | 4-01-02-120 |

WKRĘT DO KOŚCI KOROWEJ
samogwintujący
CORTICAL SCREW
 self-tapping
ø 4,5 x 1,75 mm



| L [mm] | ⊖ | + | L [mm] | ⊖ | + |
|--------|------------|------------|--------|-------------|-------------|
| 12 | 4-01-04-12 | 4-01-05-12 | 66 | 4-01-04-66 | 4-01-05-66 |
| 14 | 4-01-04-14 | 4-01-05-14 | 68 | 4-01-04-68 | 4-01-05-68 |
| 16 | 4-01-04-16 | 4-01-05-16 | 70 | 4-01-04-70 | 4-01-05-70 |
| 18 | 4-01-04-18 | 4-01-05-18 | 72 | 4-01-04-72 | 4-01-05-72 |
| 20 | 4-01-04-20 | 4-01-05-20 | 74 | 4-01-04-74 | 4-01-05-74 |
| 22 | 4-01-04-22 | 4-01-05-22 | 76 | 4-01-04-76 | 4-01-05-76 |
| 24 | 4-01-04-24 | 4-01-05-24 | 78 | 4-01-04-78 | 4-01-05-78 |
| 26 | 4-01-04-26 | 4-01-05-26 | 80 | 4-01-04-80 | 4-01-05-80 |
| 28 | 4-01-04-28 | 4-01-05-28 | 82 | 4-01-04-82 | 4-01-05-82 |
| 30 | 4-01-04-30 | 4-01-05-30 | 84 | 4-01-04-84 | 4-01-05-84 |
| 32 | 4-01-04-32 | 4-01-05-32 | 85 | 4-01-04-85 | 4-01-05-85 |
| 34 | 4-01-04-34 | 4-01-05-34 | 86 | 4-01-04-86 | 4-01-05-86 |
| 36 | 4-01-04-36 | 4-01-05-36 | 88 | 4-01-04-88 | 4-01-05-88 |
| 38 | 4-01-04-38 | 4-01-05-38 | 90 | 4-01-04-90 | 4-01-05-90 |
| 40 | 4-01-04-40 | 4-01-05-40 | 95 | 4-01-04-95 | 4-01-05-95 |
| 42 | 4-01-04-42 | 4-01-05-42 | 100 | 4-01-04-100 | 4-01-05-100 |
| 44 | 4-01-04-44 | 4-01-05-44 | 105 | 4-01-04-105 | 4-01-05-105 |
| 46 | 4-01-04-46 | 4-01-05-46 | 110 | 4-01-04-110 | 4-01-05-110 |
| 48 | 4-01-04-48 | 4-01-05-48 | 115 | 4-01-04-115 | 4-01-05-115 |
| 50 | 4-01-04-50 | 4-01-05-50 | 120 | 4-01-04-120 | 4-01-05-120 |
| 52 | 4-01-04-52 | 4-01-05-52 | 125 | 4-01-04-125 | 4-01-05-125 |
| 54 | 4-01-04-54 | 4-01-05-54 | 130 | 4-01-04-130 | 4-01-05-130 |
| 56 | 4-01-04-56 | 4-01-05-56 | 135 | 4-01-04-135 | 4-01-05-135 |
| 58 | 4-01-04-58 | 4-01-05-58 | 140 | 4-01-04-140 | 4-01-05-140 |
| 60 | 4-01-04-60 | 4-01-05-60 | 145 | 4-01-04-145 | 4-01-05-145 |
| 62 | 4-01-04-62 | 4-01-05-62 | 150 | 4-01-04-150 | 4-01-05-150 |
| 64 | 4-01-04-64 | 4-01-05-64 | | | |




Wkręt do kości drobnych Ø3,5/1,9mm
Screw for small bones Ø3,5/1,9mm

1.3

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|------------------------------|-----------|--------|-----------|
| | | | | |
| | | | | |
| | SS | SS(T) | SS | SS(T) |
| 8 | 220008 | 220208(T) | 220108 | 220408(T) |
| 10 | 220010 | 220210(T) | 220110 | 220410(T) |
| 12 | 220012 | 220212(T) | 220112 | 220412(T) |
| 14 | 220014 | 220214(T) | 220114 | 220414(T) |
| 15 | 220015 | 220215(T) | 220115 | 220415(T) |
| 16 | 220016 | 220216(T) | 220116 | 220416(T) |
| 18 | 220018 | 220218(T) | 220118 | 220418(T) |
| 20 | 220020 | 220220(T) | 220120 | 220420(T) |
| 22 | 220022 | 220222(T) | 220122 | 220422(T) |
| 24 | 220024 | 220224(T) | 220124 | 220424(T) |
| 25 | 220025 | 220225(T) | 220125 | 220425(T) |
| 26 | 220026 | 220226(T) | 220126 | 220426(T) |
| 28 | 220028 | 220228(T) | 220128 | 220428(T) |
| 30 | 220030 | 220230(T) | 220130 | 220430(T) |
| 32 | 220032 | 220232(T) | 220132 | 220432(T) |
| 34 | 220034 | 220234(T) | 220134 | 220434(T) |

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|------------------------------|-----------|--------|-----------|
| | | | | |
| | | | | |
| | SS | SS(T) | SS | SS(T) |
| 35 | 220035 | 220235(T) | 220135 | 220435(T) |
| 36 | 220036 | 220236(T) | 220136 | 220436(T) |
| 38 | 220038 | 220238(T) | 220138 | 220438(T) |
| 40 | 220040 | 220240(T) | 220140 | 220440(T) |
| 42 | 220042 | 220242(T) | 220142 | 220442(T) |
| 44 | 220044 | 220244(T) | 220144 | 220444(T) |
| 45 | 220045 | 220245(T) | 220145 | 220445(T) |
| 46 | 220046 | 220246(T) | 220146 | 220446(T) |
| 48 | 220048 | 220248(T) | 220148 | 220448(T) |
| 50 | 220050 | 220250(T) | 220150 | 220450(T) |
| 52 | 220052 | 220252(T) | 220152 | 220452(T) |
| 54 | 220054 | 220254(T) | 220154 | 220454(T) |
| 55 | 220055 | 220255(T) | 220155 | 220455(T) |
| 56 | 220056 | 220256(T) | 220156 | 220456(T) |
| 58 | 220058 | 220258(T) | 220158 | 220458(T) |
| 60 | 220060 | 220260(T) | 220160 | 220460(T) |




Handwritten signature

Kopija tikra

Handwritten text

2015-03-30



Wkręt do kości gąbczastej Ø6,5/3,0mm B=22-32mm
Cancellous bone screw Ø6,5/3,0mm B=22-32mm

1.5


| L [mm] | B [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--------|------------------------------|-----------|--------|-----------|
| | | | | | |
| | | | | | |
| 32 | 22 | 270032 | 270232(T) | 270732 | 270932(T) |
| 34 | | 270034 | 270234(T) | 270734 | 270934(T) |
| 35 | | 270035 | 270235(T) | 270735 | 270935(T) |
| 36 | 27 | 270036 | 270236(T) | 270736 | 270936(T) |
| 38 | | 270038 | 270238(T) | 270738 | 270938(T) |
| 40 | | 270040 | 270240(T) | 270740 | 270940(T) |
| 42 | 32 | 270042 | 270242(T) | 270742 | 270942(T) |
| 44 | | 270044 | 270244(T) | 270744 | 270944(T) |
| 45 | | 270045 | 270245(T) | 270745 | 270945(T) |
| 46 | | 270046 | 270246(T) | 270746 | 270946(T) |
| 48 | | 270048 | 270248(T) | 270748 | 270948(T) |
| 50 | | 270050 | 270250(T) | 270750 | 270950(T) |
| 52 | | 270052 | 270252(T) | 270752 | 270952(T) |
| 54 | | 270054 | 270254(T) | 270754 | 270954(T) |
| 55 | | 270055 | 270255(T) | 270755 | 270955(T) |
| 56 | | 270056 | 270256(T) | 270756 | 270956(T) |
| 58 | | 270058 | 270258(T) | 270758 | 270958(T) |
| 60 | | 270060 | 270260(T) | 270760 | 270960(T) |
| 62 | | 270062 | 270262(T) | 270762 | 270962(T) |
| 64 | | 270064 | 270264(T) | 270764 | 270964(T) |

| L [mm] | B [mm] | Nr katalogowy / Catalogue No | | | |
|--------|--------|------------------------------|-----------|-----------|-----------|
| | | | | | |
| | | | | | |
| 65 | 32 | 270065 | 270265(T) | 270765 | 270965(T) |
| 66 | | 270066 | 270266(T) | 270766 | 270966(T) |
| 68 | | 270068 | 270268(T) | 270768 | 270968(T) |
| 70 | | 270070 | 270270(T) | 270770 | 270970(T) |
| 72 | | 270072 | 270272(T) | 270772 | 270972(T) |
| 74 | | 270074 | 270274(T) | 270774 | 270974(T) |
| 75 | | 270075 | 270275(T) | 270775 | 270975(T) |
| 80 | | 270080 | 270280(T) | 270780 | 270980(T) |
| 85 | | 270085 | 270285(T) | 270785 | 270985(T) |
| 90 | | 270090 | 270290(T) | 270790 | 270990(T) |
| 95 | | 270095 | 270295(T) | 270795 | 270995(T) |
| 100 | | 270100 | 270300(T) | 270800 | 271000(T) |
| 105 | | 270105 | 270305(T) | 270805 | 271005(T) |
| 110 | | 270110 | 270310(T) | 270810 | 271010(T) |
| 115 | | 270115 | 270315(T) | 270815 | 271015(T) |
| 120 | | 270120 | 270320(T) | 270820 | 271020(T) |
| 125 | | 270125 | 270325(T) | 270825 | 271021(T) |
| 130 | | 270130 | 270330(T) | 270830 | 271022(T) |
| 135 | 270135 | 270335(T) | 270835 | 271023(T) | |
| 140 | 270140 | 270340(T) | 270840 | 271024(T) | |




2015-03-30


Kopia tikra



Wkręt do kości drobnych Ø2,7/1,9mm
Screw for small bones Ø2,7/1,9mm

1.6

| L [mm] | Nr katalogowy / Catalogue No | | | |
|--------|---|---|--|--|
| |  | |  | |
| |  |  |  |  |
| | SS | SS(T) | SS | SS(T) |
| 6 | 221006 | 221206(T) | 221106 | 221306(T) |
| 7 | 221007 | 221207(T) | 221107 | 221307(T) |
| 8 | 221008 | 221208(T) | 221108 | 221308(T) |
| 9 | 221009 | 221209(T) | 221109 | 221309(T) |
| 10 | 221010 | 221210(T) | 221110 | 221310(T) |
| 11 | 221011 | 221211(T) | 221111 | 221311(T) |
| 12 | 221012 | 221212(T) | 221112 | 221312(T) |
| 13 | 221013 | 221213(T) | 221113 | 221313(T) |
| 14 | 221014 | 221214(T) | 221114 | 221314(T) |
| 15 | 221015 | 221215(T) | 221115 | 221315(T) |
| 16 | 221016 | 221216(T) | 221116 | 221316(T) |
| 17 | 221017 | 221217(T) | 221117 | 221317(T) |
| 18 | 221018 | 221218(T) | 221118 | 221318(T) |
| 19 | 221019 | 221219(T) | 221119 | 221319(T) |
| 20 | 221020 | 221220(T) | 221120 | 221320(T) |
| 21 | 221021 | 221221(T) | 221121 | 221321(T) |
| 22 | 221022 | 221222(T) | 221122 | 221322(T) |
| 23 | 221023 | 221223(T) | 221123 | 221323(T) |
| 24 | 221024 | 221224(T) | 221124 | 221324(T) |
| 25 | 221025 | 221225(T) | 221125 | 221325(T) |
| 26 | 221026 | 221226(T) | 221126 | 221326(T) |
| 28 | 221028 | 221228(T) | 221128 | 221328(T) |
| 30 | 221030 | 221230(T) | 221130 | 221330(T) |
| 32 | 221032 | 221232(T) | 221132 | 221332(T) |
| 34 | 221034 | 221234(T) | 221134 | 221334(T) |
| 35 | 221035 | 221235(T) | 221135 | 221335(T) |
| 36 | 221036 | 221236(T) | 221136 | 221336(T) |
| 38 | 221038 | 221238(T) | 221138 | 221338(T) |
| 40 | 221040 | 221240(T) | 221140 | 221340(T) |



Kopija tikra
2015-03-30


Wkręty do kości drobnych, korowe, samogwintujące
Cortical self-tapping screws for small bones fragments

D = 2,7 mm 17

| S = 2,5 mm | | T = 8 | |
|------------|------------|--------|-------------|
| L [mm] | Ref. | L [mm] | Ref. |
| 6 | 4-01-48-06 | 6 | 4-01-216-06 |
| 8 | 4-01-48-08 | 8 | 4-01-216-08 |
| 10 | 4-01-48-10 | 10 | 4-01-216-10 |
| 12 | 4-01-48-12 | 12 | 4-01-216-12 |
| 14 | 4-01-48-14 | 14 | 4-01-216-14 |
| 16 | 4-01-48-16 | 16 | 4-01-216-16 |
| 18 | 4-01-48-18 | 18 | 4-01-216-18 |
| 20 | 4-01-48-20 | 20 | 4-01-216-20 |
| 22 | 4-01-48-22 | 22 | 4-01-216-22 |
| 24 | 4-01-48-24 | 24 | 4-01-216-24 |
| 26 | 4-01-48-26 | 26 | 4-01-216-26 |
| 28 | 4-01-48-28 | 28 | 4-01-216-28 |
| 30 | 4-01-48-30 | 30 | 4-01-216-30 |
| 32 | 4-01-48-32 | 32 | 4-01-216-32 |
| 34 | 4-01-48-34 | 34 | 4-01-216-34 |
| 36 | 4-01-48-36 | 36 | 4-01-216-36 |
| 38 | 4-01-48-38 | 38 | 4-01-216-38 |
| 40 | 4-01-48-40 | 40 | 4-01-216-40 |
| 42 | 4-01-48-42 | 42 | 4-01-216-42 |
| 44 | 4-01-48-44 | 44 | 4-01-216-44 |
| 46 | 4-01-48-46 | 46 | 4-01-216-46 |
| 48 | 4-01-48-48 | 48 | 4-01-216-48 |
| 50 | 4-01-48-50 | 50 | 4-01-216-50 |
| 52 | 4-01-48-52 | 52 | 4-01-216-52 |
| 54 | 4-01-48-54 | 54 | 4-01-216-54 |
| 56 | 4-01-48-56 | 56 | 4-01-216-56 |
| 58 | 4-01-48-58 | 58 | 4-01-216-58 |
| 60 | 4-01-48-60 | 60 | 4-01-216-60 |

D = 2,4 mm

| S = 2,5 mm | | T = 8 | |
|------------|-------------|--------|-------------|
| L [mm] | Ref. | L [mm] | Ref. |
| 6 | 4-01-239-06 | 6 | 4-01-240-06 |
| 8 | 4-01-239-08 | 8 | 4-01-240-08 |
| 10 | 4-01-239-10 | 10 | 4-01-240-10 |
| 12 | 4-01-239-12 | 12 | 4-01-240-12 |
| 14 | 4-01-239-14 | 14 | 4-01-240-14 |
| 16 | 4-01-239-16 | 16 | 4-01-240-16 |
| 18 | 4-01-239-18 | 18 | 4-01-240-18 |
| 20 | 4-01-239-20 | 20 | 4-01-240-20 |
| 22 | 4-01-239-22 | 22 | 4-01-240-22 |
| 24 | 4-01-239-24 | 24 | 4-01-240-24 |
| 26 | 4-01-239-26 | 26 | 4-01-240-26 |
| 28 | 4-01-239-28 | 28 | 4-01-240-28 |
| 30 | 4-01-239-30 | 30 | 4-01-240-30 |
| 32 | 4-01-239-32 | 32 | 4-01-240-32 |
| 34 | 4-01-239-34 | 34 | 4-01-240-34 |
| 36 | 4-01-239-36 | 36 | 4-01-240-36 |
| 38 | 4-01-239-38 | 38 | 4-01-240-38 |
| 40 | 4-01-239-40 | 40 | 4-01-240-40 |




D = 3,5 mm

| S = 2,5 mm | | T = 15 | |
|------------|------------|--------|-------------|
| L [mm] | Ref. | L [mm] | Ref. |
| 8 | 4-01-51-08 | 8 | 4-01-221-08 |
| 10 | 4-01-51-10 | 10 | 4-01-221-10 |
| 12 | 4-01-51-12 | 12 | 4-01-221-12 |
| 14 | 4-01-51-14 | 14 | 4-01-221-14 |
| 16 | 4-01-51-16 | 16 | 4-01-221-16 |
| 18 | 4-01-51-18 | 18 | 4-01-221-18 |
| 20 | 4-01-51-20 | 20 | 4-01-221-20 |
| 22 | 4-01-51-22 | 22 | 4-01-221-22 |
| 24 | 4-01-51-24 | 24 | 4-01-221-24 |
| 26 | 4-01-51-26 | 26 | 4-01-221-26 |
| 28 | 4-01-51-28 | 28 | 4-01-221-28 |
| 30 | 4-01-51-30 | 30 | 4-01-221-30 |
| 32 | 4-01-51-32 | 32 | 4-01-221-32 |
| 34 | 4-01-51-34 | 34 | 4-01-221-34 |
| 36 | 4-01-51-36 | 36 | 4-01-221-36 |
| 38 | 4-01-51-38 | 38 | 4-01-221-38 |
| 40 | 4-01-51-40 | 40 | 4-01-221-40 |
| 42 | 4-01-51-42 | 42 | 4-01-221-42 |
| 44 | 4-01-51-44 | 44 | 4-01-221-44 |
| 46 | 4-01-51-46 | 46 | 4-01-221-46 |
| 48 | 4-01-51-48 | 48 | 4-01-221-48 |
| 50 | 4-01-51-50 | 50 | 4-01-221-50 |
| 52 | 4-01-51-52 | 52 | 4-01-221-52 |
| 54 | 4-01-51-54 | 54 | 4-01-221-54 |
| 56 | 4-01-51-56 | 56 | 4-01-221-56 |
| 58 | 4-01-51-58 | 58 | 4-01-221-58 |
| 60 | 4-01-51-60 | 60 | 4-01-221-60 |
| 62 | 4-01-51-62 | 62 | 4-01-221-62 |
| 64 | 4-01-51-64 | 64 | 4-01-221-64 |
| 66 | 4-01-51-66 | 66 | 4-01-221-66 |
| 68 | 4-01-51-68 | 68 | 4-01-221-68 |
| 70 | 4-01-51-70 | 70 | 4-01-221-70 |
| 72 | 4-01-51-72 | 72 | 4-01-221-72 |
| 74 | 4-01-51-74 | 74 | 4-01-221-74 |
| 76 | 4-01-51-76 | 76 | 4-01-221-76 |
| 78 | 4-01-51-78 | 78 | 4-01-221-78 |
| 80 | 4-01-51-80 | 80 | 4-01-221-80 |
| 82 | 4-01-51-82 | 82 | 4-01-221-82 |
| 84 | 4-01-51-84 | 84 | 4-01-221-84 |
| 86 | 4-01-51-86 | 86 | 4-01-221-86 |
| 88 | 4-01-51-88 | 88 | 4-01-221-88 |
| 90 | 4-01-51-90 | 90 | 4-01-221-90 |

D = 4,5 mm

| S = 3,5 mm | | T = 25 | |
|------------|-------------|--------|--------------|
| L [mm] | Ref. | L [mm] | Ref. |
| 12 | 4-01-04-12 | 12 | 4-01-218-12 |
| 14 | 4-01-04-14 | 14 | 4-01-218-14 |
| 16 | 4-01-04-16 | 16 | 4-01-218-16 |
| 18 | 4-01-04-18 | 18 | 4-01-218-18 |
| 20 | 4-01-04-20 | 20 | 4-01-218-20 |
| 22 | 4-01-04-22 | 22 | 4-01-218-22 |
| 24 | 4-01-04-24 | 24 | 4-01-218-24 |
| 26 | 4-01-04-26 | 26 | 4-01-218-26 |
| 28 | 4-01-04-28 | 28 | 4-01-218-28 |
| 30 | 4-01-04-30 | 30 | 4-01-218-30 |
| 32 | 4-01-04-32 | 32 | 4-01-218-32 |
| 34 | 4-01-04-34 | 34 | 4-01-218-34 |
| 36 | 4-01-04-36 | 36 | 4-01-218-36 |
| 38 | 4-01-04-38 | 38 | 4-01-218-38 |
| 40 | 4-01-04-40 | 40 | 4-01-218-40 |
| 42 | 4-01-04-42 | 42 | 4-01-218-42 |
| 44 | 4-01-04-44 | 44 | 4-01-218-44 |
| 46 | 4-01-04-46 | 46 | 4-01-218-46 |
| 48 | 4-01-04-48 | 48 | 4-01-218-48 |
| 50 | 4-01-04-50 | 50 | 4-01-218-50 |
| 52 | 4-01-04-52 | 52 | 4-01-218-52 |
| 54 | 4-01-04-54 | 54 | 4-01-218-54 |
| 56 | 4-01-04-56 | 56 | 4-01-218-56 |
| 58 | 4-01-04-58 | 58 | 4-01-218-58 |
| 60 | 4-01-04-60 | 60 | 4-01-218-60 |
| 62 | 4-01-04-62 | 62 | 4-01-218-62 |
| 64 | 4-01-04-64 | 64 | 4-01-218-64 |
| 66 | 4-01-04-66 | 66 | 4-01-218-66 |
| 68 | 4-01-04-68 | 68 | 4-01-218-68 |
| 70 | 4-01-04-70 | 70 | 4-01-218-70 |
| 72 | 4-01-04-72 | 72 | 4-01-218-72 |
| 74 | 4-01-04-74 | 74 | 4-01-218-74 |
| 76 | 4-01-04-76 | 76 | 4-01-218-76 |
| 78 | 4-01-04-78 | 78 | 4-01-218-78 |
| 80 | 4-01-04-80 | 80 | 4-01-218-80 |
| 82 | 4-01-04-82 | 82 | 4-01-218-82 |
| 84 | 4-01-04-84 | 84 | 4-01-218-84 |
| 86 | 4-01-04-86 | 86 | 4-01-218-86 |
| 88 | 4-01-04-88 | 88 | 4-01-218-88 |
| 90 | 4-01-04-90 | 90 | 4-01-218-90 |
| 95 | 4-01-04-95 | 95 | 4-01-218-95 |
| 100 | 4-01-04-100 | 100 | 4-01-218-100 |
| 105 | 4-01-04-105 | 105 | 4-01-218-105 |
| 110 | 4-01-04-110 | 110 | 4-01-218-110 |
| 115 | 4-01-04-115 | 115 | 4-01-218-115 |


Handwritten signature and date: 2015-03-30



Wkręt do kości drobnych Ø2,0/1,3mm
Screw for small bones Ø2,0/1,3mm

18


| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 5 | 222205(T) | 222305(T) |
| 6 | 222206(T) | 222306(T) |
| 7 | 222207(T) | 222307(T) |
| 8 | 222208(T) | 222308(T) |
| 9 | 222209(T) | 222309(T) |
| 10 | 222210(T) | 222310(T) |
| 11 | 222211(T) | 222311(T) |
| 12 | 222212(T) | 222312(T) |
| 13 | 222213(T) | 222313(T) |
| 14 | 222214(T) | 222314(T) |
| 15 | 222215(T) | 222315(T) |

| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 16 | 222216(T) | 222316(T) |
| 17 | 222217(T) | 222317(T) |
| 18 | 222218(T) | 222318(T) |
| 19 | 222219(T) | 222319(T) |
| 20 | 222220(T) | 222320(T) |
| 21 | 222221(T) | 222321(T) |
| 22 | 222222(T) | 222322(T) |
| 23 | 222223(T) | 222323(T) |
| 24 | 222224(T) | 222324(T) |
| 25 | 222225(T) | 222325(T) |

2015-03-30

Handwritten signature

Kopie tikra




Wkręt do kości drobnych Ø1,5/1,0mm
Screw for small bones Ø1,5/1,0mm

110

| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 6 | 223206(T) | 223106(T) |
| 7 | 223207(T) | 223107(T) |
| 8 | 223208(T) | 223108(T) |
| 9 | 223209(T) | 223109(T) |
| 10 | 223210(T) | 223110(T) |
| 11 | 223211(T) | 223111(T) |

| L [mm] | Nr katalogowy / Catalogue No | |
|--------|---|---|
| |  |  |
| |  | |
| | SS(T) | |
| 12 | 223212(T) | 223112(T) |
| 13 | 223213(T) | 223113(T) |
| 14 | 223214(T) | 223114(T) |
| 15 | 223215(T) | 223115(T) |
| 16 | 223216(T) | 223116(T) |






WKRĘT DO KOŚCI DROBNYCH samogwintujący
 SCREW FOR SMALL BONE FRAGMENTS self-tapping

ø 1,5 x 0,5mm



| l (mm) | ⊕ | + | ⊞ |
|--------|------------|------------|------------|
| 5 | 4-01-42-05 | 4-01-43-05 | 4-01-44-05 |
| 6 | 4-01-42-06 | 4-01-43-06 | 4-01-44-06 |
| 7 | 4-01-42-07 | 4-01-43-07 | 4-01-44-07 |
| 8 | 4-01-42-08 | 4-01-43-08 | 4-01-44-08 |
| 9 | 4-01-42-09 | 4-01-43-09 | 4-01-44-09 |
| 10 | 4-01-42-10 | 4-01-43-10 | 4-01-44-10 |
| 11 | 4-01-42-11 | 4-01-43-11 | 4-01-44-11 |
| 12 | 4-01-42-12 | 4-01-43-12 | 4-01-44-12 |
| 14 | 4-01-42-14 | 4-01-43-14 | 4-01-44-14 |
| 16 | 4-01-42-16 | 4-01-43-16 | 4-01-44-16 |
| 18 | 4-01-42-18 | 4-01-43-18 | 4-01-44-18 |
| 20 | 4-01-42-20 | 4-01-43-20 | 4-01-44-20 |
| 22 | 4-01-42-22 | 4-01-43-22 | 4-01-44-22 |




WKRĘT DO KOŚCI DROBNYCH samogwintujący
 SCREW FOR SMALL BONE FRAGMENTS self-tapping

ø 2,0 x 0,75mm



| l (mm) | ⊕ | + | ⊞ |
|--------|------------|------------|------------|
| 5 | 4-01-45-05 | 4-01-46-05 | 4-01-47-05 |
| 6 | 4-01-45-06 | 4-01-46-06 | 4-01-47-06 |
| 8 | 4-01-45-08 | 4-01-46-08 | 4-01-47-08 |
| 10 | 4-01-45-10 | 4-01-46-10 | 4-01-47-10 |
| 12 | 4-01-45-12 | 4-01-46-12 | 4-01-47-12 |
| 14 | 4-01-45-14 | 4-01-46-14 | 4-01-47-14 |
| 16 | 4-01-45-16 | 4-01-46-16 | 4-01-47-16 |
| 18 | 4-01-45-18 | 4-01-46-18 | 4-01-47-18 |
| 20 | 4-01-45-20 | 4-01-46-20 | 4-01-47-20 |
| 22 | 4-01-45-22 | 4-01-46-22 | 4-01-47-22 |
| 24 | 4-01-45-24 | 4-01-46-24 | 4-01-47-24 |
| 26 | 4-01-45-26 | 4-01-46-26 | 4-01-47-26 |
| 28 | 4-01-45-28 | 4-01-46-28 | 4-01-47-28 |
| 30 | 4-01-45-30 | 4-01-46-30 | 4-01-47-30 |
| 32 | 4-01-45-32 | 4-01-46-32 | 4-01-47-32 |
| 34 | 4-01-45-34 | 4-01-46-34 | 4-01-47-34 |
| 36 | 4-01-45-36 | 4-01-46-36 | 4-01-47-36 |
| 38 | 4-01-45-38 | 4-01-46-38 | 4-01-47-38 |
| 40 | 4-01-45-40 | 4-01-46-40 | 4-01-47-40 |




WKRĘT DO KOŚCI DROBNYCH samogwintujący
 SCREW FOR SMALL BONE FRAGMENTS self-tapping

ø 2,7 x 1,0mm

| l (mm) | ⊕ | + | ⊞ |
|--------|------------|------------|------------|
| 6 | 4-01-48-06 | 4-01-49-06 | 4-01-50-06 |
| 8 | 4-01-48-08 | 4-01-49-08 | 4-01-50-08 |
| 10 | 4-01-48-10 | 4-01-49-10 | 4-01-50-10 |
| 12 | 4-01-48-12 | 4-01-49-12 | 4-01-50-12 |
| 14 | 4-01-48-14 | 4-01-49-14 | 4-01-50-14 |
| 16 | 4-01-48-16 | 4-01-49-16 | 4-01-50-16 |
| 18 | 4-01-48-18 | 4-01-49-18 | 4-01-50-18 |
| 20 | 4-01-48-20 | 4-01-49-20 | 4-01-50-20 |
| 22 | 4-01-48-22 | 4-01-49-22 | 4-01-50-22 |
| 24 | 4-01-48-24 | 4-01-49-24 | 4-01-50-24 |
| 26 | 4-01-48-26 | 4-01-49-26 | 4-01-50-26 |
| 28 | 4-01-48-28 | 4-01-49-28 | 4-01-50-28 |
| 30 | 4-01-48-30 | 4-01-49-30 | 4-01-50-30 |
| 32 | 4-01-48-32 | 4-01-49-32 | 4-01-50-32 |
| 34 | 4-01-48-34 | 4-01-49-34 | 4-01-50-34 |
| 36 | 4-01-48-36 | 4-01-49-36 | 4-01-50-36 |
| 38 | 4-01-48-38 | 4-01-49-38 | 4-01-50-38 |
| 40 | 4-01-48-40 | 4-01-49-40 | 4-01-50-40 |
| 42 | 4-01-48-42 | 4-01-49-42 | 4-01-50-42 |
| 44 | 4-01-48-44 | 4-01-49-44 | 4-01-50-44 |

Kopija tikra


2015-03-30



Podkładka pod wkręty
Washer for screws

| Grubość Thickness [mm] | D [mm] | d [mm] | Ø wkręta screw | Nr katalogowy Catalogue No SS(T) |
|------------------------------|-----------|-----------|----------------------|--|
| 1 | 7 | 2,8 | 2.0; 2,7 | 292004(T) |
| 1.5 | 7 | 4.2 | 3.5; 4.0 | 292005(T) 1.12 |
| | 11 | | | 292007(T) |
| | 11 | | | 292010(T) 1.13 |
| | 13 | 5 | 4.5 | 292015(T) |
| | 16 | | | 292016(T) |
| | 6.7 | | | 292018(T) |


| Grubość Thickness [mm] | D [mm] | d [mm] | Ø wkręta screw | Nr katalogowy Catalogue No SS(T) |
|------------------------------|-----------|-----------|----------------------------------|--|
| 1.5 | 19 | 5 | 4.5 | 292020(T) |
| | 11 | 6.7 | 6.5 | 292210(T) |
| | 13 | | | 292215(T) |
| | 13 | 7.2 | 7.0 kaniulowane cannulated | 292113(T) |
| | 16 | | | 292115(T) |
| | 19 | | | 292120(T) |




Podkładka 2-otworowa
2-holes washer

| Nr katalogowy / Catalogue No |
|------------------------------|
| 292110 |

2015-10-30







WKREŃ KANIULOWANY samogwintujący
CANNULATED SCREW self-tapping


1.14



| L (mm) | A (mm) | ● | L (mm) | A (mm) | ● |
|--------|--------|------------|--------|--------|-------------|
| 10 | - | 4-01-78-01 | 70 | 12 | 4-01-78-74 |
| 12 | - | 4-01-78-02 | 75 | 12 | 4-01-78-75 |
| 14 | - | 4-01-78-03 | 80 | 12 | 4-01-78-76 |
| 16 | - | 4-01-78-04 | 30 | 15 | 4-01-78-86 |
| 18 | 11 | 4-01-78-05 | 50 | 16 | 4-01-78-77 |
| 20 | 12 | 4-01-78-06 | 55 | 16 | 4-01-78-78 |
| 22 | 12 | 4-01-78-07 | 60 | 16 | 4-01-78-79 |
| 24 | 12 | 4-01-78-08 | 35 | 18 | 4-01-78-87 |
| 25 | 12 | 4-01-78-85 | 40 | 20 | 4-01-78-88 |
| 26 | 12 | 4-01-78-09 | 45 | 22 | 4-01-78-89 |
| 28 | 12 | 4-01-78-10 | 50 | 24 | 4-01-78-90 |
| 30 | 12 | 4-01-78-11 | 55 | 26 | 4-01-78-91 |
| 35 | 12 | 4-01-78-12 | 60 | 30 | 4-01-78-92 |
| 40 | 12 | 4-01-78-13 | 65 | 30 | 4-01-78-93 |
| 45 | 12 | 4-01-78-14 | 70 | 32 | 4-01-78-94 |
| 50 | 12 | 4-01-78-70 | 75 | 32 | 4-01-78-95 |
| 55 | 12 | 4-01-78-71 | 80 | 32 | 4-01-78-96 |
| 60 | 12 | 4-01-78-72 | 85 | 32 | 4-01-78-105 |
| 65 | 12 | 4-01-78-73 | 90 | 32 | 4-01-78-110 |



WKREŃ KANIULOWANY samogwintujący
CANNULATED SCREW self-tapping



WKREŃ KANIULOWANY samogwintujący
CANNULATED SCREW self-tapping




Kopija tikra

2015-03-30

Handwritten signature and circular stamp with text: "KAB" and "KOPISZ" (copy).

| L (mm) | A (mm) | ● | L (mm) | A (mm) | ● |
|--------|--------|------------|--------|--------|------------|
| 40 | 16 | 4-01-78-32 | 40 | 27 | 4-01-78-98 |
| 45 | 16 | 4-01-78-33 | 40 | 32 | 4-01-78-51 |
| 50 | 16 | 4-01-78-34 | 45 | 32 | 4-01-78-52 |
| 55 | 16 | 4-01-78-35 | 50 | 32 | 4-01-78-53 |
| 60 | 16 | 4-01-78-36 | 55 | 32 | 4-01-78-54 |
| 65 | 16 | 4-01-78-37 | 60 | 32 | 4-01-78-55 |
| 70 | 16 | 4-01-78-38 | 65 | 32 | 4-01-78-56 |
| 75 | 16 | 4-01-78-39 | 70 | 32 | 4-01-78-57 |
| 80 | 16 | 4-01-78-40 | 75 | 32 | 4-01-78-58 |
| 85 | 16 | 4-01-78-41 | 80 | 32 | 4-01-78-59 |
| 90 | 16 | 4-01-78-42 | 85 | 32 | 4-01-78-60 |
| 95 | 16 | 4-01-78-43 | 90 | 32 | 4-01-78-61 |
| 100 | 16 | 4-01-78-44 | 95 | 32 | 4-01-78-62 |
| 105 | 16 | 4-01-78-45 | 100 | 32 | 4-01-78-63 |
| 110 | 16 | 4-01-78-46 | 105 | 32 | 4-01-78-64 |
| 115 | 16 | 4-01-78-47 | 110 | 32 | 4-01-78-65 |
| 120 | 16 | 4-01-78-48 | 115 | 32 | 4-01-78-66 |
| 125 | 16 | 4-01-78-49 | 120 | 32 | 4-01-78-67 |
| 130 | 16 | 4-01-78-50 | 125 | 32 | 4-01-78-68 |
| 35 | 22 | 4-01-78-97 | 130 | 32 | 4-01-78-69 |



Wkręt kaniulowany Ø7,0/ Ø2,2mm
Cannulated Screw Ø7,0/ Ø2,2mm


1.15


| L [mm] | b [mm] | Nr katalogowy / Catalogue No | |
|--------|--------|---------------------------------|---------|
| | | SS | Ti |
| 35 | 22 | 272235 | 272235T |
| 36 | 22 | 272236 | 272236T |
| 38 | 22 | 272238 | 272238T |
| 40 | 27 | 272240 | 272240T |
| 42 | 27 | 272242 | 272242T |
| 44 | 27 | 272244 | 272244T |
| 45 | 32 | 272245 | 272245T |
| 46 | 32 | 272246 | 272246T |
| 48 | 32 | 272248 | 272248T |
| 50 | 32 | 272250 | 272250T |
| 52 | 32 | 272252 | 272252T |
| 54 | 32 | 272254 | 272254T |
| 55 | 32 | 272255 | 272255T |
| 56 | 32 | 272256 | 272256T |
| 58 | 32 | 272258 | 272258T |
| 60 | 32 | 272260 | 272260T |
| 62 | 32 | 272262 | 272262T |
| 64 | 32 | 272264 | 272264T |
| 65 | 32 | 272265 | 272265T |

| L [mm] | b [mm] | Nr katalogowy / Catalogue No | |
|--------|--------|---------------------------------|---------|
| | | SS | Ti |
| 66 | 32 | 272266 | 272266T |
| 68 | 32 | 272268 | 272268T |
| 70 | 32 | 272270 | 272270T |
| 72 | 32 | 272272 | 272272T |
| 74 | 32 | 272274 | 272274T |
| 75 | 32 | 272275 | 272275T |
| 76 | 32 | 272276 | 272276T |
| 78 | 32 | 272278 | 272278T |
| 80 | 32 | 272280 | 272280T |
| 85 | 32 | 272285 | 272285T |
| 90 | 32 | 272290 | 272290T |
| 95 | 32 | 272295 | 272295T |
| 100 | 32 | 272300 | 272300T |
| 105 | 32 | 272305 | 272305T |
| 110 | 32 | 272310 | 272310T |
| 115 | 32 | 272315 | 272315T |
| 120 | 32 | 272320 | 272320T |
| 125 | 32 | 272325 | 272325T |
| 130 | 32 | 272330 | 272330T |

Wyroby z tytanu mogą być wykonane tylko po uzgodnieniu z działem handlowym BHH MIKROMED Sp. z o.o.
(Products from titanium can be realized only after confirmation by sales department BHH MIKROMED Sp. z o.o.)

2016-05-30 Kopia tikra






Podkładki
Washers

| ØD | Ød | Ø wkręta Screw Ø | Nr katalog. Catalogue no. | |
|----|-----|---------------------|------------------------------|---------|
| | | | SS | T |
| 7 | 2.8 | 2.0; 2.7 | 292004 | 292004T |
| 7 | 4.2 | 3.5; 4.0 | 292005 | 292005T |
| 11 | | | 292007 | 292007T |
| 11 | 5.0 | 4.5 | 292010 | 292010T |
| 13 | | | 292015 | 292015T |
| 19 | | | 292020 | 292020T |
| 11 | 6.7 | 6.5 | 292210 | 292210T |
| 13 | | | 292215 | 292215T |
| 13 | | | 292113 | 292113T |
| 16 | 7.2 | 7.0 | 292115 | 292115T |
| 19 | | | 292120 | 292120T |

1.16.

Wyroby z tytanu mogą być wykonane tylko po uzgodnieniu z działem handlowym BHH MIKROMED Sp. z o.o.
(Products from titanium can be realized only after confirmation by sales department BHH MIKROMED Sp. z o.o.)




Podkładki
Washers

| ØD | Nr katalogowy / Catalogue No |
|----|---------------------------------|
| 20 | 292220 |

2016-03-30
Kopija tikra

Drill bit
 cannulated
 Ø2.7 - Ø12,0



SERIES OF TYPES


1.17.

| Ø (mm) | D (mm) | L (mm) | Český číslo |
|-----------|-----------|-----------|----------------|
| 2.7 | 1.2 | 150 | 713027 |
| 3.2 | 1.2 | 200 | 713032 |
| 3.5 | 1.2 | 200 | 713035 |
| 4.5 | 2.2 | 230 | 713045 |
| 4.7 | 2.2 | 230 | 713047 |
| 5.0 | 2.2 | 230 | 713050 |
| 6.0 | 2.2 | 230 | 713060 |
| 6.5 | 2.75 | 230 | 713065 |
| 7.0 | 2.75 | 230 | 713070 |
| 10.0 | 2.75 | 230 | 713010 |
| 12.0 | 2.75 | 230 | 713012 |


Vadybintukas
 Egidijus Ropys

2015-03

Kopija tikra




Forefoot Set – Screw module




| Reference | Description |
|--------------------------------|--|
| 119105 | Scarf clamp |
| 229002 | Screwdriver - Hexa 2.0 |
| 229005 | AO Screwdriver - Hexa 2.0 - AO Attachment - Cannulated |
| 229003 | Screwdriver - T7 Star - Cannulated |
| 229004 | Screwdriver - AO - T7 Star - Cannulated |
| 997301 | Depth Gauge - dia. 2.0 x L. 10 mm |
| 997311 | AO Straight Handle |
| 159027S | 2mm Drill - dia. 2.2 mm x L12 mm - AO - Cannulated |
| 159025S | 2mm Drill - dia. 2.2 mm x L22 mm - AO - Cannulated |
| 159023S | 2mm Drill - dia. 2.2 mm x L32 mm - AO - Cannulated |
| 119227S | 2mm Drill - dia. 2.2 mm x L12 mm - Non Cannulated |
| 119225S | 2mm Drill - dia. 2.2 mm x L22 mm - Non Cannulated |
| 119223S | 2mm Drill - dia. 2.2 mm x L32 mm - Non Cannulated |
| 119027S | 2mm Drill - dia. 2.2 mm x L12 mm - Cannulated |
| 119025S | 2mm Drill - dia. 2.2 mm x L22 mm - Cannulated |
| 119023S | 2mm Drill - dia. 2.2 mm x L32 mm - Cannulated |
| 159227S | 2mm Drill - dia. 2.2 mm x L12 mm - AO - Non Cannulated |
| 159225S | 2mm Drill - dia. 2.2 mm x L22 mm - AO - Non Cannulated |
| 159223S | 2mm Drill - dia. 2.2 mm x L32 mm - AO - Non Cannulated |
| 229027S | 2mm Drill - dia. 1.9 mm x L12 mm - AO - Cannulated |
| 229037S | 2mm Drill - dia. 1.9 mm x L22 mm - AO - Cannulated |
| 229227S | 2mm Drill - dia. 1.9 mm x L12 mm - Cannulated |
| 229237S | 2mm Drill - dia. 1.9 mm x L22 mm - Cannulated |
| 229028S | 2mm Drill - dia. 1.9 mm x L12 mm - AO - Non Cannulated |
| 229038S | 2mm Drill - dia. 1.9 mm x L22 mm - AO - Non Cannulated |
| 229228S | 2mm Drill - dia. 1.9 mm x L12 mm - Non Cannulated |
| 229238S | 2mm Drill - dia. 1.9 mm x L22 mm - Non Cannulated |
| 115070S | K-Wire - dia. 1.0 x L70 mm - 1 Sharp - 1 Soft |
| 115100S | K-Wire - dia. 1.0 x L100 mm - 2 Sharp tip |
| 115008S | K-Wire - dia. 0.8 x L70 mm - 1 Sharp - 1 Soft tip |
| 229011 | Longitudinal Cutting Guide (Optional) |
| 229012 | Transversal Cutting Guide (Optional) |
| 229101 | Ruler |
| Sterilization Container | |
| 229951 | Screws container including: |
| 229961 | Tray |
| 229970 | Lid |
| 229992 | Mat |

Handwritten signature
 2015-11-30
 Kopija Hkra



Płytką rynnowa drobna 1/4 pod wkręty Ø 2,7mm
Tubular plate small 1/4 for screws Ø 2,7mm


| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 3 | 23 | 110003 |
| 4 | 31 | 110004 |
| 5 | 39 | 110005 |
| 6 | 47 | 110006 |
| 7 | 55 | 110007 |
| 8 | 63 | 110008 |
| 9 | 71 | 110009 |
| 10 | 79 | 110010 |



Płytką rynnowa 1/3 z otworami pod wkręty Ø 3,5mm i Ø4,0mm
Tubular plate 1/3 for screws Ø 3,5mm and Ø4,0mm

1.18.

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 2 | 25 | 115002 |
| 3 | 37 | 115003 |
| 4 | 49 | 115004 |
| 5 | 61 | 115005 |
| 6 | 73 | 115006 |
| 7 | 85 | 115007 |
| 8 | 97 | 115008 |
| 9 | 109 | 115009 |
| 10 | 121 | 115010 |




Płytką rynnowa 1/2 pod wkręty Ø 4,5mm
Tubular plate 1/2 for screws Ø 4,5mm

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 2 | 39 | 104002 |
| 3 | 55 | 104003 |
| 4 | 71 | 104004 |
| 5 | 87 | 104005 |
| 6 | 103 | 104006 |
| 7 | 119 | 104007 |
| 8 | 135 | 104008 |
| 9 | 151 | 104009 |
| 10 | 167 | 104010 |

2015-03-30

Kopia ikra


Wyrobunka
Analiza Rady





Płytką drobną 10,0 x 3,0mm z otworami kulistymi
pod wkręty $\varnothing 3,5\text{mm}$ i $\varnothing 4,0\text{mm}$
Small plate 10,0 x 3,0mm with round holes
for screws $\varnothing 3,5\text{mm}$ and $\varnothing 4,0\text{mm}$


| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No | |
|----------------|--------|------------------------------|--|
| | | SS | |
| 8 | 126 | 100542 | |
| 8 | 136 | 100552 | |
| 8 | 146 | 100562 | |
| 8 | 156 | 100572 | |
| 9 | 128 | 100642 | |
| 9 | 148 | 100652 | |
| 9 | 158 | 100662 | |
| 9 | 168 | 100672 | |
| 10 | 150 | 100742 | |
| 10 | 160 | 100752 | |
| 10 | 170 | 100762 | |
| 10 | 180 | 100772 | |




Płytką drobną 10,0 x 3,0mm samodociskowa
z otworami kulistymi pod wkręty $\varnothing 3,5\text{mm}$ i $\varnothing 4,0\text{mm}$
Small plate 10,0 x 3,0mm self-compressing with round holes
for screws $\varnothing 3,5\text{mm}$ and $\varnothing 4,0\text{mm}$

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No | |
|----------------|--------|------------------------------|--|
| | | | |
| 2 | 26 | 125402 | |
| 3 | 38 | 125403 | |
| 4 | 50 | 125404 | |
| 5 | 62 | 125405 | |
| 6 | 74 | 125406 | |
| 7 | 86 | 125407 | |
| 8 | 98 | 125408 | |
| 10 | 122 | 125410 | |
| 12 | 146 | 125412 | |

Kopija tikra






PLYTKA WĄSKA SAMODOCISKOWA, GRUBA

AUTOCOMPRESSION NARROW PLATE, THICK

4 x 12 mm

otwory pod wkręty / screws: \varnothing 4,5 mm

| L [mm] | Liczba otworów | Nr kat. | L [mm] | Liczba otworów | Nr kat. |
|--------|----------------|------------|--------|----------------|------------|
| 39 | 2 | 4-02-08-02 | 183 | 11 | 4-02-08-11 |
| 55 | 3 | 4-02-08-03 | 199 | 12 | 4-02-08-12 |
| 71 | 4 | 4-02-08-04 | 215 | 13 | 4-02-08-13 |
| 87 | 5 | 4-02-08-05 | 231 | 14 | 4-02-08-14 |
| 103 | 6 | 4-02-08-06 | 247 | 15 | 4-02-08-15 |
| 119 | 7 | 4-02-08-07 | 263 | 16 | 4-02-08-16 |
| 135 | 8 | 4-02-08-08 | 279 | 17 | 4-02-08-17 |
| 151 | 9 | 4-02-08-09 | 295 | 18 | 4-02-08-18 |
| 167 | 10 | 4-02-08-10 | | | |



PLYTKA WĄSKA SAMODOCISKOWA, CIENKA


AUTOCOMPRESSION NARROW PLATE, THIN

2,5 x 11 mm

otwory pod wkręty / screws: \varnothing 3,5 mm

1.20

| L [mm] | Liczba otworów | Nr kat. |
|--------|----------------|---------------|
| 25 | 2 | 4-02-10-02 |
| 37 | 3 | 4-02-10-03 |
| 49 | 4 | 4-02-10-04 |
| 61 | 5 | 4-02-10-05 |
| 73 | 6 | 4-02-10-06 |
| 77 | 6 | 4-02-10-77/06 |
| 85 | 7 | 4-02-10-07 |
| 97 | 8 | 4-02-10-08 |
| 109 | 9 | 4-02-10-09 |
| 121 | 10 | 4-02-10-10 |
| 133 | 11 | 4-02-10-11 |
| 145 | 12 | 4-02-10-12 |



PLYTKA WĄSKA SAMODOCISKOWA, CIENKA

AUTOCOMPRESSION NARROW PLATE, THIN


2,5 x 11 mm


otwory pod wkręty / screws: \varnothing 4,0 mm

| L [mm] | Liczba otworów | Nr kat. |
|--------|----------------|------------|
| 25 | 2 | 4-02-18-02 |
| 37 | 3 | 4-02-18-03 |
| 49 | 4 | 4-02-18-04 |
| 61 | 5 | 4-02-18-05 |
| 73 | 6 | 4-02-18-06 |
| 85 | 7 | 4-02-18-07 |
| 97 | 8 | 4-02-18-08 |
| 109 | 9 | 4-02-18-09 |
| 121 | 10 | 4-02-18-10 |
| 133 | 11 | 4-02-18-11 |
| 145 | 12 | 4-02-18-12 |

Kopija tikra

2015-03-30






Płytką szeroką 16,0 x 5,0mm samodociskowa z otworami kulistymi pod wkręty Ø4,5mm
Wide plate 16,0 x 5,0mm self-compressing with round holes for screws Ø4.5mm

1.21.


| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 5 | 87 | 121205 |
| 6 | 103 | 121206 |
| 7 | 119 | 121207 |
| 8 | 135 | 121208 |
| 9 | 151 | 121209 |
| 10 | 167 | 121210 |
| 11 | 183 | 121211 |
| 12 | 199 | 121212 |
| 13 | 215 | 121213 |
| 14 | 231 | 121214 |
| 15 | 247 | 121215 |
| 16 | 263 | 121216 |
| 17 | 279 | 121217 |
| 18 | 295 | 121218 |
| 19 | 311 | 121219 |
| 20 | 327 | 121220 |
| 21 | 343 | 121221 |
| 22 | 359 | 121222 |
| 23 | 375 | 121223 |
| 24 | 391 | 121224 |
| 25 | 407 | 121225 |
| 26 | 423 | 121226 |



Płytką drobną samodociskową 11,0 x 4,0mm z otworami kulistymi pod wkręty Ø3,5mm i Ø 4,0mm
Small plate self-compressing 11,0 x 4,0mm for screws Ø3,5 and Ø 4,0mm with round holes

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 2 | 25 | 125202 |
| 3 | 37 | 125203 |
| 4 | 49 | 125204 |
| 5 | 61 | 125205 |
| 6 | 73 | 125206 |
| 7 | 85 | 125207 |
| 8 | 97 | 125208 |
| 9 | 109 | 125209 |
| 10 | 121 | 125210 |
| 12 | 145 | 125212 |



Kopija dikta
2015-03-30
Rocys



Płytką rekonstrukcyjną 10,0 x 2,5mm prosta pod wkręty $\varnothing 3,5\text{mm}$ i $\varnothing 4,0\text{mm}$
 Reconstruction plate 10,0 x 2,5mm straight for screws $\varnothing 3,5\text{mm}$ and $\varnothing 4,0\text{mm}$


1.22.

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 5 | 58 | 010005 |
| 6 | 70 | 010006 |
| 7 | 82 | 010007 |
| 8 | 94 | 010008 |
| 9 | 106 | 010009 |
| 10 | 118 | 010010 |
| 11 | 130 | 010011 |
| 12 | 142 | 010012 |
| 13 | 154 | 010013 |
| 14 | 166 | 010014 |
| 15 | 178 | 010015 |
| 16 | 190 | 010016 |
| 17 | 202 | 010017 |
| 18 | 214 | 010018 |
| 19 | 226 | 010019 |
| 20 | 238 | 010020 |
| 21 | 250 | 010021 |
| 22 | 262 | 010022 |




Płytką rekonstrukcyjną cienką pod wkręty $\varnothing 3,5\text{mm}$ i $\varnothing 4,0\text{mm}$
 Reconstruction plate thin for screws $\varnothing 3,5\text{mm}$ and $\varnothing 4,0\text{mm}$

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 4 | 59 | 166004 |
| 5 | 75 | 166005 |
| 6 | 91 | 166006 |
| 7 | 107 | 166007 |
| 8 | 123 | 166008 |
| 9 | 139 | 166009 |
| 10 | 155 | 166010 |
| 12 | 187 | 166012 |
| 14 | 219 | 166014 |





Płytką do kości strzałkowej pod wkręty Ø3,5mm
Plate for fibula for screws Ø3,5mm

| L[mm] | Nr katalogowy / Catalogue No |
|-------|------------------------------|
| 44 | 197100 |




Płytką „Kobra” pod wkręty Ø4,5mm
"Cobra" plate for screws Ø4,5mm

| Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|----------------|--------|------------------------------|
| 6/8 | 168 | 198908 |
| 6/9 | 184 | 198909 |
| 6/10 | 200 | 198910 |
| 6/11 | 216 | 198911 |



Płytką łyżkowa pod wkręty Ø4,5mm
Spoon plate for screws Ø4,5mm


| Rozkład otworów / Alignment of holes | | | | | | | | Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|--------------------------------------|---|---|---|---|---|---|--|----------------|--------|------------------------------|
| R | R | A | R | R | R | | | 3/6 | 100 | 197805 |
| R | R | A | R | R | R | R | | 3/7 | 120 | 197806 |



Płytką „Koniczyna” pod wkręty Ø4,5mm
"Cloverleaf" plate for screws Ø4,5mm

1-23

| Rozkład otworów / Alignment of holes | | | | | | | | | | | | | Otwory Holes | L [mm] | G [mm] | Nr katalogowy Catalogue No |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|------|--------------|--------|--------|----------------------------|
| | A | R | R | R | - | - | - | - | - | - | - | - | 6/3 | 90 | 2,3 | 197903 |
| | A | R | R | R | - | - | - | - | - | - | - | - | | | 1 | 197913 |
| | A | R | R | R | R | - | - | - | - | - | - | - | 6/4 | 106 | 2,3 | 197904 |
| | A | R | R | R | R | - | - | - | - | - | - | - | | | 1 | 197914 |
| | A | R | R | R | R | R | - | - | - | - | - | - | 6/5 | 122 | 2,3 | 197905 |
| | A | R | R | R | R | R | - | - | - | - | - | - | | | 1 | 197915 |
| | A | R | R | R | R | R | R | - | - | - | - | - | 6/6 | 138 | 2,3 | 197906 |
| | A | R | R | R | R | R | R | R | - | - | - | - | 6/7 | 154 | | 197907 |
| | A | R | R | R | R | R | R | R | R | - | - | - | 6/8 | 170 | | 197908 |
| | A | R | R | R | R | R | R | R | R | R | - | - | 6/9 | 186 | | 197909 |
| | A | R | R | R | R | R | R | R | R | R | R | - | 6/10 | 202 | | 197910 |
| | A | R | R | R | R | R | R | R | R | R | R | R | 6/11 | 218 | | 197911 |
| A | R | R | R | R | R | R | R | R | R | R | R | 6/12 | 234 | 197912 | | |




▲ PLYTKA PISZCZELOWA "L"

TIBIAL PLATE "L"

otwory pod wkręty / screws: ϕ 4,5 mm

| L [mm] | OTWORY | Lewa/Left | Prawa/Right |
|--------|--------|------------|-------------|
| 71 | 3 | 4-04-28-01 | 4-04-28-02 |
| 87 | 4 | 4-04-28-03 | 4-04-28-04 |
| 103 | 5 | 4-04-28-05 | 4-04-28-06 |
| 119 | 6 | 4-04-28-07 | 4-04-28-08 |
| 135 | 7 | 4-04-28-09 | 4-04-28-10 |
| 151 | 8 | 4-04-28-11 | 4-04-28-12 |




▲ PLYTKA PISZCZELOWA "L"

TIBIAL PLATE "L"

otwory pod wkręty / screws: ϕ 4,5/ ϕ 6,5 mm

| L [mm] | OTWORY | Lewa/Left | Prawa/Right |
|--------|--------|------------|-------------|
| 84 | 4 | 4-04-29-01 | 4-04-29-06 |
| 100 | 5 | 4-04-29-02 | 4-04-29-07 |
| 116 | 6 | 4-04-29-03 | 4-04-29-08 |
| 132 | 7 | 4-04-29-04 | 4-04-29-09 |
| 148 | 8 | 4-04-29-05 | 4-04-29-10 |

1.24.




LEWA / left 4-04-30-01
PRAWA / right 4-04-30-02

▲ PLYTKA "L" 90°

PLATE "L" 90°

otwory pod wkręty / screws: ϕ 2,7 mm




LEWA / left 4-04-34-01
PRAWA / right 4-04-34-02

▲ PLYTKA "L" 110°

PLATE "L" 110°

otwory pod wkręty / screws: ϕ 2,7 mm



PLYTKA PISZCZELOWA "T"





TIBIAL PLATE "T"

otwory pod wkręty / screws: \varnothing 4,5 mm

| l (mm) | liczba otworów | Nr. kat. |
|--------|----------------|------------|
| 64 | 3 | 4-04-23-03 |
| 80 | 4 | 4-04-23-04 |
| 96 | 5 | 4-04-23-05 |
| 112 | 6 | 4-04-23-06 |
| 128 | 7 | 4-04-23-07 |
| 144 | 8 | 4-04-23-08 |
| 160 | 9 | 4-04-23-09 |
| 176 | 10 | 4 04 23 10 |

Kopija tikra

2005-03-30




PLYTKA PISZCZELOWA "T"

TIBIAL PLATE "T"

otwory pod wkręty / screws: \varnothing 4,5 mm

| l (mm) | liczba otworów | Nr. kat. |
|--------|----------------|------------|
| 68 | 3 | 4-04-24-03 |
| 84 | 4 | 4-04-24-04 |
| 100 | 5 | 4-04-24-05 |
| 116 | 6 | 4-04-24-06 |
| 132 | 7 | 4-04-24-07 |
| 148 | 8 | 4-04-24-08 |
| 164 | 9 | 4-04-24-09 |
| 180 | 10 | 4 04 24 10 |




PLYTKA PISZCZELOWA "L"

TIBIAL PLATE "L"

otwory pod wkręty / screws: \varnothing 4,5 mm


| l (mm) | liczba otworów | Lewa/Left | Prawa/Right |
|--------|----------------|------------|-------------|
| 82 | 4 | 4-04-75-04 | 4-04-74-04 |
| 98 | 5 | 4-04-75-05 | 4-04-74-05 |
| 114 | 6 | 4-04-75-06 | 4-04-74-06 |
| 146 | 8 | 4-04-75-08 | 4-04-74-08 |
| 178 | 10 | 4-04-75-10 | 4-04-74-10 |
| 210 | 12 | 4-04-75-12 | 4-04-74-12 |

1.25.



Płytką T pod wkręty Ø4,5mm
T buttress plate for screws Ø4,5mm


| Rozkład otworów / Alignment of holes | | | | | | | | | Otwory / Holes | L [mm] | Nr katalogowy / Catalogue No |
|--------------------------------------|---|---|---|---|---|---|---|---|----------------|--------|------------------------------|
| | R | A | R | R | - | - | - | - | 2/4 | 84 | 198104 |
| | R | A | R | R | R | - | - | - | 2/5 | 100 | 198105 |
| | R | A | R | R | R | R | - | - | 2/6 | 116 | 198106 |
| | R | A | R | R | R | R | R | - | 2/7 | 132 | 198107 |
| | R | A | R | R | R | R | R | R | 2/8 | 148 | 198108 |



Płytką T pod wkręty Ø4,5mm
T plate for screws Ø4,5mm

1.26.


| Rozkład otworów / Alignment of holes | | | | | | | | | | | | Otwory Holes | L [mm] | Nr katalogowy Catalogue No |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|--------------|--------|----------------------------|
| | R | A | R | - | - | - | - | - | - | - | - | 2/3 | 69 | 198403 |
| | R | A | R | R | - | - | - | - | - | - | - | 2/4 | 85 | 198404 |
| | R | A | R | R | R | - | - | - | - | - | - | 2/5 | 101 | 198405 |
| | R | A | R | R | R | R | - | - | - | - | - | 2/6 | 117 | 198406 |
| | R | A | R | R | R | R | R | - | - | - | - | 2/7 | 133 | 198407 |
| | R | A | R | R | R | R | R | R | - | - | - | 2/8 | 149 | 198408 |
| | R | A | R | R | R | R | R | R | R | - | - | 2/9 | 165 | 198409 |
| | R | A | R | R | R | R | R | R | R | R | - | 2/10 | 181 | 198410 |
| | R | A | R | R | R | R | R | R | R | R | R | 2/11 | 197 | 198411 |
| | R | A | R | R | R | R | R | R | R | R | R | 2/12 | 213 | 198412 |



Wzrost: 180cm
Ciężar: 75kg

Kopija tikra


2015-03-30



SWA / RIGHT 4-04-90-01
VA / LEFT 4-04-90-00




PLYTKA WIELOOTWOROWA DO KOŚCI PIĘTOWEJ
MULTIPLE FRAGMENT CALCANEAL BONE PLATE
otwory pod wkręty / screws: \varnothing 2,7 mm




4-04-90-02



PLYTKA CZTEROOTWOROWA DO KOŚCI PIĘTOWEJ
CALCANEAL BONE PLATE - 4 HOLES
otwory pod wkręty / screws: \varnothing 2,7 mm



Kopija tikra



4-04-90-03



PLYTKA CZTEROOTWOROWA "ROMB" DO KOŚCI PIĘTOWEJ
CALCANEAL BONE PLATE "RHOMBUS"
otwory pod wkręty / screws: \varnothing 2,7 mm

1,27

Implants

| | |
|-------------|---|
| 21720650711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 65 mm |
| 21720700711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 70 mm |
| 21720750711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 75 mm |
| 21720800711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 80 mm |
| 21720850711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 85 mm |
| 21720900711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 90 mm |
| 21720950711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 95 mm |
| 21721000711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 100 mm |
| 21721050711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 105 mm |
| 21721100711 | MIS A CHS Antirotat Comp. Hip Screw 12 x 110 mm |
| 21420000060 | MIS A CHS Antirotat Blade 60 mm |
| 21420000065 | MIS A CHS Antirotat Blade 65 mm |
| 21420000070 | MIS A CHS Antirotat Blade 70 mm |
| 21420000075 | MIS A CHS Antirotat Blade 75 mm |
| 21420000080 | MIS A CHS Antirotat Blade 80 mm |
| 21420000085 | MIS A CHS Antirotat Blade 85 mm |
| 21420000090 | MIS A CHS Antirotat Blade 90 mm |
| 21420000095 | MIS A CHS Antirotat Blade 95 mm |
| 21420000100 | MIS A CHS Antirotat Blade 100 mm |
| 21420000105 | MIS A CHS Antirotat Blade 105 mm |
| 20820230004 | Cannulated Antirotat Comp. Screw For MIS A CHS |
| 21420400050 | Wide Headed Selftapping Cortex Screw Ø 5 x 40 mm Ti |
| 21420450050 | Wide Headed Selftapping Cortex Screw Ø 5 x 45 mm Ti |
| 21420500050 | Wide Headed Selftapping Cortex Screw Ø 5 x 50 mm Ti |
| 21420550050 | Wide Headed Selftapping Cortex Screw Ø 5 x 55 mm Ti |
| 21420600050 | Wide Headed Selftapping Cortex Screw Ø 5 x 60 mm Ti |
| 21420650050 | Wide Headed Selftapping Cortex Screw Ø 5 x 65 mm Ti |
| 21420700050 | Wide Headed Selftapping Cortex Screw Ø 5 x 70 mm Ti |
| 21420750050 | Wide Headed Selftapping Cortex Screw Ø 5 x 75 mm Ti |
| 21420800050 | Wide Headed Selftapping Cortex Screw Ø 5 x 80 mm Ti |

1.28




Instruments

| | |
|-------------|---|
| 23412300025 | Threaded Pointed Kirschner Wire 2.5 X 300 mm |
| 23410250125 | Kirschner Wire 2.5 x 250 mm |
| 02171000009 | MIS A CHS Guide For The First Reamer 8 mm |
| 02171000018 | MIS A CHS Guide For The Second Reamer |
| 02171000007 | MIS A CHS Tissue Protective Guide 100 mm |
| 02171000001 | MIS A CHS Cannulated First Reamer 8 x 250 mm |
| 02171000002 | MIS A CHS Cannulated Second Reamer 12 x 250 mm |
| 02171000003 | MIS A CHS Cannulated Tap (Thread Maker) 12 x 300 mm |
| 02171000016 | MIS A CHS Cannulated Screw Driver 3.5 x 200 mm |
| 02171000008 | MIS A CHS Cannulated Trocar 115 mm |
| 02171000005 | MIS A CHS Cannulated Holder |
| 02171000014 | MIS A CHS Length Measuring Device (K-Wire) |
| 02171000011 | MIS A CHS L-Guide For The Cortex Locking Screw |
| 02171000004 | MIS A CHS Inserter With Its Slide |
| 02171000006 | MIS A CHS Blade Inserter With Its Slide |
| 02171000013 | MIS A CHS Sleeve For The Cortex Locking Screw |
| 02171000012 | MIS A CHS Drill Sleeve For The Cortex Locking Screw |
| 02171000015 | MIS A CHS Drill For The Cortex Screw 4.2 x 250 mm |
| 02171000017 | MIS A CHS T-Handle For The Reamer (Soft) |
| 02171000010 | Bone Graft Inserter |
| 02070000001 | Hammer (MIS A CHS) |
| 02010101002 | Cannulated Screw Driver Long 3.5 mm (Soft Handled) |
| 02020101035 | Screw Driver Quick Long (Soft Handled) 3.5 mm |
| 02171000019 | Screw Depth Gauge (Cortex Screw) |
| 00500169090 | Container 500 x 155 x 90 mm |
| 00485144020 | Design Tray 480 x 144 x 20 mm |
| 00485144030 | Design Tray 480 x 144 x 30 mm |

Kopiija tikra

2015-03-30



95° Dynamic Condylar Plate (DCS)

1.29.



| Holes | Stainless Steel | Titanium |
|-------|-----------------|------------|
| 2 | 760.002 | TI-760.002 |
| 3 | 760.003 | TI-760.003 |
| 4 | 760.004 | TI-760.004 |
| 5 | 760.005 | TI-760.005 |
| 6 | 760.006 | TI-760.006 |
| 7 | 760.007 | TI-760.007 |
| 8 | 760.008 | TI-760.008 |
| 9 | 760.009 | TI-760.009 |
| 10 | 760.010 | TI-760.010 |
| 11 | 760.011 | TI-760.011 |
| 12 | 760.012 | TI-760.012 |
| 13 | 760.013 | TI-760.013 |
| 14 | 760.014 | TI-760.014 |
| 15 | 760.015 | TI-760.015 |
| 16 | 760.016 | TI-760.016 |
| 18 | 760.018 | TI-760.018 |
| 20 | 760.020 | TI-760.020 |
| 22 | 760.022 | TI-760.022 |

Compression Screw

Used with DHS and DCS Screws



| | Stainless Steel | Titanium |
|------|-----------------|------------|
| Code | 761.800 | TI-761.800 |

DHS/DCS Screw (with Compression Screw)

1.31.

| Length (mm) | Stainless Steel | Titanium |
|-------------|-----------------|------------|
| 50 | 761.050 | TI-761.050 |
| 55 | 761.055 | TI-761.055 |
| 60 | 761.060 | TI-761.060 |
| 65 | 761.065 | TI-761.065 |
| 70 | 761.070 | TI-761.070 |
| 75 | 761.075 | TI-761.075 |
| 80 | 761.080 | TI-761.080 |
| 85 | 761.085 | TI-761.085 |
| 90 | 761.090 | TI-761.090 |
| 95 | 761.095 | TI-761.095 |
| 100 | 761.100 | TI-761.100 |
| 105 | 761.105 | TI-761.105 |
| 110 | 761.110 | TI-761.110 |
| 115 | 761.115 | TI-761.115 |
| 120 | 761.120 | TI-761.120 |
| 125 | 761.125 | TI-761.125 |
| 130 | 761.130 | TI-761.130 |
| 135 | 761.135 | TI-761.135 |
| 140 | 761.140 | TI-761.140 |
| 145 | 761.145 | TI-761.145 |



IS005 DHS-DCS Implants Set


| Code | Set Consisting of | Units |
|----------|---|-------|
| | DHS Plate - 135° | |
| 756.3504 | 4 Holes | 1 |
| 756.3505 | 5 Holes | 2 |
| 756.3506 | 6 Holes | 2 |
| 756.3508 | 8 Holes | 1 |
| | DHS Plate - 150° | |
| 756.5004 | 4 Holes | 1 |
| 756.5005 | 5 Holes | 1 |
| 756.5006 | 6 Holes | 1 |
| | DCS Plate - 95° | |
| 760.006 | 6 Holes | 1 |
| 760.008 | 8 Holes | 1 |
| 760.010 | 10 Holes | 1 |
| 760.012 | 12 Holes | 1 |
| 760.014 | 14 Holes | 1 |
| 760.016 | 16 Holes | 1 |
| | DHS / DCS Screws with Compression Screws | |
| 761.050 | 50 mm | 2 |
| 761.055 | 55 mm | 2 |
| 761.060 | 60 mm | 2 |
| 761.065 | 65 mm | 2 |
| 761.070 | 70 mm | 2 |
| 761.075 | 75 mm | 2 |
| 761.080 | 80 mm | 2 |
| 761.085 | 85 mm | 2 |
| 761.090 | 90 mm | 2 |
| 761.095 | 95 mm | 2 |
| 761.100 | 100 mm | 2 |
| 761.105 | 105 mm | 2 |
| 761.110 | 110 mm | 1 |
| 761.115 | 115 mm | 1 |
| A10.014 | Aluminium Box for DHS-DCS Implant Set | 1 |

2016-03-30
 Kopija tikra
 Medicinskas
 Tomas Radvys

Dynamic Hip Screw Plate with Self Compression Holes (DHS)

Please prefix TI with below item codes for Titanium.

1-30




Dynamic Compression Holes


| Holes | 130 | 135 | 140 | 145 | 150 |
|-------|----------|----------|----------|----------|----------|
| 2 | 756.3002 | 756.3502 | 756.4002 | 756.4502 | 756.5002 |
| 3 | 756.3003 | 756.3503 | 756.4003 | 756.4503 | 756.5003 |
| 4 | 756.3004 | 756.3504 | 756.4004 | 756.4504 | 756.5004 |
| 5 | 756.3005 | 756.3505 | 756.4005 | 756.4505 | 756.5005 |
| 6 | 756.3006 | 756.3506 | 756.4006 | 756.4506 | 756.5006 |
| 7 | 756.3007 | 756.3507 | 756.4007 | 756.4507 | 756.5007 |
| 8 | 756.3008 | 756.3508 | 756.4008 | 756.4508 | 756.5008 |
| 9 | 756.3009 | 756.3509 | 756.4009 | 756.4509 | 756.5009 |
| 10 | 756.3010 | 756.3510 | 756.4010 | 756.4510 | 756.5010 |
| 12 | 756.3012 | 756.3512 | 756.4012 | 756.4512 | 756.5012 |
| 14 | 756.3014 | 756.3514 | 756.4014 | 756.4514 | 756.5014 |
| 16 | 756.3016 | 756.3516 | 756.4016 | 756.4516 | 756.5016 |
| 18 | 756.3018 | 756.3518 | 756.4018 | 756.4518 | 756.5018 |
| 20 | 756.3020 | 756.3520 | 756.4020 | 756.4520 | 756.5020 |
| 22 | 756.3022 | 756.3522 | 756.4022 | 756.4522 | 756.5022 |

Dynamic Hip Compression & Angle Plates


**Dynamic Hip Screw Plate with Self Compression Holes
Short Barrel : 25mm**



| Holes | Stainless Steel | Titanium |
|-------|-----------------|-------------|
| 4 | 757.3504 | TI-757.3504 |
| 5 | 757.3505 | TI-757.3505 |
| 6 | 757.3506 | TI-757.3506 |
| 7 | 757.3507 | TI-757.3507 |
| 8 | 757.3508 | TI-757.3508 |
| 9 | 757.3509 | TI-757.3509 |
| 10 | 757.3510 | TI-757.3510 |

Medgals
Kuala Lumpur
2015-03-30
Kopiia file


Suture Wire - Stainless Steel




| Codes | Size (mm) |
|---------|-----------------|
| 450.016 | 16 SWG (1.60mm) |
| 450.017 | 17 SWG (1.50mm) |
| 450.018 | 18 SWG (1.25mm) |
| 450.019 | 19 SWG (1.00mm) |
| 450.020 | 20 SWG (0.90mm) |
| 450.021 | 21 SWG (0.80mm) |
| 450.022 | 22 SWG (0.70mm) |
| 450.023 | 23 SWG (0.60mm) |
| 450.024 | 24 SWG (0.55mm) |
| 450.026 | 26 SWG (0.45mm) |
| 450.028 | 28 SWG (0.35mm) |
| 450.030 | 30 SWG (0.30mm) |



Medgala
BEOGRAD
Kopija tikra
2016-05-30


Kirschner Wire with Trocar Tip both End

1.32



Staples, Pins & Wires


| Diameter (mm) | Length | | | | |
|---------------|------------|-------------|-------------|-------------|-------------|
| | 70 mm | 100 mm | 150 mm | 225 mm | 300 mm |
| 0.8 | 451-0.8-70 | 451-0.8-100 | 451-0.8-150 | 451-0.8-225 | 451-0.8-300 |
| 0.9 | 451-0.9-70 | 451-0.9-100 | 451-0.9-150 | 451-0.9-225 | 451-0.9-300 |
| 1.0 | 451-1.0-70 | 451-1.0-100 | 451-1.0-150 | 451-1.0-225 | 451-1.0-300 |
| 1.1 | 451-1.1-70 | 451-1.1-100 | 451-1.1-150 | 451-1.1-225 | 451-1.1-300 |
| 1.2 | 451-1.2-70 | 451-1.2-100 | 451-1.2-150 | 451-1.2-225 | 451-1.2-300 |
| 1.4 | 451-1.4-70 | 451-1.4-100 | 451-1.4-150 | 451-1.4-225 | 451-1.4-300 |
| 1.5 | 451-1.5-70 | 451-1.5-100 | 451-1.5-150 | 451-1.5-225 | 451-1.5-300 |
| 1.6 | 451-1.6-70 | 451-1.6-100 | 451-1.6-150 | 451-1.6-225 | 451-1.6-300 |
| 1.8 | 451-1.8-70 | 451-1.8-100 | 451-1.8-150 | 451-1.8-225 | 451-1.8-300 |
| 2.0 | 451-2.0-70 | 451-2.0-100 | 451-2.0-150 | 451-2.0-225 | 451-2.0-300 |
| 2.2 | 451-2.2-70 | 451-2.2-100 | 451-2.2-150 | 451-2.2-225 | 451-2.2-300 |
| 2.3 | 451-2.3-70 | 451-2.3-100 | 451-2.3-150 | 451-2.3-225 | 451-2.3-300 |
| 2.5 | 451-2.5-70 | 451-2.5-100 | 451-2.5-150 | 451-2.5-225 | 451-2.5-300 |
| 3.0 | 451-3.0-70 | 451-3.0-100 | 451-3.0-150 | 451-3.0-225 | 451-3.0-300 |



Drut do wiązania odłamów kostnych
Cerclage wire

1.33.


| L [m] | ØD [mm] | Nr katalogowy / Catalogue No |
|-------|---------|---------------------------------|
| | | SS |
| 5 | 0,2 | 300205 |
| | 0,3 | 300305 |
| | 0,4 | 300405 |
| | 0,5 | 300505 |
| | 0,6 | 300605 |
| | 0,7 | 300705 |
| | 0,8 | 300805 |
| | 0,9 | 300905 |
| | 1,0 | 301005 |
| | 1,2 | 301205 |
| | 1,5 | 301505 |
| | 1,8 | 301805 |
| 2,0 | 302005 | |



Drut Kirschnera z ostrzem jednostronnym typu trokar
Kirschner wire with trocar tip

| Ød [mm] | Nr katalogowy / Catalogue No | | | |
|---------|---------------------------------|-----------|-----------|-----------|
| | SS(T) | | | |
| | L [mm] | | | |
| | 150 | 210 | 310 | 400 |
| 1,0 | 311015(T) | 311021(T) | 311031(T) | 311040(T) |
| 1,1 | 311115(T) | 311121(T) | 311131(T) | 311140(T) |
| 1,2 | 311215(T) | 311221(T) | 311231(T) | 311240(T) |
| 1,4 | 311415(T) | 311421(T) | 311431(T) | 311440(T) |
| 1,5 | 311515(T) | 311521(T) | 311531(T) | 311540(T) |
| 1,6 | 311615(T) | 311621(T) | 311631(T) | 311640(T) |
| 1,8 | 311815(T) | 311821(T) | 311831(T) | 311840(T) |
| 2,0 | 312015(T) | 312021(T) | 312031(T) | 312040(T) |
| 2,2 | 312215(T) | 312221(T) | 312231(T) | 312240(T) |
| 2,4 | 312415(T) | 312421(T) | 312431(T) | 312440(T) |
| 2,5 | 312515(T) | 312521(T) | 312531(T) | 312540(T) |
| 3,5 | 313515(T) | 313521(T) | 313531(T) | 313540(T) |

Kopija tikra
OSTECOM
2015-03-30



Drill bit

Ø1,0 - Ø7,0

Stainless steel acc. to ISO 5832-1

SERIES OF TYPES

| Ø [mm] | Cat No | | | | |
|-----------|--------|---------|---------|---------|---------|
| | L=90mm | L=100mm | L=150mm | L=250mm | L=300mm |
| 1,0 | 711010 | - | - | - | - |
| 1,5 | - | 711015 | 721125 | - | - |
| 2,0 | - | - | 711020 | 712020 | - |
| 2,2 | - | - | 711022 | 712022 | - |
| 2,5 | - | - | 711025 | 712025 | - |
| 2,7 | - | - | 711027 | 712027 | - |
| 3,0 | - | - | 711030 | 712030 | - |
| 3,2 | - | - | 711032 | 712032 | - |
| 3,5 | - | - | 711035 | 712235 | 712035 |
| 3,7 | - | - | 711037 | 712037 | 712137 |
| 4,0 | - | - | 711040 | 712040 | 712240 |
| 4,2 | - | - | 711042 | 712042 | 712043 |
| 4,5 | - | - | 711045 | 712145 | 712045 |
| 4,7 | - | - | 711047 | 712147 | 712047 |
| 4,8 | - | - | 711048 | 712148 | 712048 |
| 5,0 | - | - | 711050 | 712050 | 712050 |
| 6,0 | - | - | 711060 | 712160 | 712060 |
| 7,0 | - | - | 711070 | 712570 | 712170 |


1.39.



Kopija tikra

[Handwritten signature]

2015-03-30



Screwdriver, cannulated
for cannulated screws:
Ø3,5 - Ø7,0

SERIES OF TYPES


| Ø of screws [mm] | S [mm] | D [mm] | Cat No |
|---------------------|-----------|-----------|--------|
| 3,5 | 2,5 | 1,2 | 783006 |
| 4,5-5,0 | 3,5 | 1,2 | 783003 |
| 6,5-7,0 | 5,0 | 2,2 | 783005 |

1-35


Kopija tikra

2015-03-30

Atstovėlis
Gediminas Račys



Forefoot Set – Screw module



2015-03-30
Kopija lista

| Reference | Description |
|-----------|--|
| 119105 | Scarf clamp |
| 229002 | Screwdriver - Hexa 2.0 1.35 |
| 229005 | AO Screwdriver - Hexa 2.0 - AO Attachment - Cannulated |
| 229003 | Screwdriver - T7 Star - Cannulated 1.35 |
| 229004 | Screwdriver - AO - T7 Star - Cannulated |
| 997301 | Depth Gauge - dia. 2.0 x L. 10 mm |
| 997311 | AO Straight Handle |
| 159027S | 2in1 Drill - dia. 2.2 mm x L12 mm - AO - Cannulated |
| 159025S | 2in1 Drill - dia. 2.2 mm x L22 mm - AO - Cannulated |
| 159023S | 2in1 Drill - dia. 2.2 mm x L32 mm - AO - Cannulated |
| 119227S | 2in1 Drill - dia. 2.2 mm x L12 mm - Non Cannulated |
| 119225S | 2in1 Drill - dia. 2.2 mm x L22 mm - Non Cannulated |
| 119223S | 2in1 Drill - dia. 2.2 mm x L32 mm - Non Cannulated |
| 119027S | 2in1 Drill - dia. 2.2 mm x L12 mm - Cannulated |
| 119025S | 2in1 Drill - dia. 2.2 mm x L22 mm - Cannulated |
| 119023S | 2in1 Drill - dia. 2.2 mm x L32 mm - Cannulated |
| 159227S | 2in1 Drill - dia. 2.2 mm x L12 mm - AO - Non Cannulated |
| 159225S | 2in1 Drill - dia. 2.2 mm x L22 mm - AO - Non Cannulated |
| 159223S | 2in1 Drill - dia. 2.2 mm x L32 mm - AO - Non Cannulated |
| 229027S | 2in1 Drill - dia. 1.9 mm x L12 mm - AO - Cannulated |
| 229037S | 2in1 Drill - dia. 1.9 mm x L22 mm - AO - Cannulated |
| 229227S | 2in1 Drill - dia. 1.9 mm x L12 mm - Cannulated |
| 229237S | 2in1 Drill - dia. 1.9 mm x L22 mm - Cannulated |
| 229028S | 2in1 Drill - dia. 1.9 mm x L12 mm - AO - Non Cannulated |
| 229038S | 2in1 Drill - dia. 1.9 mm x L22 mm - AO - Non Cannulated |
| 229228S | 2in1 Drill - dia. 1.9 mm x L12 mm - Non Cannulated |
| 229238S | 2in1 Drill - dia. 1.9 mm x L22 mm - Non Cannulated |
| 115070S | K-Wire - dia. 1.0 x L70 mm - 1 Sharp - 1 Soft |
| 115100S | K-Wire - dia. 1.0 x L100 mm - 2 Sharp tip |
| 115008S | K-Wire - dia. 0.8 x L70 mm - 1 Sharp - 1 Soft tip |
| 229011 | Longitudinal Cutting Guide (Optional) |
| 229012 | Transversal Cutting Guide (Optional) |
| 229101 | Ruler |

Sterilization Container

| | |
|--------|-----------------------------|
| 229951 | Screws container including: |
| 229961 | Tray |
| 229970 | Lid |
| 229992 | Mat |




Bold® Compression Screw dia. 2.5 mm / 3.0 mm / 3.7 mm (for associated instrumentation, see p. 7)

For fixation of bone fractures or for bone reconstruction.

- Totally intra-osseous implants.
- Large range of sizes:
 - > 10 to 30 mm for BOLD® 2.5 by 2 mm increment.
 - > 10 to 34 mm for BOLD® 3.0 by 2 mm increment.
 - > 14 to 34 mm for BOLD® 3.7 by 2 mm increment.
- K-Wire guided drilling and insertion.
- Self tapping.
- True & controlled compression.
- Dual threads.
- Material: Titanium alloy TA6V.



BOLD® dia 2.5mm **2.1.**



BOLD® dia 3.0mm **2.2.**



BOLD® dia 3.7mm **2.3.**

| Reference | Length | Reference | Length | Reference | Length |
|-----------|----------|-----------|----------|-----------|----------|
| 200010S | L. 10 mm | 111010(S) | L. 10 mm | 131014S | L. 14 mm |
| 200012S | L. 12 mm | 111012(S) | L. 12 mm | 131016S | L. 16 mm |
| 200014S | L. 14 mm | 111014(S) | L. 14 mm | 131018S | L. 18 mm |
| 200016S | L. 16 mm | 111016(S) | L. 16 mm | 131020S | L. 20 mm |
| 200018S | L. 18 mm | 111018(S) | L. 18 mm | 131022S | L. 22 mm |
| 200020S | L. 20 mm | 111020(S) | L. 20 mm | 131024S | L. 24 mm |
| 200022S | L. 22 mm | 111022(S) | L. 22 mm | 131026S | L. 26 mm |
| 200024S | L. 24 mm | 111024(S) | L. 24 mm | 131028S | L. 28 mm |
| 200026S | L. 26 mm | 111026(S) | L. 26 mm | 131030S | L. 30 mm |
| 200028S | L. 28 mm | 111028(S) | L. 28 mm | 131032S | L. 32 mm |
| 200030S | L. 30 mm | 111030(S) | L. 30 mm | 131034S | L. 34 mm |
| | | 111032(S) | L. 32 mm | | |
| | | 111034(S) | L. 34 mm | | |

QWIX® Fixation Screw, dia. 3.0 mm (for associated instrumentation, see p. 7)

For fixation of bone fractures or for bone reconstruction


- Self-drilling and self-tapping.
- Totally intra-osseous fixation.
- K-Wire guided drilling and insertion.
- Material: Titanium alloy TA6V.



QWIX® dia. 3.0 mm

| Reference | Length |
|-----------|----------|
| 111312S | L. 12 mm |
| 111314S | L. 14 mm |
| 111316S | L. 16 mm |
| 111318S | L. 18 mm |
| 111320S | L. 20 mm |
| 111322S | L. 22 mm |
| 111324S | L. 24 mm |
| 111326S | L. 26 mm |
| 111328S | L. 28 mm |
| 111330S | L. 30 mm |
| 111332S | L. 32 mm |
| 111334S | L. 34 mm |


2015-03-30



UNI-CLIP® Notched & Standard Staples (for associated instrumentation, see p. 8)

For fixation of bone fractures or for bone reconstruction.

- Range sizes:
 - > Interaxis: 11, 12, 13, 15 and 20 mm.
 - > Leg lengths: 12, 13, 14, 15, 16, 17 and 20 mm.
- Material: Stainless steel 316L.



Standard Staples

| Reference | Description |
|-----------|-------------------------------------|
| 113113 | UNI-CLIP® interaxis 11.0 x L. 13 mm |
| 113114 | UNI-CLIP® interaxis 11.0 x L. 14 mm |
| 113115 | UNI-CLIP® interaxis 11.0 x L. 15 mm |
| 113116 | UNI-CLIP® interaxis 11.0 x L. 16 mm |
| 113117 | UNI-CLIP® interaxis 11.0 x L. 17 mm |
| 113213 | UNI-CLIP® interaxis 12.0 x L. 13 mm |
| 113214 | UNI-CLIP® interaxis 12.0 x L. 14 mm |
| 113215 | UNI-CLIP® interaxis 12.0 x L. 15 mm |
| 113216 | UNI-CLIP® interaxis 12.0 x L. 16 mm |
| 113217 | UNI-CLIP® interaxis 12.0 x L. 17 mm |
| 113313 | UNI-CLIP® interaxis 13.0 x L. 13 mm |
| 113314 | UNI-CLIP® interaxis 13.0 x L. 14 mm |
| 113315 | UNI-CLIP® interaxis 13.0 x L. 15 mm |
| 113316 | UNI-CLIP® interaxis 13.0 x L. 16 mm |
| 113317 | UNI-CLIP® interaxis 13.0 x L. 17 mm |
| 113512 | UNI-CLIP® interaxis 15.0 x L. 12 mm |
| 113820 | UNI-CLIP® interaxis 20.0 x L. 20 mm |

Notched Staples


| Reference | Description |
|-------------|-------------------------------------|
| 213113(S)** | UNI-CLIP® interaxis 11.0 x L. 13 mm |
| 213114(S) | UNI-CLIP® interaxis 11.0 x L. 14 mm |
| 213115(S) | UNI-CLIP® interaxis 11.0 x L. 15 mm |
| 213116(S) | UNI-CLIP® interaxis 11.0 x L. 16 mm |
| 213117(S) | UNI-CLIP® interaxis 11.0 x L. 17 mm |
| 213213(S) | UNI-CLIP® interaxis 12.0 x L. 13 mm |
| 213214(S) | UNI-CLIP® interaxis 12.0 x L. 14 mm |
| 213215(S) | UNI-CLIP® interaxis 12.0 x L. 15 mm |
| 213216(S) | UNI-CLIP® interaxis 12.0 x L. 16 mm |
| 213217(S) | UNI-CLIP® interaxis 12.0 x L. 17 mm |
| 213313(S) | UNI-CLIP® interaxis 13.0 x L. 13 mm |
| 213314(S) | UNI-CLIP® interaxis 13.0 x L. 14 mm |
| 213315(S) | UNI-CLIP® interaxis 13.0 x L. 15 mm |
| 213316(S) | UNI-CLIP® interaxis 13.0 x L. 16 mm |
| 213317(S) | UNI-CLIP® interaxis 13.0 x L. 17 mm |
| 213512(S) | UNI-CLIP® interaxis 15.0 x L. 12 mm |
| 213820(S) | UNI-CLIP® interaxis 20.0 x L. 20 mm |

SOLUSTAPLE® Standard Staple (for associated instrumentation, see p. 8)

Static staple for fixation of mono cortical phalangeal osteotomies.

- Two shapes of staples (26° and 90°) are available.
- Self-perforating.
- Material: stainless steel 316L.
- Can be delivered sterile (on demand).

| Reference | Description |
|-----------|---------------------------------|
| 114002(S) | SOLUSTAPLE® 90° interaxis 8 mm |
| 114004(S) | SOLUSTAPLE® 90° interaxis 10 mm |
| 114023(S) | SOLUSTAPLE® 26° interaxis 8 mm |
| 114025(S) | SOLUSTAPLE® 26° interaxis 10 mm |



UNI-CP™ Compression plate

The UNI-CP™ compression plate is indicated for fixation of bone fractures or for bone reconstruction:


- 4 plate configurations:
 - > 2 hole design (17, 20, 25, and 30 mm interaxis)
 - > 4 hole design (20, 25, and 30 mm interaxis)
 - > 4 hole T-shape design (20 mm interaxis)
 - > 4 hole U-shape design (17x20, 19x22.5, 21x25 mm interaxis)
- Range of screw lengths: from 12 mm to 40 mm in 2 mm increments.
- Surfix™ Locking Technology.
- Material:
 - > Plate: Stainless Steel 316LVM.
 - > Screw: Titanium TA6V.

2.5

| Reference | Description |
|-----------|-------------------------------------|
| 330430S | UNI-CP™ 4 holes - 30 mm |
| 330425S | UNI-CP™ 4 holes - 25 mm |
| 330420S | UNI-CP™ 4 holes - 20 mm |
| 330230S | UNI-CP™ 2 holes - 30 mm |
| 330225S | UNI-CP™ 2 holes - 25 mm |
| 330220S | UNI-CP™ 2 holes - 20 mm |
| 330217S | UNI-CP™ 2 holes -17 mm |
| 330030S | UNI-CP™ T shaped plate |
| 330021S | 4 holes - 17x20 mm U shaped plate |
| 330023S | 4 holes - 19x22.5 mm U shaped plate |
| 330025S | 4 holes - 21x25 mm U shaped plate |

2.6

| Reference | Description |
|-----------|--------------------------------|
| 285312S | L. 12 mm |
| 285314S | L. 14 mm |
| 285316S | L. 16 mm |
| 285318S | L. 18 mm |
| 285320S | L. 20 mm |
| 285322S | L. 22 mm |
| 285324S | L. 24 mm |
| 285326S | L. 26 mm |
| 285328S | L. 28 mm |
| 285330S | L. 30 mm |
| 285332S | L. 32 mm |
| 285334S | L. 34 mm |
| 285336S | L. 36 mm |
| 285338S | L. 38 mm |
| 285340S | L. 40 mm |
| 185300S | Surfix™ lock screw dia. 3.5 mm |




Optional instrument

| Reference | Description |
|-----------|--------------------------------|
| MA3511 | Surfix™ screw extractor 3.5 mm |

UNI-CP™ Compression plate Instruments

| Reference | Description |
|-----------|--|
| 219335 | Depth gauge hole dia. 3.5 mm |
| 219435 | AO Screwdriver tip hexa 2.0 x L. 76 mm |
| 219535 | AO drill dia. 2.7 x L. 125 mm |
| 219635 | Drilling guide dia. 2.7 mm |
| 219735 | Bending forceps L. 171 hole - dia 3.5 mm |
| 219835 | Screwdriver hexa 2.0 x L. 180 mm |
| 339001 | Compression forceps |
| 339004 | Trial implant for T and U plates |
| 339005 | Trial implant for 2 and 4 holes plates |
| 339003 | Holder |
| 115101 | K-Wire dia. 1.0 x L. 100 mm |



UNI-CP™ sterilization container

| Reference | Description |
|-----------|--|
| 339950 | UNI-CP™ sterilization container including: |
| 996200 | Lid |
| 339920 | Base |
| 169106 | Cylinder |
| 119909 | Silicone wedge |

Optional instrument

| Reference | Description |
|-----------|--------------------------------|
| MA3511 | Surfix™ screw extractor 3.5 mm |


Kopija tikra

2015-03-30

3 dalis. Artroskopiniai priėdai

Single-use Blades
DYONICS® Straight Blades

DYONICS Straight Blades
Packaged 6 per box, sterile




| Power/EP-1° REF | Description | Latch Color |
|-----------------|--------------------|-------------|
| 7205305 | 3.5 mm Full Radius | Beige |
| 7205306 | 4.5 mm Full Radius | Yellow |
| 7205307 | 5.5 mm Full Radius | Orange |

3.1.



| | | |
|---------|--------------------------|--------|
| 7210751 | 3.5 mm Full Radius ELITE | Beige |
| 7210499 | 4.5 mm Full Radius ELITE | Maroon |
| 7210909 | 5.5 mm Full Radius ELITE | Olive |


3.1



| | | |
|---------|---------------------|-------------|
| 7205315 | 4.5 mm TURBOTRIMMER | Powder blue |
|---------|---------------------|-------------|



| | | |
|---------|----------------------|--------|
| 7205345 | 4.5 mm INCISOR® Plus | Violet |
| 7205459 | 5.5 mm INCISOR Plus | Teal |



| | | |
|---------|---------------------------|-------|
| 7220095 | 3.5 mm INCISOR Plus ELITE | White |
| 7210976 | 4.5 mm INCISOR Plus ELITE | Slate |
| 7220081 | 5.5 mm INCISOR Plus ELITE | Lilac |
| 7209211 | 3.2 Chondroplasty Blade | |

Kopija tikra
 2015-03-30

Tiesūs vienkartiniai šeiverio antgaliai

Tiesūs vienkartiniai šeiverio antgaliai

Pakuotėje 6 vnt, sterilūs

| Ref. | Apibūdinimas | spalva |
|---------|--|---------------|
| 7205305 | 3,5 mm, plačiu atviru darbiniu langu | smėlio |
| 7205306 | 4,5 mm, plačiu atviru darbiniu langu | geltona |
| 7205307 | 5,5 mm, plačiu atviru darbiniu langu | oranžinė |
| 7210751 | 3,5 mm, plačiu atviru darbiniu langu, su dantukais ELITE | smėlio |
| 7210499 | 4,5 mm plačiu atviru darbiniu langu, su dantukais ELITE | kaštoninė |
| 7210909 | 5,5 mm, plačiu atviru darbiniu langu, su dantukais ELITE | gelsvai žalia |

3.1

3.1

| | | |
|----------|-------------------------------|----------------|
| 7205315 | 4,5 mm TURBORTIMMER | mėlyna |
| 7205345 | 4,5 mm INCISOR Plus | violetinė |
| 7205459 | 5,5 mm INCISOR Plus | šviesiai žalia |
| 72200095 | 3,5 mm INCISOR Plus ELITE | balta |
| 7210976 | 4,5 mm INCISOR Plus ELITE | pilškai mėlva |
| 72200081 | 5,5 mm INCISOR Plus ELITE | alyvinis |
| 7209211 | 3,2 chondroplastijos antgalis | |

2015-03-30

Kopija tikra


Kopija tikra



ACUFEX[®] and ACUFEX Pro Punches

Oval Punches

This family of punches offers the best of both worlds — the lowest profile and the largest bite, facilitating end-on and lateral cutting — the most versatile instrument available.



| ACUFEX Pro Reference # | ACUFEX Reference # | Description | Tip Profile | Bite Width | Tip Width |
|------------------------|--------------------|--------------|-------------|------------|-----------|
| 7207083 | 7207200 | Upbiter | 1.65 mm | 4.39 mm | 6.57 mm |
| 7207181 | 7207201* | Straight | 1.65 mm | 4.39 mm | 6.57 mm |
| N/A | 7207294 | Curved left | 1.65 mm | 4.39 mm | 6.57 mm |
| N/A | 7207295 | Curved right | 1.65 mm | 4.39 mm | 6.57 mm |
| N/A | 7207296 | Upswept | 1.65 mm | 4.39 mm | 6.57 mm |

3.2

| Reference # | Description |
|-------------|---|
| ⚙ 3134238 | Curved left at 40 mm from tip |
| ⚙ 7207533 | Upbiter, with larger finger and thumb loops |

Basket Punches – Blunt Nose


ACUFEX Loop Handle. Blunt nose basket punch enables flush contouring of meniscus.



| ACUFEX Pro Reference # | ACUFEX Reference # | Description | Tip Profile | Bite Width | Tip Width |
|------------------------|--------------------|------------------|-------------|------------|-----------|
| N/A | 012035 | 1.0 mm, straight | 1.83 mm | 1.67 mm | 3.32 mm |


Basket Punches – DUCKLING[®]

The ACUFEX DUCKLING punches are a lower-profile relation to the DUCKBILL[®], maintaining a large square bite and maximizing maneuverability.



| ACUFEX Pro Reference # | ACUFEX Reference # | Description | Tip Profile | Bite Width | Tip Width |
|------------------------|--------------------|--------------|-------------|------------|-----------|
| 7207049 | 012044* | Straight | 1.93 mm | 3.17 mm | 5.00 mm |
| 7207050 | 012046 | Curved left | 1.93 mm | 3.17 mm | 5.00 mm |
| 7207051 | 012047 | Curved right | 1.93 mm | 3.17 mm | 5.00 mm |
| 7207668 | 014765 | Elevator | 1.93 mm | 3.17 mm | 5.00 mm |
| 7207000 | 012045* | Upbiter | 1.93 mm | 3.17 mm | 5.00 mm |
| 7207672 | 012048* | Upswept | 1.93 mm | 3.17 mm | 5.00 mm |

| Reference # | Description |
|-------------|---|
| ⚙ 7205979 | Upswept, low profile, extended 20 mm |
| ⚙ 7207547 | DUCKLING, 20° downbiter |
| ⚙ 7207737 | DUCKLING, upswept, length extended by 2.25" |
| 7207736 | DUCKLING, upbiter, extended length |



2015-03-30

Kopila tikra

* Item shown

⚙ Special, Made to Order products are available to meet the individual needs of surgeons. Please appreciate that longer lead time for delivery should be expected. For more information, please contact your sales representative or Customer Service.

Smith&Nephew ACUFEX ir ACUFEX Pro kandikliai

Žemo profilio, ovalo formos kandikliai


Ši kandiklių rūšis siūlo universalius žemo profilio ir plataus kirpimo ploto kandiklius.

| <u>ACUFEX Pro Ref</u> | <u>ACUFEX Ref</u> | <u>Apibūdinimas</u> | <u>Profilis</u> | <u>Kirpimo plotis</u> | <u>Plotis</u> |
|-----------------------|-------------------|---------------------|-----------------|-----------------------|---------------|
| 7207083 | 7207200 | Lenktas į viršų | 1,65 mm | 4,39 mm | 6,57 mm |
| 7207181 | 7207201 | Tiesus | 1,65 mm | 4,39 mm | 6,57 mm |
| N/A | 7207294 | Lenktas į kairę | 1,65 mm | 4,39 mm | 6,57 mm |
| N/A | 7207295 | Lenktas į dešinę | 1,65 mm | 4,39 mm | 6,57 mm |

32

2015-03-30

Kopija tikra




ACUFEX[®] and ACUFEX Pro Handles and Tips

Smith & Nephew ACUFEX instruments are designed with a broad range of handles and tip configurations, allowing easy access to specific areas of the meniscus.

ACUFEX Pro Handle


Selected punches, scissors and graspers feature this ergonomic handle design.

3.2




Loop Handle

Scissors, basket punches and graspers feature our traditional loop-style handles.




Cigar Handle

Available on rotary basket punches and scissors.




ACUFEX Grasper Handle


All ACUFEX graspers feature this infinite-position, locking-handle design.



Tip Selection Guide




Straight:
The primary style for direct approach




Upbiter:
Angled 1/4" curve at tip for enhanced access to the posterior meniscus



Upswept:
Angled shaft follows the contour of the condyle and keeps the cutting surface parallel to the tibial plateau



Left and Right:
Angled to reach the anterior and posterior menisci



Kopiia dikra

Vertimas iš anglų kalbos

Smith&Nephew ACUFEX ir ACUFEX Pro kandikliai

Smith&Nephew kandikliai yra sukurti plataus spektro darbiniais galais ir konfigūracijų, leidžia lengvai pasiekti specifines menisko vietas.

Kiekvienos linijos kandikliai yra sukonstruoti su ekskliuzyviu "pinless" be skersinės ašies dizainu.

Kandikliai yra galandami Smith&Nephew Serviso centre, taip yra atnaujinami ir užtikrinamas optimalus kirpimas, tai padidina instrumento naudojimo laiką.

Rankenų pasirinkimas

Kilpinės rankenos: žirklys, čiupikliai ir kandikliai su tradicinėmis kilpų stiliaus rankenomis.

ACUFEX Pro rankena: išskirtiniai kandikliai, žirklys ir čiupikliai su ergonomiškoms rankenomis.

3.2

Cigaro formos rankena: rotaciniams kandikliams ir žirklyms.

ACUFEX čiupiklių rankena: visi ACUFEX čiupikliai gali būti su šia užrakinamo dizaino rankena.

Formų pasirinkimas

Tiesi.

Į viršų: darbinis galas lenktas 15° kampu.

Pakeltas: kampu lenkta ašis.

Kairė ir dešinė: lenktas tam, kad pasiekti priekinį ir užpakalinį menisko paviršių.

2015-10-30

