

# Cell Wash Solution I / NAOH-D

CellCln1/Detergent 1

cobas®

## Order information

## Cat. No.

## Systems on which reagents can be used

Cell Wash Solution I / NAOH-D (2 x 1.8 L)

04880285 190

Roche/Hitachi MODULAR analyzers  
Roche/Hitachi **cobas c** analyzers

## English

## Intended use

Wash solution for reagent probes and reaction cells on Roche/Hitachi systems.

## Summary

Reagent probe or reaction cell washes may be required due to potential interference from other reagents or samples. These special washes maintain reagent integrity.

## Reagents - working solutions

Sodium hydroxide solution 1 mol/L, 4 %; detergent

## Precautions and warnings

For in vitro diagnostic use.

Exercise the normal precautions required for handling all laboratory reagents.

Safety data sheet available for professional user on request.

Disposal of all waste material should be in accordance with local guidelines.

This kit contains components classified as follows according to the

European regulation (EC) No 1272/2008:



## Danger

Sodium hydroxide solution 4%

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

## Prevention:

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Response:

P301 + P330

IF SWALLOWED:

+ P331

Rinse mouth. Do NOT induce vomiting.

P303 + P361

IF ON SKIN (or hair):

+ P353

Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351

IF IN EYES:

+ P338

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308

IF exposed or concerned:

P310

Immediately call a POISON CENTER or doctor/ physician.

Contact phone: all countries: +49-621-7590, USA: +1-800-428-2336

## Reagent handling

Ready for use.

## NOTE:

Over time, a slight discoloration or small particles may be observed on the bottom of the bottle. The discoloration or particles do not affect reagent performance.

## Storage and stability

Shelf life at 15-25 °C:

See expiration date  
on labels

Open on-board:

10 weeks

## Materials provided

- See "Reagents - working solutions" section for reagents.

## Materials required (but not provided)

See "Order information" section.

Roche/Hitachi analyzers and assay reagents.

See appropriate instructions for use and operator's manuals for additional required materials.

## Assay

Use NAOH-D as specified in the respective instructions for use of the system reagents.

## Symbols and signs

CONTENT

Contents of kit

REAGENT

Reagent

CALIBRATOR

Calibrator



Volume after reconstitution or mixing

A point (period/stop) is always used in this Method Sheet as the decimal separator to mark the border between the integral and the fractional parts of a decimal numeral. Separators for thousands are not used.

## FOR US CUSTOMERS ONLY: LIMITED WARRANTY

Roche Diagnostics warrants that this product will meet the specifications stated in the labeling when used in accordance with such labeling and will be free from defects in material and workmanship until the expiration date printed on the label. THIS LIMITED WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL ROCHE DIAGNOSTICS BE LIABLE FOR INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES.

COBAS, COBAS C and MODULAR are trademarks of Roche.

Other brand or product names are trademarks of their respective holders.

Significant additions or changes are indicated by a change bar in the margin.

© 2012, Roche Diagnostics



Roche Diagnostics GmbH, Sandhofer Strasse 116, D-68305 Mannheim  
www.roche.com

Distribution in USA by:

Roche Diagnostics, Indianapolis, IN

US Customer Technical Support 1-800-428-2336

